

Twelfth Census of the United States.

CENSUS BULLETIN.

No. 83.

WASHINGTON, D. C.

August 20, 1901.

VITAL STATISTICS.

MORTALITY STATISTICS FOR THE CENSUS YEAR 1900.

Hon. WILLIAM R. MERRIAM,

Director of the Census.

SIR: I have the honor to transmit herewith, for publication in bulletin form, the preliminary statistics of deaths during the census year ending May 31, 1900, in the states and territories and the principal registration cities, including all those having a population of 75,000 or more.

The tables presented give the number of deaths in each of these areas by color, general nativity, and parent nativity, in relation to sex; by sex, in relation to age; and from each disease and class of diseases, by sex.

In addition to the data for the states and territories and the principal cities, Table 4 gives also the population, deaths, and death rates for each of the smaller registration cities, with the comparative rates in 1890 for such as were included in the registration class at that time. These details will supply much of the information requested in communications addressed to this office.

In the summaries of the results the data are classed as "registration" and "nonregistration," according to the source from which the original returns were obtained. The nonregistration class includes the areas in which the deaths were reported by the enumerators, and those areas in which registration was too defective to be accepted.

The registration area has been increased almost 50 per cent over 1890, and now comprehends nearly 29,000,000 population. The minimum limit of population of places included among the "cities" in 1890 was 5,000. This was raised to 8,000 for the present census, and therefore represents, to that extent, a more distinctively urban population than before.

In previous census reports death rates and ratios in relation to population were stated for all areas without regard to the sufficiency of the data upon which they were based. This contributed to improper use of the figures, which were frequently accepted and quoted without heeding the qualifications and cautionary statements made in the accompanying text, and thus caused unwarranted criticism of the office work of compilation. It has, therefore, been decided to omit all such figures in tabulated statements including death rates, and to insert in lieu

thereof a characteristic sign which will give warning that they are regarded as not sufficiently accurate for comparative purposes. The asterisk (*) has been adopted for this purpose, and its significance is explained also by footnotes where it occurs.

The most important feature of the results presented is found in the decrease in the general death rate in the registration area of 1.8 per 1,000 of population, a decrease of nearly 10 per cent, and the decrease in the rates from the particular diseases to which the general decrease is due.


The effect of the advances made in medical science and sanitation and in the preventive and restrictive measures enforced by the health authorities is still more strikingly shown in the comparative rate for the registration cities of the country taken together. In 1890 the death rate in 271 registration cities of 5,000 or more population was 21 per 1,000; in 1900 the rate was 18.6 per 1,000 in 341 cities of 8,000 population and upward, a reduction of 2.4 per 1,000. The gross population of the cities comprehended was 14,958,254 in 1890, and 21,660,631 in 1900.

The entire significance of these figures can be properly weighed only when the rates for the individual cities are considered in connection with known conditions of local improvement in sanitation and health regulations—factors which are not of a statistical nature and which were not developed by the inquiries in the schedules.

The decrease in the general death rate, and in the rates due to diseases most frequent in the early years of life, on one hand, and the increase in the rates due to those diseases occurring generally at advanced ages, on the other, mean also increased longevity.

The average age at death in 1890 was 31.1 years; in 1900 it was 35.2 years.

Very respectfully,



Chief Statistician for Vital Statistics.

MORTALITY STATISTICS FOR THE CENSUS YEAR 1900.

This bulletin presents preliminary results for the states and territories and the principal cities. The data included relate to the census year ending May 31, 1900.

The record of deaths upon which these statistics are based was obtained from two different sources, namely, the return by the enumerators of deaths reported to them at the decennial enumeration, and the registration record of deaths recorded under local laws and ordinances.

Experience has demonstrated that it is impossible to secure an accurate return of deaths by enumeration at the end of the census year, the deficiency amounting to something like 40 per cent. The data so obtained being therefore valueless for the purpose of determining true death rates, a much more extensive use of local registration records was decided upon than at previous censuses. In pursuance of this plan, copies were secured of the registration records of all states maintaining a general system of registration, and also of all cities of 5,000 or more population in other states in which deaths were registered under local ordinances.

The registration records were accepted as sufficiently complete and satisfactory in detail in Connecticut, Massachusetts, New Hampshire, and Rhode Island, and in certain counties and cities in New Jersey and New York, and the mortality schedule was withdrawn from the enumerators in these areas. In all other places the enumerators were directed to make inquiry of each family enumerated and return all deaths reported. The two sets of returns were then compared, one being used to supplement and complete the other.

The adoption of this plan also made it possible, for the first time, to determine, to a certain extent, the accuracy of registration in certain states and cities, and the comparisons made disclosed the fact that in many places the registration record was deficient, a considerable percentage of the deaths reported by the enumerators not being registered. It was also found that in many cases details not included in the registration record, or reported as "unknown," could be supplied from the enumerators' returns of the same cases, and the record thus made much more complete.

The result of the comparisons, showing the additions made to the registration record of deaths not registered and of details supplied from the enumerators' returns in the various areas, will be given in full in the final report.

To limit the returns to be classed as "registration" in the tabulations to those areas in which they were sufficiently complete to render the rates and ratios derivable from them fairly comparable with each other, the rule was adopted that only those areas would be so classed in

which the original registration return constituted 90 per cent, or more, of the total (registration plus additions from enumerators' returns), or in which less than 20 per cent of the deaths reported by the enumerators were added to the registration record.

In order to agree with the classification of "urban population," already established by the population division of the Census Office, places having a population of less than 8,000 are not included under the title "registration cities." The term "cities" is here used in its broad sense, and includes all incorporated places, such as cities, towns, villages, and boroughs, as they are variously designated in different states.

In the registration states, cities of less than 8,000 population, and cities in which the record is less than 90 per cent registration, or the additions more than 20 per cent enumeration, are included with the rural.

In the Eleventh Census reports the registration area included Connecticut, Delaware, District of Columbia, Massachusetts, New Hampshire, New Jersey, New York, Rhode Island, and Vermont, with the cities therein, and 83 cities of 5,000 or more population in other states, the gross population represented being 19,659,440.

In the present statistics the registration area includes the same states, with the exception of Delaware, and also Maine and Michigan, and 153 cities of 8,000 or more population in other states. The gross population of this area is 28,807,269, or about 38 per cent of the entire population of the United States. A complete list of the registration areas is given in Table 3.

In the tables presented for 1900, stillbirths are not included; they have been excluded also from the 1890 figures in the comparative statements given herein.

Death rates and ratios are stated only for the registration areas. In the nonregistration areas the insufficiency of the data for the computation of rates is indicated by an asterisk (*).

The total number of deaths reported in 1900 was 1,039,094; in 1890 it was 844,419. The increase was therefore 197,675, or 23.3 per cent. As the percentage of increase in the population was but 20.7, this indicates a more complete return of deaths than in 1890.

The gain in point of completeness is really much greater than appears from these figures, because the general death rate has decreased greatly, as shown below.

The following table shows the population, deaths, and death rates per 1,000 of population in the United States and in the registration and nonregistration areas in 1900 and 1890.

TABLE 1.—POPULATION, DEATHS, AND DEATH RATES.

AREAS.	1900			1890		
	Population.	Deaths.	Rate.	Population.	Deaths.	Rate.
United States ¹	76,085,794	1,039,094	*	62,947,714	841,419	*
Registration	28,807,269	512,669	17.8	19,659,440	386,212	19.6
Nonregistration	47,278,525	526,425	*	43,288,274	455,207	*

¹ Including Indian Territory and Indians on reservations.

* Data insufficient to afford correct rates.

The number of deaths per 1,000 of population in the nonregistration area was 11.1 in 1900 and 10.5 in 1890. The increase in 1900 is due to a more complete return of deaths than in 1890. It does not indicate any actual increase in the death rate. On the other hand, while the return of deaths in the registration area is also more complete than in 1890, there has been a remarkable decrease in the death rate, which declined from 19.6 per 1,000 in 1890 to 17.8 per 1,000 in 1900.

The comparative population, deaths, and death rates in the registration area and its subdivisions in 1900 and 1890 are shown in Table 2.

TABLE 2.—POPULATION, DEATHS, AND DEATH RATES IN REGISTRATION AREAS.

AREAS.	1900			1890		
	Population.	Deaths.	Rate.	Population.	Deaths.	Rate.
Registration record	28,807,269	512,669	17.8	19,659,440	386,212	19.6
Cities	21,660,631	402,666	18.6	14,958,254	314,119	21.0
States, total	17,444,280	301,670	17.3	11,881,330	231,130	19.5
Cities	10,297,642	191,667	18.6	7,180,144	159,037	22.1
Rural	7,146,638	110,003	15.4	4,701,186	72,098	16.3
Cities in other states	11,362,989	210,999	18.6	7,778,110	155,082	19.9

TABLE 4.—POPULATION, DEATHS, AND DEATH RATES IN REGISTRATION STATES AND CITIES IN 1900, WITH CORRESPONDING RATES FOR 1890.

Registration States.				Registration States—continued.					
STATES AND CITIES.	Population 1900.	Deaths 1900.	Death rate. 1900	STATES AND CITIES.	Population 1900.	Deaths 1900.	Death rate. 1900		
Total	17,444,280	301,670	17.3	19.5	New York	7,268,894	130,268	17.9	19.6
Cities	10,297,642	191,667	18.6	22.1	Cities	4,908,861	94,352	19.2	23.2
Rural	7,146,638	110,003	15.4	15.3	Rural	2,360,033	55,906	18.2	13.9
Connecticut	908,420	15,422	17.0	18.6	Rhode Island	428,556	8,176	19.1	20.9
Cities	689,077	10,024	17.0	20.9	Cities	288,233	5,441	19.2	21.4
Rural	319,343	5,398	16.9	17.0	Rural	145,323	2,735	18.8	20.3
Delaware	*	*	*	18.2	Vermont	343,641	5,829	17.0	15.8
Cities	76,508	1,555	20.8	20.8	Cities	46,620	822	17.6	18.6
Rural	*	*	*	16.8	Rural	297,021	5,007	16.9	15.6
District of Columbia	278,718	6,864	22.8	23.7	Cities in Registration States.				
Maine	694,466	12,148	17.5	*	Connecticut:				
Cities	118,450	2,429	20.5		Ansonia town	12,681	227	17.9	(1)
Rural	576,016	9,719	16.9		Bridgeport	70,996	1,226	17.8	19.2
Massachusetts	2,805,846	49,756	17.7	19.3	Bristol town	9,643	149	15.5	(1)
Cities	2,132,623	38,247	17.9	Danbury town	19,474	320	16.4	19.5	
Rural	672,723	11,509	17.1	Greenwich town	12,172	206	16.9	(1)	
Michigan	2,420,982	33,572	13.9	Hartford	78,850	1,546	19.4	24.4	
Cities	711,618	10,905	15.3	Manchester town	10,601	126	11.9	(1)	
Rural	1,709,364	22,667	13.8	Meriden town	28,695	409	14.3	(1)	
New Hampshire	411,588	7,400	18.0	Middletown town	17,486	290	16.6	(1)	
Cities	158,920	2,990	18.8	Naugatuck town	10,541	179	17.0	(1)	
Rural	252,668	4,410	17.5	New Britain town	28,202	483	17.1	(1)	
New Jersey	1,883,669	32,735	17.4	New Haven town	102,027	1,862	17.2	18.8	
Cities	1,069,522	20,088	18.8	New London	17,548	345	19.7	19.9	
Rural	814,147	12,652	15.5	Norwalk town	19,932	299	15.0	(1)	

* Nonregistration. Data insufficient for computation of rates.

† Deaths not separately reported.

The decrease in the death rates in the registration areas is shown in the following table:

TABLE 3.—DEATH RATES IN THE REGISTRATION AREAS, AND DECREASES IN THE RATES BETWEEN 1890 AND 1900.

AREAS.	DEATH RATE PER 1,000 OF POPULATION.	Decrease.	
	1900	1890	
Registration record	17.8	19.6	1.8
Cities	18.6	21.0	2.4
States, total	17.3	19.5	2.2
Cities	18.6	22.1	3.5
Rural	15.4	15.3	0.1
Cities in other states	18.6	19.9	1.3

† Increase.

When it is considered that the registration returns for 1900 are more complete than those for 1890, the decrease in the death rates in these areas is most significant.

The slight increase in the rate for the rural parts of the registration states is probably due to a greater deficiency in the returns for this part of the registration area in 1890. This is further referred to in the remarks following Table 4.

The following table shows the population, deaths, and death rates in each registration state and city, so classified, with the corresponding rate for 1890 where the areas are identical. This table gives the composition of the registration area, as referred to on page 2.

The death rate for 1890 is based upon registration records only, while that for 1900 is based upon registration records corrected by additions from enumerators' returns.

TABLE 4.—POPULATION, DEATHS, AND DEATH RATES IN REGISTRATION STATES AND CITIES IN 1900, WITH CORRESPONDING RATES FOR 1890—Continued.

Cities in Registration States—Continued.				Cities in Registration States—Continued.					
STATES AND CITIES.	Population 1900.	Deaths 1900.	Death rate.		STATES AND CITIES.	Population 1900.	Deaths 1900.	Death rate.	
			1900	1890				1900	1890
Connecticut—Continued.					Michigan—Continued.				
Norwich town	24,637	405	16.4	(1)	Ironwood	9,705	126	13.0	*
Stamford town	18,839	319	16.9	(1)	Ishpeming	13,255	196	14.8	*
Stonington town	8,540	144	16.9	(1)	Jackson	25,180	338	13.4	*
Torrington town	12,455	182	14.6	(1)	Kalamazoo	24,404	416	17.0	*
Vernon town	8,488	127	15.0	(1)	Lansing	16,485	232	14.1	*
Wallingford town	9,001	188	15.3	(1)	Marquette	10,058	167	16.6	*
Waterbury town	51,189	869	17.0	(1)	Menominee	12,818	179	14.0	*
Windham town	10,187	173	17.1	(1)	Muskegon	20,818	255	12.2	20.0
District of Columbia:					Owosso	8,696	121	13.9	*
Washington ²	278,718	6,364	22.8	23.7	Pontiac	9,769	138	14.1	*
Maine:					Port Huron	19,158	238	12.4	*
Augusta	11,688	308	26.4	*	Saginaw	42,345	560	13.2	*
Bangor	21,850	354	16.2	*	Sault Ste. Marie	10,538	183	15.5	*
Bath	10,477	146	13.9	*	Traverse City	9,407	148	15.7	*
Biddeford	16,145	375	23.2	*	West Bay City	13,119	196	14.9	*
Portland	50,145	1,100	21.9	*	New Hampshire:				
Rockland	8,150	146	17.9	*	Berlin	8,886	149	16.8	(1)
Massachusetts:					Concord	19,632	357	18.2	19.1
Adams town	11,184	179	16.1	19.8	Dover	18,207	257	19.5	21.7
Amesbury town	9,473	144	15.2	12.7	Keene	9,165	125	13.6	18.1
Arlington town	8,603	133	15.5	18.3	Laconia	8,042	163	20.3	(1)
Attleboro town	11,335	160	14.1	15.8	Manchester	56,087	1,092	19.2	19.2
Beverly	13,884	205	14.8	14.6	Nashua	23,898	479	20.0	15.7
Boston	500,892	11,277	20.1	23.4	Portsmouth	10,637	180	16.9	20.3
Brockton	40,063	529	13.2	15.2	Rochester	8,466	188	22.2	(1)
Brockline town	19,935	260	13.0	10.2	New Jersey:				
Cambridge	91,886	1,699	18.5	18.5	Atlantic City	27,838	466	16.7	25.0
Chelsea	34,072	696	18.7	20.2	Bayonne	32,722	545	16.7	20.3
Chicopee	19,167	389	20.8	21.1	Bridgeton	13,918	200	14.4	16.3
Clinton town	13,667	224	16.4	8.3	Camden	75,935	1,235	16.3	22.8
Danvers town	8,542	152	17.8	26.4	Elizabeth	52,130	911	17.5	19.1
Everett	24,336	886	15.9	16.2	Harrison town	10,596	234	22.1	28.7
Fall River	104,863	2,345	22.4	23.2	Hoboken	59,364	1,253	21.1	25.9
Framingham town	11,302	190	16.8	15.2	Jersey City	206,433	4,277	20.7	25.6
Fitchburg	31,531	428	13.6	16.8	Millville	10,583	176	16.6	17.9
Gardner town	10,813	205	19.0	20.1	Montclair	13,962	217	15.5	(1)
Gloucester	26,121	388	14.9	12.3	Morrisstown	11,267	191	17.0	16.7
Haverhill	37,175	561	15.1	14.4	Newark	246,070	4,866	19.8	27.4
Holyoke	45,712	820	17.9	22.8	New Brunswick	20,006	425	21.3	18.4
Hyde Park town	13,244	215	16.2	16.3	Orange	24,141	490	20.3	22.9
Lawrence	62,559	1,262	20.2	27.8	Passaic	27,777	563	20.3	16.7
Leominster town	12,392	176	14.2	14.4	Paterson	105,171	2,000	19.0	22.2
Lowell	94,969	1,876	19.8	25.9	Perth Amboy	17,699	250	14.1	16.8
Lynn	68,513	1,124	16.4	16.9	Phillipsburg	10,052	161	16.0	16.0
Malden	33,664	486	14.4	12.5	Plainfield	15,369	242	15.7	17.5
Marlboro	13,609	219	16.1	20.8	Trenton	73,307	1,174	16.0	17.0
Medford	18,244	262	14.4	15.5	Town of Union	15,187	207	13.6	21.4
Melrose	12,962	191	14.7	11.6	New York:				
Milford town	11,376	207	18.2	15.9	Albany	94,151	1,813	19.3	25.5
Natick town	9,488	133	14.0	17.0	Amsterdam	20,929	336	16.1	19.3
New Bedford	62,442	1,184	18.5	22.5	Auburn	30,345	521	17.2	22.1
Newburyport	14,478	312	21.5	22.0	Binghamton	39,647	698	17.6	17.0
Newton	33,587	479	14.3	14.9	Buffalo	352,387	5,207	14.8	18.4
North Adams	24,200	334	13.8	20.3	Cohoes	23,910	484	20.2	21.5
Northampton	18,643	281	15.1	16.9	Corning	11,061	199	18.0	13.8
Peabody town	11,523	185	16.1	13.0	Cortland	9,014	120	13.3	14.2
Pittsfield	21,766	338	15.5	9.4	Dunkirk	11,616	172	14.8	9.3
Plymouth town	9,592	173	18.0	23.5	Elmira	35,672	550	15.4	17.7
Quincy	23,899	366	15.3	19.2	Geneva	10,433	153	14.7	16.7
Revere town	10,395	162	15.6	8.8	Glens Falls	12,613	242	19.2	17.7
Salem	35,956	787	21.9	22.5	Gloversville	18,349	217	11.8	13.6
Somerville	61,643	946	15.3	17.0	Hudson	9,528	208	21.8	21.5
Southbridge town	10,025	204	20.8	22.2	Ithaca	13,186	214	16.3	12.8
Springfield	62,059	1,057	17.0	19.2	Jamestown	22,892	288	12.6	12.8
Taunton	31,036	615	19.8	21.7	Johnstown	10,130	135	13.3	19.2
Wakefield town	9,290	135	14.5	15.2	Kingston	24,535	442	18.0	21.8
Waltham	23,481	329	14.0	14.5	Lansingburg	12,595	248	19.7	19.4
Ware town	8,263	112	13.6	17.3	Lockport	16,581	259	15.6	11.3
Watertown town	9,706	143	14.7	15.1	Middletown	14,522	253	17.4	20.5
Webster town	8,804	146	16.6	23.6	Mt. Vernon	21,228	411	19.4	24.4
Westfield town	12,310	236	19.2	15.7	Newburg	24,943	500	20.0	18.7
Weymouth town	11,324	208	17.9	14.9	New Rochelle	14,720	246	16.7	(1)
Woburn	14,254	241	16.9	17.0	New York	3,437,202	70,229	20.4	25.3
Worcester	118,421	1,838	15.5	18.0	Bronx borough	200,507	3,624	18.1	21.8
Michigan:					Brooklyn borough	1,166,582	23,263	19.9	24.0
Ann Arbor	14,509	185	12.8	*	Manhattan borough	1,850,093	39,331	21.3	26.7
Battle Creek	18,563	250	13.5	*	Queens borough	152,999	2,642	17.3	20.8
Bay City	27,628	351	12.7	*	Richmond borough	67,021	1,369	20.4	19.8
Detroit	285,704	4,988	17.1	18.7	Niagara Falls	19,457	297	15.3	(1)
Escanaba	9,549	188	19.7	*	Ogdensburg	12,638	204	16.1	18.7
Flint	13,103	185	14.1	*	Olean	9,462	119	12.6	12.5
Grand Rapids	87,565	1,258	14.4	*	Peekskill	10,358	206	19.9	13.1
Iron Mountain	9,242	122	18.2	*	Port Jervis	9,385	149	15.9	15.4

* Nonregistration. Data insufficient for computation of rates.

¹ Deaths not separately reported.

² Washington and the District of Columbia coextensive.

³ Estimated.

TABLE 4.—POPULATION, DEATHS, AND DEATH RATES IN REGISTRATION STATES AND CITIES IN 1900, WITH CORRESPONDING RATES FOR 1890—Continued.

Cities in Registration States—Continued.				Cities in Nonregistration States—Continued.					
STATES AND CITIES.	Population 1900.	Deaths 1900.	Death rate.		STATES AND CITIES.	Population 1900.	Deaths 1900.	Death rate.	
			1900	1890				1900	1890
New York—Continued.					Baltimore, Md.	508,957	10,679	21.0	22.9
Poughkeepsie	24,029	496	20.6	20.3	Frederick, Md.	9,296	185	19.9	*
Rochester	162,608	2,446	15.0	17.3	Duluth, Minn.	52,969	688	13.2	*
Rome	15,343	267	17.4	22.5	Mankato, Minn.	10,699	159	15.0	*
Saratoga Springs	12,409	265	21.4	20.6	Minneapolis, Minn.	202,718	2,183	10.8	13.5
Schenectady	31,682	479	15.1	22.2					
Syracuse	108,374	1,494	13.8	19.6	St. Paul, Minn.	163,065	1,574	9.7	14.9
Troy	60,651	1,393	23.0	7.02	Winona, Minn.	19,714	276	14.0	*
Utica	56,583	990	17.6	22.0	Natchez, Miss.	12,210	485	39.7	*
Watertown	21,696	356	16.4	18.1	Kansas City, Mo.	163,752	2,852	17.4	17.3
Watervliet	14,321	275	19.2	(1)	St. Joseph, Mo.	102,979	933	9.1	*
Yonkers	47,931	781	16.3	17.1	St. Louis, Mo.	575,238	10,320	17.9	17.4
Rhode Island:					Helena, Mont.	10,770	154	14.3	*
Central Falls	18,167	290	16.0	(1)	Lincoln, Nebr.	40,169	476	11.8	*
Newport	22,034	421	19.1	18.1	Omaha, Nebr.	102,555	1,382	13.5	9.4
Pawtucket	39,281	723	18.4	23.3	Wilmington, N. C.	20,976	565	26.9	*
Providence	175,597	8,491	19.9	21.1	Raleigh, N. C.	18,643	871	27.2	31.9
Woonsocket	28,204	516	18.3	23.7	Ashtabula, Ohio.	12,949	219	16.9	*
Vermont:					Bellaire, Ohio.	9,912	187	16.8	*
Barre	8,448	158	18.7	(1)	Canton, Ohio.	80,667	408	13.3	*
Bennington town	8,033	127	15.8	(1)	Chillicothe, Ohio.	12,976	277	21.3	16.3
Burlington	18,640	347	18.6	16.7	Cincinnati, Ohio.	325,902	6,214	19.1	21.0
Rutland	11,499	190	16.5	(1)	Cleveland, Ohio.	381,768	6,521	17.1	20.2
<i>Cities in Nonregistration States.</i>									
Mobile, Ala.	38,469	995	25.9	30.3	Columbus, Ohio.	125,560	1,983	15.8	14.7
Alameda, Cal.	16,464	224	13.6	23.3	Dayton, Ohio.	85,333	1,405	16.5	15.1
Fresno, Cal.	12,470	187	15.0	10.6	Findlay, Ohio.	17,613	275	15.6	*
Los Angeles, Cal.	102,479	1,857	18.1	20.0	Hamilton, Ohio.	28,914	849	14.6	17.7
Oakland, Cal.	66,980	1,121	16.7	17.7	Ironton, Ohio.	11,868	221	18.6	*
Sacramento, Cal.	29,282	724	24.7	16.3	Lima, Ohio.	21,728	377	17.4	*
San Diego, Cal.	17,700	399	22.5	*	Marietta, Ohio.	13,348	182	13.6	*
San Francisco, Cal.	342,782	7,040	20.5	22.5	Massillon, Ohio.	11,944	197	16.5	*
San Jose, Cal.	21,500	334	15.5	24.9	Middletown, Ohio.	9,215	145	15.7	*
Denver, Colo.	138,859	2,484	18.6	23.0	Newark, Ohio.	18,157	269	14.8	*
Leadville, Colo.	12,455	351	28.2	*	Portsmouth, Ohio.	17,870	328	18.4	14.0
Pueblo, Colo.	28,157	648	23.0	*	Tiffin, Ohio.	10,989	189	12.6	*
Wilmington, Del.	76,508	1,595	20.8	20.8	Toledo, Ohio.	131,822	2,112	16.0	18.9
Jacksonville, Fla.	28,429	825	29.0	*	Warren, Ohio.	8,529	143	16.8	*
Key West, Fla.	17,114	486	28.4	*	Youngstown, Ohio.	44,885	745	16.6	*
Atlanta, Ga.	89,872	2,887	26.6	22.6	Portland, Oreg.	90,426	856	9.5	*
Savannah, Ga.	54,244	1,862	34.3	35.6	Allentown, Pa.	129,896	2,385	18.4	18.2
Aurora, Ill.	24,147	362	15.0	19.3	Altoona, Pa.	35,416	646	18.2	*
Bellefontaine, Ill.	17,484	269	15.4	*	Carbondale, Pa.	38,973	752	19.3	17.6
Chicago, Ill.	1,698,575	27,583	16.2	19.1	Carlisle, Pa.	13,536	295	21.8	*
Danville, Ill.	16,354	312	19.1	*	Columbus, Pa.	9,626	207	21.5	*
Decatur, Ill.	20,754	855	17.1	*	Dubois, Pa.	12,316	239	19.4	*
Galesburg, Ill.	18,607	270	14.5	15.5	Easton, Pa.	9,375	181	14.0	*
Jacksonville, Ill.	15,708	329	21.8	11.4	Erin, Pa.	25,238	421	16.7	*
Ottawa, Ill.	10,588	150	14.2	15.8	Harrisburg, Pa.	52,733	801	15.2	17.4
Quincy, Ill.	36,252	556	15.3	*	Hazleton, Pa.	50,187	895	17.8	*
Springfield, Ill.	34,159	642	18.8	*	Johnstown, Pa.	14,280	205	14.4	*
Columbus, Ind.	8,130	162	19.9	*	Lancaster, Pa.	85,936	710	19.8	*
Evansville, Ind.	59,007	1,045	17.7	15.8	Lebanon, Pa.	41,459	724	17.5	*
Indianapolis, Ind.	169,184	2,817	16.7	17.3	McKeesport, Pa.	17,628	326	18.5	*
Jeffersonville, Ind.	10,774	227	21.1	*	Mulberry City, Pa.	34,227	592	17.3	*
Lafayette, Ind.	18,116	296	16.3	*	Meadville, Pa.	18,504	360	26.7	*
Michigan City, Ind.	14,850	210	14.1	*	Mt. Carmel, Pa.	10,291	185	18.0	*
Muncie, Ind.	20,942	286	18.7	*	Newcastle, Pa.	13,179	295	22.4	*
Peru, Ind.	8,463	136	16.1	*	Norristown, Pa.	28,339	487	15.4	*
Richmond, Ind.	18,226	292	16.0	*	Oil City, Pa.	22,265	524	23.5	23.8
Terre Haute, Ind.	36,673	587	16.0	16.1	Philadelphia, Pa.	13,264	199	15.0	*
Vincennes, Ind.	10,249	196	19.1	*	Phoenixville, Pa.	1,293,697	27,456	21.2	21.3
Burlington, Iowa	28,201	384	16.6	*	Pittsburg, Pa.	9,196	203	22.1	*
Davenport, Iowa	35,254	562	15.9	16.4	Pittston, Pa.	321,616	6,456	20.0	20.1
Keokuk, Iowa	14,641	279	19.1	14.7	Plymouth, Pa.	12,556	274	21.8	*
Marshalltown, Iowa	11,544	181	15.7	*	Pottstown, Pa.	13,649	286	21.0	*
Muscatine, Iowa	14,073	240	17.1	15.7	Pottsville, Pa.	13,696	240	17.5	*
Oskaloosa, Iowa	9,212	167	18.1	*	Reading, Pa.	15,710	244	15.5	*
Ottumwa, Iowa	13,197	317	17.4	*	Scranton, Pa.	78,961	1,401	17.7	14.4
Sioux City, Iowa	33,111	485	18.1	*	South Bethlehem, Pa.	102,026	2,111	20.7	21.8
Hutchinson, Kans.	9,879	189	20.2	*	Steelton, Pa.	13,241	256	19.3	*
Lawrence, Kans.	10,862	179	16.5	*	Wilkesbarre, Pa.	12,086	213	17.6	*
Leavenworth, Kans.	20,735	419	20.2	*	Williamsport, Pa.	51,721	857	16.6	*
Wichita, Kans.	24,671	890	15.8	*	Charleston, S. C.	28,757	345	12.0	*
Covington, Ky.	42,888	869	20.2	*	Memphis, Tenn.	55,807	2,094	37.5	37.7
Louisville, Ky.	204,781	4,092	20.0	20.1	Nashville, Tenn.	102,320	2,572	25.1	25.3
Newport, Ky.	28,301	572	20.2	*		80,865	2,042	25.3	17.8
Paducah, Ky.	19,446	541	27.8	18.9					
New Orleans, La.	287,104	8,287	28.9	26.8					
Shreveport, La.	16,018	728	45.5	*					
Annapolis, Md.	8,525	170	19.9	*					
* Nonregistration. Data insufficient for computation of rates.					† Deaths not separately reported.				

TABLE 4.—POPULATION, DEATHS, AND DEATH RATES IN REGISTRATION STATES AND CITIES IN 1900, WITH CORRESPONDING RATES FOR 1890—Continued.

Cities in Nonregistration States—Continued.					Cities in Nonregistration States—Continued.				
STATES AND CITIES.	Population 1900.	Deaths 1900.	Death rate.		STATES AND CITIES.	Population 1900.	Deaths 1900.	Death rate.	
			1900	1890				1900	1890
Spokane, Wash.	36,848	511	18.9	*	Green Bay, Wis.	18,684	315	16.9	*
Tacoma, Wash.	37,714	425	11.3	*	Madison, Wis.	19,164	216	11.3	*
Wheeling, W. Va.	38,578	554	14.2	*	Manitowoc, Wis.	11,786	168	14.3	*
Appleton, Wis.	15,085	175	11.6	*	Marinette, Wis.	16,195	232	14.3	*
Beloit, Wis.	10,436	152	14.6	*	Milwaukee, Wis.	285,315	4,550	15.9	18.8
Chippewa Falls, Wis.	8,094	100	12.4	*	Superior, Wis.	31,991	352	11.3	*
Eau Claire, Wis.	17,517	257	14.7	*					

* Nonregistration. Data insufficient for computation of rates.

From the summary given at the head of this table, showing the deaths and rates in the cities and rural parts of the registration states, it will be seen that the increase in the rates in the rural part of the registration states, which was referred to above, is confined to 3 states, namely, New Jersey, New York, and Vermont. In these states the additions from the enumerators' returns were much greater in the rural areas than in the cities. The figures for 1890 represent the results of the registration only, and the difference is no doubt due to deficiencies in the returns at that time.

The preceding figures give only gross death rates per 1,000 of total population. A comprehensive analysis of the results will be possible only when the population details of sex and age, in relation to color, general nativity, and parent nativity, conjugal condition, etc., are available for the different areas; but the causes contributing to the decrease in the general death rate may be estimated from the comparative rates due to certain diseases and classes of diseases, per 100,000 of population, and these are given for the registration area and its subdivisions in Table 5, which follows.

TABLE 5.—COMPARATIVE DEATH RATES DUE TO CERTAIN DISEASES AND CLASSES OF DISEASES, PER 100,000 OF POPULATION, IN 1900 AND 1890.

CAUSES.	REGISTRATION RECORD.		REGISTRATION CITIES.		REGISTRATION STATES.				REGISTRATION CITIES IN OTHER STATES.	
					Total.		Cities.			
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
All causes	1,779.7	1,964.5	1,859.0	2,100.0	1,729.3	1,945.8	1,861.8	2,215.0	1,539.2	1,533.5
Unknown causes	16.8	24.6	15.7	23.2	18.3	19.4	8.5	13.8	20.8	28.8
General diseases—A	306.3	398.3	329.3	441.4	294.5	376.6	334.9	452.4	236.8	260.9
Measles	18.2	18.5	14.3	15.6	14.8	10.7	18.2	13.1	9.9	10.7
Scarlet fever	11.5	13.6	12.9	15.2	11.0	13.0	13.0	16.0	7.4	8.5
Diphtheria	35.4	70.1	42.1	79.2	31.7	70.1	43.1	89.1	15.2	41.1
Whooping cough	12.7	15.8	13.4	17.3	14.0	18.2	16.4	28.0	10.6	10.7
Malarial fever	8.8	19.2	9.9	21.4	5.1	14.7	4.9	16.5	5.4	12.1
Influenza	28.9	6.2	20.4	3.9	29.1	7.6	25.8	3.8	34.6	13.5
Typhoid fever	33.8	46.3	36.6	51.0	25.4	36.0	25.3	39.0	25.5	31.4
Cholera morbus	6.2	4.5	5.8	4.8	5.5	4.9	4.2	5.6	7.4	3.7
Dysentery	13.6	32.3	13.5	35.4	13.0	29.0	12.5	33.3	14.0	22.3
Diarrhea	12.8	27.2	12.9	31.1	18.7	27.6	14.7	35.9	12.2	15.0
Enteritis	52.5	40.1	46.6	49.2	34.5	67.7	44.6	22.6	19.1	57.4
Cholera infantum	47.8	79.7	50.0	88.6	50.8	82.8	57.6	103.5	41.0	51.3
Cerebro-spinal fever	7.1	6.3	7.0	6.7	8.0	5.8	8.4	6.3	7.4	5.0
Erysipelas	5.1	5.4	5.4	5.8	5.4	5.4	6.3	6.1	4.2	4.3
Septicemia	10.0	7.7	10.2	8.1	8.5	6.0	8.1	5.7	9.2	6.5
Venereal diseases	3.3	4.0	4.0	4.9	2.4	3.1	3.4	4.5	1.0	1.0
Others of this group	8.6	6.4	8.6	5.8	6.9	7.2	5.8	6.4	8.7	8.4
General diseases—B	41.0	39.0	47.4	46.0	29.8	27.1	35.4	33.9	21.9	16.6
Alcoholism	7.2	8.1	8.4	9.5	6.6	8.1	8.8	11.0	3.4	8.0
Parasitic diseases	.1	.3	.1	.3	.1	.2	.1	.2	.3	.3
Poison	6.4	2.9	7.2	8.1	6.1	2.5	7.4	2.7	4.4	2.2
Inanition	27.3	27.7	31.7	38.1	17.0	16.3	19.1	20.0	13.9	10.5
General diseases—C	142.8	163.0	145.6	189.9	141.4	168.1	146.4	185.8	134.3	141.0
Old age	54.0	44.9	47.3	37.3	53.1	52.0	38.4	41.0	74.4	68.9
Premature birth	33.7	25.2	36.9	28.7	33.4	27.5	40.0	36.2	23.9	33.0
Malformation	5.9	4.3	5.8	4.6	6.6	4.7	6.9	5.5	6.2	3.5
Debility and atrophy	45.5	88.6	51.7	99.3	43.7	83.9	55.6	103.1	26.6	54.7
Others of this group	3.7	—	8.9	—	4.6	—	5.5	—	3.2	—
General diseases—D	301.7	350.2	316.7	370.9	293.3	357.5	318.9	405.3	256.4	284.5
Anemia	5.2	3.6	4.6	3.8	5.8	3.3	4.9	3.5	7.2	3.0
Diabetes	9.4	5.5	8.7	5.0	10.6	6.4	10.1	5.7	11.4	7.3
Rheumatism	6.8	8.1	6.6	8.2	6.6	8.7	6.1	9.3	7.3	7.8
Serofulpa and tabes	3.6	6.7	3.5	7.3	3.1	5.4	2.6	6.0	3.9	4.6
Hydrocephalus	11.0	15.4	12.4	17.7	12.6	17.5	16.5	23.4	6.9	8.2
Tuberculosis, general	3.2	245.4	3.3	265.6	3.5	249.0	3.9	293.5	3.0	2.8
Consumption	187.3	204.9	175.9	204.8	204.8	184.1	181.0	204.9	239.9	239.9
Cancer	60.0	47.9	58.3	47.1	62.1	50.9	59.8	51.3	65.3	50.3
Tumor	5.8	5.2	5.7	5.1	5.6	5.4	5.3	5.2	5.7	5.0
Dropsy	6.9	10.3	6.1	8.8	5.2	9.1	2.5	4.9	9.2	15.4
Others of this class	2.5	2.1	2.6	2.3	1.8	2.4	2.5	2.0	1.2	2.8

TABLE 5.—COMPARATIVE DEATH RATES DUE TO CERTAIN DISEASES AND CLASSES OF DISEASES, PER 100,000 OF POPULATION, IN 1900 AND 1890—Continued.

CAUSES.	REGISTRATION RECORD.		REGISTRATION CITIES.		REGISTRATION STATES.						REGISTRATION CITIES IN OTHER STATES.	
					Total.		Cities.		Rural.			
	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890	1900	1890
Diseases of the nervous system	217.2	247.4	215.5	259.1	214.0	240.3	208.3	260.1	222.3	210.0	222.0	258.2
Inflammation of the brain	3.8	7.9	3.6	8.8	3.0	5.8	2.2	5.2	4.2	6.7	4.9	11.2
Meningitis	38.0	41.2	42.0	47.9	36.3	42.2	43.5	56.7	25.8	20.0	40.6	39.8
Apoplexy	66.6	49.0	62.3	47.2	76.1	56.8	73.8	58.2	79.5	54.6	51.9	37.0
Paralysis	30.8	35.5	25.9	29.5	31.7	40.2	22.2	30.8	45.5	54.5	29.3	28.3
Paralysis, general (of insane)	2.0	1.9	2.2	2.0	2.0	2.0	2.0	2.5	1.8	1.8	1.8	2.3
Tetanus and trismus nascentium	4.6	6.5	5.5	8.1	2.4	2.8	2.8	3.7	1.9	1.5	7.9	12.2
Epilepsy	4.2	4.8	3.6	4.7	4.6	5.5	3.6	5.6	6.1	5.3	3.7	3.9
Convulsions	33.1	56.3	37.7	65.8	24.5	41.5	28.4	51.8	18.9	25.8	46.1	78.6
Mental diseases	6.8	5.5	6.7	5.6	7.1	7.1	6.8	8.4	7.4	5.1	6.5	3.1
Diseases of the brain	18.6	30.9	18.3	32.3	17.2	28.8	15.5	30.6	19.5	26.1	20.8	33.9
Diseases of the spinal cord	4.9	6.3	4.7	6.5	5.1	6.0	4.6	6.2	5.8	5.7	4.7	6.8
Others of this class	3.8	3.5	3.3	3.2	3.8	8.6	2.9	2.9	5.2	4.7	3.8	3.4
Diseases of the circulatory system	150.1	134.2	145.6	132.4	154.5	144.0	148.3	146.3	163.6	140.4	143.2	119.4
Pericarditis	2.3	1.1	2.5	1.1	2.0	2.0	2.2	1.8	1.8	2.7	1.8	1.8
Diseases of the heart	131.7	121.8	127.1	119.0	137.3	131.6	131.4	132.0	130.6	123.2	106.9	106.9
Angina pectoris	6.4	8.4	5.5	3.1	6.8	3.9	5.4	3.4	8.9	4.6	5.7	2.8
Others of this class	9.7	9.0	10.5	10.3	8.4	8.5	9.3	10.9	7.1	5.2	11.6	9.7
Diseases of the respiratory system	279.4	324.1	306.0	355.7	279.3	333.3	335.1	405.0	199.0	223.7	279.7	310.1
Croup	9.8	27.6	10.7	32.0	8.6	25.8	9.7	32.8	7.0	13.8	11.7	31.2
Pneumonia	191.9	186.9	210.5	201.4	193.3	197.3	233.1	234.1	135.9	141.1	189.9	171.1
Laryngitis	2.1	2.7	2.2	3.2	2.2	2.5	2.5	2.9	1.8	1.1	1.9	3.5
Bronchitis	48.3	74.4	53.4	83.8	49.7	79.1	61.4	101.7	32.7	44.5	46.1	67.3
Pleurisy	4.9	5.2	5.4	5.7	4.8	5.5	5.9	7.0	3.3	3.8	5.1	4.6
Asthma	4.3	5.1	4.8	5.7	2.6	3.2	2.6	3.3	2.7	3.1	6.8	8.0
Others of this class	18.1	22.2	19.0	23.9	18.1	20.7	19.9	23.2	15.6	16.8	18.2	24.4
Diseases of the digestive system	98.5	91.5	101.1	97.7	93.0	86.0	94.6	95.1	90.6	72.0	107.0	100.0
Dentition	2.6	7.7	3.2	9.1	2.0	5.6	2.9	7.0	0.8	3.4	3.5	11.1
Gastritis	14.8	10.4	14.8	11.1	14.0	10.5	13.5	12.1	14.8	8.1	15.9	10.2
Diseases of the stomach	5.2	7.7	4.9	7.7	5.2	7.4	4.6	7.0	5.9	8.0	5.2	8.8
Obstruction of the bowels	8.1	5.7	8.4	6.1	7.8	5.2	8.2	5.7	7.3	4.4	8.5	6.5
Appendicitis	9.9	—	10.7	—	9.0	—	9.9	—	7.7	—	11.3	—
Hernia	8.7	3.3	3.7	3.8	3.8	3.4	3.9	3.5	3.7	3.2	3.6	3.2
Other diseases of the bowels	2.6	2.2	2.5	2.1	2.3	2.1	1.8	1.9	2.8	2.4	3.0	2.2
Diseases of the liver	22.7	24.2	23.5	26.0	21.7	23.1	22.6	26.5	20.4	18.1	24.3	25.5
Peritonitis	17.5	17.4	18.3	18.2	15.8	17.5	16.3	19.4	14.9	14.7	20.1	17.2
Others of this class	11.4	12.9	11.1	14.1	11.4	11.2	10.9	12.0	12.3	9.7	11.6	15.8
Diseases of the urinary system and male organs of generation	102.2	70.7	107.3	74.6	104.8	80.1	117.2	94.4	87.0	58.3	98.2	56.4
Bright's disease	77.3	35.5	82.6	87.4	81.5	40.4	95.4	47.5	61.5	29.7	70.9	28.1
Diseases of the kidneys	6.4	24.2	6.5	26.9	6.5	28.3	6.7	36.8	6.1	15.4	6.3	17.8
Diseases of the bladder	5.1	5.8	4.2	4.4	5.7	6.3	4.5	5.0	7.5	8.3	4.0	3.8
Others of this class	13.4	5.7	14.0	5.9	11.1	5.1	10.6	5.1	11.9	4.9	17.0	6.7
Diseases of the female organs of generation	(1)	10.4	(1)	11.3	(1)	9.5	(1)	10.8	(1)	7.5	(1)	11.9
Affections connected with pregnancy	(1)	80.5	(1)	33.0	(1)	28.0	(1)	31.5	(1)	22.5	(1)	34.5
Diseases of the bones and joints	3.6	4.0	3.6	4.3	4.0	4.0	4.1	4.6	3.7	3.1	3.1	3.9
Diseases of the skin	3.2	4.3	3.3	4.6	3.0	4.3	3.1	4.8	2.9	3.5	3.4	4.4
Diseases of the absorbent system	1.3	.8	1.2	.8	1.4	.8	1.3	.8	1.7	.8	1.1	0.9
Accidents and injuries	96.0	91.9	100.3	97.2	83.7	84.9	84.2	91.5	83.0	75.0	114.8	102.4
Burns and scalds	8.8	5.5	9.8	6.3	7.8	4.4	9.0	5.3	6.0	3.0	10.4	7.2
Drowning	11.0	12.9	10.4	12.9	11.3	13.4	10.4	13.7	12.6	12.9	10.4	12.2
Gunshot wounds	3.8	2.4	4.0	2.6	2.8	1.7	2.4	1.5	3.3	1.9	5.4	3.6
Homicide and infanticide	2.8	2.0	2.8	2.5	1.1	1.2	1.4	1.6	.7	4.1	3.3	3.3
Railroad accidents	13.2	14.0	13.6	14.7	10.3	12.7	9.2	13.2	11.9	12.0	17.6	16.1
Suffocation	4.2	5.0	4.4	5.5	4.1	5.0	4.3	5.9	3.8	3.6	4.5	5.1
Suicide	11.8	10.3	12.7	11.0	9.9	8.8	10.5	9.3	9.0	8.0	14.7	12.7
Surgical operations	1.4	2.8	1.6	3.5	1.0	2.5	1.1	3.8	.8	.7	2.2	3.8
Wounds	1.5	2.9	1.7	2.9	1.1	2.3	1.3	2.1	.9	2.7	2.1	3.7
Others of this class	38.0	34.1	39.8	35.3	34.3	32.9	34.6	35.1	34.0	29.5	43.4	35.2

¹ Female population not available for computing rates per 100,000 females.

The limits of this bulletin preclude giving similar rates for the states and cities separately, but these may be computed for the registration states and the principal registration cities, if desired, by using the population figures given in Table 4, and the deaths from each cause, supplied in Tables 13 and 14.

In comparing the results given for the different areas in the preceding and other tables, the differences in the composition of the population comprehended should be borne in mind. The registration states include a larger

proportion of adult persons and of persons of foreign birth or parentage, and a smaller proportion of colored, than the cities in the nonregistration states, or the remainder of the country. These factors have a direct influence upon the general death rate and also upon the mortality resulting from certain diseases.

The following table shows the number of deaths in the United States from certain principal causes in 1900 and 1890, with the proportion due to each cause per 100,000 from all causes.

TABLE 6.—NUMBER OF DEATHS FROM CERTAIN CAUSES, WITH PROPORTION FROM EACH CAUSE PER 100,000 FROM ALL CAUSES, IN 1900 AND 1890.

CAUSES OF DEATH.	1900		1890	
	Number.	Proportion.	Number.	Proportion.
Consumption ¹	111,059	10,688	102,199	12,146
Pneumonia	105,371	10,198	76,496	9,091
Heart disease ²	69,315	6,671	44,859	5,343
Diarrheal diseases ³	46,907	4,514	47,201	5,610
Unknown causes	40,589	3,901	34,286	4,074
Diseases of the kidneys ⁴	36,724	3,584	19,457	2,312
Typhoid fever	35,879	3,405	27,058	3,216
Cancer	29,475	2,837	18,536	2,203
Old age	29,222	2,812	16,591	1,972
Apoplexy	26,901	2,589	14,999	1,783
Inflammation of the brain and meningitis	25,664	2,470	17,775	2,113
Cholera infantum	25,576	2,461	27,510	3,269
Paralysis ⁵	23,865	2,297	16,570	1,969
Bronchitis	20,223	1,946	21,422	2,546
Debility and atrophy	17,282	1,663	25,536	3,035
Influenza	16,645	1,602	12,957	1,540
Diphtheria	16,475	1,586	27,815	3,306
Convulsions	15,505	1,492	16,598	1,973
Malarial fever	14,874	1,431	18,594	2,210
Premature birth	14,720	1,417	7,636	908
Diseases of the stomach ⁶	13,484	1,298	8,080	960
Measles	12,866	1,238	9,256	1,100
Croup	12,484	1,201	18,862	1,647
Diseases of the liver ⁷	12,249	1,179	9,460	1,124
Diseases of the brain	11,469	1,104	12,322	1,464
Inanition	11,382	1,095	6,995	831
Dropsy	11,264	1,084	10,070	1,197
Whooping cough	9,958	958	8,432	1,002
Peritonitis	7,501	722	4,995	594
Railroad accidents	6,930	667	5,756	684
Septicemia	6,776	652	8,748	445
Burns and scalds	6,772	652	8,850	458
Scarlet fever	6,633	609	5,969	709
Suicide	5,498	529	8,932	467
Drowning	5,387	518	5,104	607
Appendicitis	5,111	492		
Rheumatism	5,067	488	4,508	536
Diabetes	4,672	450	2,407	286
Hydrocephalus	4,302	414	4,338	516
Cerebro-spinal fever	4,174	402	3,333	396
Gunshot wounds	4,060	391	2,552	303

¹ Including general tuberculosis.

² Including pericarditis.

³ Including cholera morbus, colitis, diarrhea, dysentery, and enteritis.

⁴ Including Bright's disease.

⁵ Including general paralysis of the insane.

⁶ Including gastritis.

⁷ Including jaundice, and inflammation and abscess of the liver.

This table serves only to indicate the relative frequency of deaths from the specified causes, as reported. It should be considered in connection with the following table,

which gives the number of deaths due to the same causes in the registration area, with the death rates per 100,000 of population.

TABLE 7.—DEATHS FROM CERTAIN CAUSES IN THE REGISTRATION AREA IN 1900 AND 1890, WITH DEATH RATES DUE TO EACH CAUSE, PER 100,000 OF POPULATION.

CAUSES OF DEATH.	1900		1890	
	Number.	Rate.	Number.	Rate.
Pneumonia	55,296	191.9	36,752	186.9
Consumption ¹	54,898	190.5	48,236	245.4
Heart disease ²	58,608	134.0	23,939	121.8
Diarrheal diseases ³	24,509	85.1	20,457	104.1
Diseases of the kidneys ⁴	24,124	83.7	11,736	59.7
Apoplexy	19,173	66.6	9,631	49.0
Cancer	17,296	60.0	9,410	47.9
Old age	15,558	54.0	8,828	44.9
Bronchitis	13,903	48.3	14,632	74.4
Cholera infantum	13,758	47.8	15,659	79.7
Debility and atrophy	13,108	45.5	17,427	88.6
Inflammation of the brain and meningitis	12,026	41.8	9,666	49.1
Diphtheria	10,201	35.4	13,786	70.1
Typhoid fever	9,749	33.8	9,097	46.3
Premature birth	9,690	33.7	4,948	25.2
Convulsions	9,522	33.1	11,050	56.3
Paralysis ⁵	9,450	32.8	6,980	35.5
Inanition	7,859	27.3	5,445	27.7
Influenza	6,882	23.9	1,215	6.2
Diseases of the liver ⁶	6,644	22.7	4,742	24.2
Diseases of the stomach ⁷	5,743	20.0	3,565	18.1
Diseases of the brain	5,357	18.6	6,055	30.9
Peritonitis	5,028	17.5	3,419	17.4
Unknown causes	4,949	16.8	4,827	24.6
Measles	3,801	13.2	2,662	13.5
Railroad accidents	3,792	13.2	2,761	14.0
Whooping cough	3,669	12.7	3,098	15.8
Suicide	3,400	11.8	2,027	10.3
Scarlet fever	3,327	11.5	2,682	13.6
Hydrocephalus	3,173	11.0	3,038	15.4
Drowning	3,152	11.0	2,543	12.9
Septicemia	2,867	10.0	1,517	7.7
Appendicitis	2,858	9.9		
Croup	2,830	9.8	5,432	27.6
Diabetes	2,693	9.4	1,089	5.5
Burns and scalds	2,545	8.8	1,081	5.5
Malarial fever	2,526	8.8	3,773	19.2
Cerebro-spinal fever	2,039	7.1	1,241	6.3
Dropsy	1,979	6.9	2,084	10.3
Rheumatism	1,951	6.8	1,587	8.1
Gunshot wounds	1,103	3.8	470	2.4

¹ Including general tuberculosis.

² Including pericarditis.

³ Including cholera morbus, colitis, diarrhea, dysentery, and enteritis.

⁴ Including Bright's disease.

⁵ Including general paralysis of the insane.

⁶ Including jaundice, and inflammation and abscess of the liver.

⁷ Including gastritis.

Excluding deaths from accidents and injuries, the decreases and increases in the rates due to the principal causes are shown in Table 8, which follows.

TABLE 8.—DEATH RATES DUE TO CERTAIN DISEASES, PER 100,000 OF POPULATION, IN THE REGISTRATION AREA IN 1900 AND 1890, AND THE INCREASES OR DECREASES IN THE RATES.

CAUSES.	DEATH RATE.		Increase.	Decrease.
	1900	1890		
Consumption	190.5	245.4	54.9	
Debility and atrophy	45.5	88.6	43.1	
Diphtheria	35.4	70.1	34.7	
Cholera infantum	47.8	79.7	31.9	
Bronchitis	48.3	74.4	26.1	
Convulsions	33.1	56.3	23.2	
Diarrheal diseases	85.1	104.1	19.0	
Croup	9.8	27.6	17.8	
Typhoid fever	33.8	46.3	12.5	
Diseases of the brain	18.6	30.9	12.3	
Malarial fever	8.8	19.2	10.4	
Unknown causes	16.8	24.6	7.8	
Inflammation of the brain and meningitis	41.8	49.1	7.3	
Hydrocephalus	11.0	15.4	4.4	
Dropsy	6.9	10.3	3.4	
Whooping cough	12.7	15.8	3.1	
Paralysis	32.8	35.5	2.7	
Scarlet fever	11.5	13.6	2.1	
Septicemia	10.0	7.7	2.3	
Diabetes	9.4	5.5	3.9	
Pneumonia	191.9	186.9	5.0	
Premature birth	33.7	25.2	8.5	
Old age	54.0	44.9	9.1	
Cancer	60.0	47.9	12.1	
Heart disease	134.0	121.8	12.2	
Apoplexy	66.6	49.0	17.6	
Influenza	23.9	6.2	17.7	
Diseases of the kidneys	83.7	59.7	24.0	

The decrease in the rates from unknown causes, debility, convulsions, dropsy, paralysis, and certain other causes indicates greater accuracy in the diagnosis of cases by physicians or more critical supervision of certificates by registration officials, perhaps both.

It will be seen from the data given above that the decreases in the rates occur largely in those causes most

incident to infancy and childhood, including diphtheria and croup, cholera infantum and other diarrheal diseases, convulsions, inflammation of the brain and meningitis, whooping cough, scarlet fever, hydrocephalus, and debility and atrophy, while the increases are most marked in those causes incident to advanced age, such as apoplexy, heart disease, cancer, diseases of the kidneys, including Bright's disease, diabetes, and old age.

The population details are not available at present for the computation of the death rates at the different ages, but the effect of the changes in the rates from the causes specified is shown in a decrease in the proportion of deaths in the registration area at each age up to 30 years.

It is also more specifically shown in the average age at death, in the same area, which was 35.2 years in 1900 and 31.1 years in 1890.

The following general tables are appended, all relating to the census year ending May 31, 1900.

Table 9. Deaths in the United States, the registration area and its subdivisions, and in each state and territory, by color, general nativity, and parent nativity, with distinction of sex.

Table 10. Deaths in each principal registration city, by color, general nativity, and parent nativity, with distinction of sex.

Table 11. Deaths in the United States, the registration area and its subdivisions, and in each state and territory, by sex and age.

Table 12. Deaths in each principal registration city, by sex and age.

Table 13. Deaths in the United States and in each state and territory, from each specified disease and class of diseases, by sex.

Table 14. Deaths in each principal registration city, from each specified disease and class of diseases, by sex.

TABLE 9.—DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS, AND IN EACH OF SEX:

STATES AND TERRITORIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.	Male.	Female.
1 The United States	1,039,094	551,611	487,483	892,092	477,080	415,012	694,736	366,815	328,421
2 Registration record	512,669	272,819	239,850	475,640	252,491	222,149	337,288	178,675	158,613
3 Registration states	301,670	157,745	143,925	292,618	153,183	139,435	210,918	110,823	100,095
4 Cities in registration states	191,667	100,041	91,626	184,408	96,386	88,022	124,490	65,995	58,495
5 Rural part of registration states	110,003	57,704	52,299	108,210	56,797	51,413	86,428	44,828	41,600
6 Registration cities in other states	210,999	115,074	95,925	183,022	100,308	82,714	126,370	67,852	58,518
7 Nonregistration	526,425	278,792	247,633	416,452	223,589	192,863	357,448	187,640	169,303
8 Alabama	25,699	12,970	12,729	12,937	6,541	6,396	12,308	6,164	6,144
9 Arizona	1,223	750	473	947	616	331	681	434	247
10 Arkansas	22,518	11,813	10,705	16,372	8,689	7,683	15,804	8,281	7,523
11 California	22,506	13,998	8,508	21,081	12,912	8,169	13,687	8,049	5,638
12 Colorado	7,428	4,471	2,957	7,210	4,351	2,859	4,856	2,779	2,077
13 Connecticut	15,422	7,902	7,520	15,048	7,717	7,331	10,800	5,580	5,220
14 Delaware	8,075	1,644	1,431	2,490	1,348	1,142	2,134	1,148	986
15 District of Columbia	6,364	3,274	3,090	3,660	1,967	1,693	2,989	1,574	1,415
16 Florida	6,482	3,520	2,962	8,408	1,933	1,475	2,943	1,628	1,315
17 Georgia	26,941	13,321	13,620	13,094	6,547	6,547	12,687	6,276	6,361
18 Idaho	1,242	762	480	1,075	674	401	850	505	345
19 Illinois	61,229	33,641	27,588	59,618	22,752	26,866	42,545	22,798	19,747
20 Indiana	33,586	17,454	16,132	32,312	16,789	15,528	28,307	14,480	13,827
21 Indian Territory	5,286	2,795	2,491	3,936	2,119	1,817	3,863	2,033	1,780
22 Iowa	19,573	10,612	8,961	19,362	10,490	8,872	14,089	7,511	6,578
23 Kansas	16,261	8,978	7,283	15,209	8,444	6,765	11,691	6,367	5,924
24 Kentucky	27,091	13,843	13,248	22,035	11,387	10,698	19,947	10,151	9,796
25 Louisiana	20,955	10,971	9,984	10,250	5,590	4,660	8,465	4,556	3,909
26 Maine	12,148	6,292	5,856	12,112	6,268	5,844	10,497	5,438	5,059
27 Maryland	20,422	10,526	9,896	15,841	8,054	7,287	12,177	6,883	5,794
28 Massachusetts	49,756	25,352	24,404	49,061	24,985	24,076	34,952	18,207	16,745
29 Michigan	33,572	18,084	15,488	33,205	17,893	15,312	24,068	12,742	11,926
30 Minnesota	17,005	9,354	7,651	16,816	9,250	7,566	10,318	5,456	4,862
31 Mississippi	20,251	10,299	9,952	7,444	3,880	3,564	7,120	3,680	3,440
32 Missouri	38,084	20,480	17,604	34,959	18,833	16,126	29,383	15,525	13,853
33 Montana	2,188	1,387	801	1,930	1,256	674	1,069	624	445
34 Nebraska	8,264	4,480	3,784	8,015	4,355	3,660	6,042	3,239	2,808
35 Nevada	488	290	148	349	240	109	201	128	73
36 New Hampshire	7,400	3,663	3,737	7,388	3,660	3,728	5,848	2,904	2,944
37 New Jersey	32,735	17,462	15,273	31,069	16,617	14,452	22,829	12,187	10,642
38 New Mexico	2,674	1,455	1,219	2,398	1,290	1,108	2,228	1,171	1,057
39 New York	130,268	68,648	61,620	127,332	67,135	60,197	88,479	46,814	41,665
40 North Carolina	21,068	10,427	10,641	13,217	6,484	6,733	12,805	6,265	6,540
41 North Dakota	2,287	1,159	1,128	2,046	1,050	996	1,291	635	656
42 Ohio	53,802	28,648	24,714	51,481	27,612	23,869	40,219	21,184	19,085
43 Oklahoma	8,181	1,741	1,440	2,704	1,508	1,196	2,563	1,428	1,135
44 Oregon	8,396	2,019	1,377	8,176	1,880	1,296	2,412	1,364	1,048
45 Pennsylvania	90,199	49,150	41,049	86,658	47,300	39,353	67,229	36,217	31,012
46 Rhode Island	8,176	4,132	4,044	7,939	4,021	3,918	5,571	2,922	2,649
47 South Carolina	17,166	8,461	8,705	5,808	2,919	2,889	5,605	2,796	2,809
48 South Dakota	8,088	1,654	1,434	2,448	1,349	1,099	1,672	894	778
49 Tennessee	30,572	15,354	15,218	21,029	10,568	10,461	20,257	10,098	10,164
50 Texas	34,160	18,045	16,115	26,216	14,041	12,175	23,526	12,409	11,117
51 Utah	3,079	1,821	1,258	2,972	1,764	1,208	1,934	1,067	867
52 Vermont	5,829	2,936	2,393	5,804	2,920	2,884	4,885	2,455	2,430
53 Virginia	25,252	13,112	12,140	14,070	7,302	6,768	13,472	6,899	6,573
54 Washington	4,910	3,148	1,762	4,594	2,955	1,639	3,065	1,812	1,253
55 West Virginia	9,588	5,046	4,542	9,074	4,756	4,318	8,651	4,507	4,144
56 Wisconsin	24,928	13,815	11,113	24,747	13,724	11,028	15,298	8,225	7,073
57 Wyoming	767	452	315	651	395	256	474	281	193

STATE AND TERRITORY, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY, WITH DISTINCTION
1900.

WHITE—continued.												COLORED.								
Native—continued.						Foreign.			Total.	Male.	Female.									
Both parents native.			One or both parents foreign.																	
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.												
406,104	209,670	196,434	143,214	77,472	65,742	175,252	97,809	77,943	147,002	74,581	72,471	1								
125,785	64,742	61,043	98,975	53,644	45,331	126,465	67,546	58,919	37,029	19,328	17,701	2								
103,659	53,032	50,627	82,657	44,845	37,812	78,077	40,088	37,989	9,052	4,562	4,490	3								
48,155	24,587	23,568	64,277	34,964	29,813	58,096	29,225	28,871	7,259	3,655	3,604	4								
55,504	28,445	27,059	18,380	9,881	8,499	19,981	10,863	9,118	1,793	907	886	5								
22,126	11,710	10,416	16,818	8,799	7,519	48,388	27,458	20,930	27,977	14,766	13,211	6								
280,319	144,928	135,391	44,239	23,828	20,411	48,787	29,768	19,024	109,973	55,203	54,770	7								
10,089	5,054	5,005	215	105	110	341	228	113	12,762	6,429	6,333	8								
279	168	111	250	155	95	219	146	73	276	134	142	9								
14,224	7,364	6,860	366	210	156	280	204	76	6,146	3,124	3,022	10								
2,968	1,730	1,238	1,431	797	634	6,874	4,480	2,394	1,425	1,086	839	11								
2,098	1,185	913	711	405	306	1,233	842	391	218	120	98	12								
5,020	2,482	2,533	4,057	2,190	1,867	3,941	1,955	1,986	874	185	189	13								
852	192	160	29	12	17	286	125	111	585	296	289	14								
2,198	1,145	1,053	522	270	252	616	359	257	2,704	1,307	1,397	15								
2,120	1,156	964	178	95	83	881	245	136	3,074	1,587	1,487	16								
10,075	4,899	5,176	108	63	45	257	160	97	13,847	6,774	7,073	17								
533	303	230	219	125	94	189	183	51	167	88	79	18								
16,744	8,819	7,925	4,409	2,434	1,975	16,052	9,297	6,755	1,611	889	722	19								
21,836	11,089	10,747	8,205	1,624	1,581	8,247	1,876	1,371	1,274	665	609	20								
3,518	1,903	1,645	84	49	35	37	23	14	1,350	676	674	21								
8,056	4,254	3,802	3,025	1,608	1,417	4,240	2,401	1,839	211	122	89	22								
7,106	3,776	3,330	1,677	918	759	1,720	1,064	656	1,052	534	518	23								
16,295	8,200	8,095	570	306	264	1,221	699	522	5,056	2,506	2,550	24								
6,039	3,173	2,866	1,098	607	491	1,670	955	715	10,705	5,381	5,324	25								
7,954	4,073	3,881	2,009	1,081	918	1,487	762	725	36	24	12	26								
4,056	2,160	1,896	353	196	157	2,391	1,258	1,183	5,081	2,472	2,609	27								
15,357	7,748	7,609	16,194	8,788	7,406	13,645	6,517	7,128	695	367	328	28								
13,038	6,789	6,249	9,125	4,904	4,221	8,752	4,858	3,894	867	191	176	29								
4,221	2,229	1,992	5,513	2,896	2,617	6,285	3,684	2,651	189	104	85	30								
6,677	3,433	3,244	160	87	73	150	95	55	12,807	6,419	6,388	31								
10,236	9,962	9,274	1,824	994	830	4,771	2,824	1,947	8,125	1,647	1,478	32								
494	280	205	342	193	149	534	394	140	258	131	127	33								
2,976	1,561	1,415	1,442	770	672	1,737	987	750	249	125	124	34								
89	51	38	71	42	29	187	107	80	89	50	39	35								
3,051	1,502	1,549	1,651	855	796	1,077	529	548	12	3	9	36								
12,309	6,370	5,939	8,834	4,565	3,769	7,915	4,202	3,713	1,666	845	821	37								
1,985	1,081	954	204	110	94	116	78	38	276	165	111	38								
42,006	21,581	20,425	38,071	20,694	17,377	37,505	19,428	18,077	2,936	1,513	1,423	39								
12,166	5,945	6,221	53	28	25	63	38	25	7,851	3,943	3,908	40								
345	171	174	894	432	462	715	391	324	241	109	132	41								
25,885	13,333	12,502	8,695	4,668	4,027	9,356	5,294	4,062	1,881	1,036	845	42								
2,126	1,169	957	228	124	99	113	62	51	477	233	244	43								
1,218	686	532	331	192	139	632	409	228	220	139	81	44								
28,828	15,531	18,292	9,257	5,121	4,186	16,354	9,313	7,041	3,546	1,850	1,696	45								
2,726	1,342	1,384	2,694	1,488	1,206	2,295	1,054	1,241	287	111	126	46								
5,285	2,626	2,659	142	62	80	144	85	59	11,358	5,542	5,816	47								
728	400	328	866	454	412	751	432	319	640	305	335	48								
17,729	8,755	8,974	252	122	130	511	330	181	9,543	4,786	4,757	49								
18,823	9,543	8,780	2,228	1,178	1,050	2,136	1,292	844	7,944	4,004	3,940	50								
961	509	452	782	424	358	983	645	338	107	57	50	51								
						844	424	420	25	16	9	52								
10,689	5,384	5,305	165	102	63	439	319	120	11,182	5,810	5,372	53								
1,676	975	701	877	500	877	1,211	895	816	816	193	123	54								
7,858	4,060	3,798	337	186	151	338	201	137	514	290	224	55								
6,340	8,392	2,948	7,802	4,187	8,665	8,974	5,173	3,801	181	91	90	56								
247	148	99	169	96	73	137	82	55	116	57	59	57								

TABLE 10.—DEATHS IN EACH PRINCIPAL REGISTRATION CITY, BY COLOR, GENERAL

PRINCIPAL CITIES.	AGGREGATE.			WHITE.					
	Total.	Male.	Female.	Total.			Native.		
				Total.	Male.	Female.	Total.	Male.	Female.
1 Albany, N. Y.	1,813	897	916	1,787	881	906	1,212	612	600
2 Allegheny, Pa.	2,835	1,926	1,059	2,841	1,800	1,041	1,652	901	751
3 Atlanta, Ga.	2,887	1,255	1,132	1,250	668	582	1,210	642	568
4 Baltimore, Md.	10,679	5,414	5,265	8,193	4,230	3,963	6,365	3,297	3,068
5 Boston, Mass.	11,277	5,726	5,551	10,950	5,554	5,396	7,088	3,735	3,358
6 Buffalo, N. Y.	5,207	2,779	2,428	5,157	2,747	2,410	8,254	1,798	1,456
7 Cambridge, Mass.	1,699	841	858	1,598	790	808	1,074	535	539
8 Camden, N. J.	1,235	634	601	1,069	553	516	887	446	441
9 Chicago, Ill.	27,583	15,135	12,398	26,854	14,752	12,102	16,997	9,084	7,913
10 Cincinnati, Ohio	6,214	3,383	2,831	5,786	3,153	2,633	3,573	1,939	1,634
11 Cleveland, Ohio	6,521	3,599	2,922	6,411	3,526	2,885	4,877	2,386	1,991
12 Columbus, Ohio	1,983	1,085	898	1,809	986	823	1,450	790	660
13 Dayton, Ohio	1,405	726	679	1,388	690	643	1,008	503	505
14 Denver, Colo.	2,484	1,431	1,053	2,391	1,377	1,014	1,555	869	686
15 Detroit, Mich.	4,893	2,522	2,371	4,790	2,465	2,825	3,113	1,639	1,474
16 Fall River, Mass.	2,345	1,196	1,149	2,341	1,195	1,146	1,601	861	740
17 Grand Rapids, Mich.	1,258	685	573	1,258	685	573	901	485	416
18 Hartford, Conn.	1,546	779	767	1,507	755	752	1,055	540	515
19 Indianapolis, Ind.	2,817	1,434	1,388	2,487	1,254	1,183	1,973	1,017	956
20 Jersey City, N. J.	4,277	2,285	1,992	4,177	2,284	1,943	2,789	1,518	1,271
21 Kansas City, Mo.	2,852	1,558	1,294	2,388	1,340	1,048	1,707	931	776
22 Los Angeles, Cal.	1,857	1,121	736	1,752	1,047	705	1,277	745	592
23 Louisville, Ky.	4,092	2,106	1,986	2,970	1,578	1,397	2,292	1,211	1,081
24 Lowell, Mass.	1,876	934	942	1,872	931	941	1,252	660	592
25 Memphis, Tenn.	2,572	1,436	1,136	1,145	671	474	951	543	408
26 Milwaukee, Wis.	4,550	2,496	2,054	4,537	2,488	2,049	2,914	1,560	1,354
27 Minneapolis, Minn.	2,183	1,154	1,029	2,156	1,140	1,016	1,404	712	692
28 Nashville, Tenn.	2,042	1,089	1,003	1,055	545	510	925	464	461
29 Newark, N. J.	4,866	2,622	2,244	4,659	2,515	2,144	3,155	1,718	1,487
30 New Haven, Conn.	1,862	953	909	1,767	907	860	1,165	615	550
31 New Orleans, La.	8,287	4,524	3,763	4,977	2,798	2,179	3,462	1,942	1,520
32 New York, N. Y.	70,229	37,490	32,730	68,259	36,493	31,766	48,393	23,489	19,904
33 Omaha, Nebr.	1,382	793	589	1,310	748	562	918	514	404
34 Paterson, N. J.	2,000	1,081	919	1,956	1,060	896	1,278	688	585
35 Philadelphia, Pa.	27,456	14,381	13,075	25,468	13,358	12,110	18,575	9,832	8,743
36 Pittsburgh, Pa.	6,436	3,668	2,768	5,991	3,435	2,556	4,119	2,261	1,858
37 Portland, Oreg.	856	495	361	803	453	350	545	283	262
38 Providence, R. I.	3,491	1,772	1,719	3,358	1,705	1,653	2,335	1,220	1,115
39 Reading, Pa.	1,401	755	646	1,384	743	641	1,229	641	588
40 Richmond, Va.	2,523	1,339	1,184	1,294	685	609	1,108	577	581
41 Rochester, N. Y.	2,446	1,225	1,221	2,430	1,215	1,215	1,526	789	737
42 St. Joseph, Mo.	933	497	486	834	447	387	641	330	311
43 St. Louis, Mo.	10,320	5,776	4,544	9,165	5,135	4,080	6,082	3,888	2,744
44 St. Paul, Minn.	1,574	828	746	1,550	813	737	957	488	469
45 San Francisco, Cal.	7,040	4,367	2,673	6,416	3,848	2,568	3,500	1,988	1,512
46 Scranton, Pa.	2,111	1,114	997	2,103	1,110	993	1,331	700	681
47 Seattle, Wash.	898	621	277	870	599	271	464	301	163
48 Syracuse, N. Y.	1,494	779	715	1,476	770	706	1,046	546	500
49 Toledo, Ohio	2,112	1,091	1,021	2,083	1,074	1,009	1,511	775	736
50 Washington, D. C.	6,364	3,274	3,090	3,660	1,967	1,693	2,989	1,574	1,415
51 Wilmington, Del.	1,595	854	741	1,341	710	631	1,121	591	580
52 Worcester, Mass.	1,838	945	893	1,816	936	880	1,268	659	609

NATIVITY, AND PARENT NATIVITY, WITH DISTINCTION OF SEX: 1900.

WHITE—continued.									COLORED.			
Both parents native.			One or both parents foreign.			Foreign.			Total.	Male.	Female.	
Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	
521	270	251	423	213	210	541	251	290	26	16	10	1
1,001	536	465	605	341	264	670	384	286	44	26	18	2
						38	24	14	1,137	587	550	3
						1,800	913	887	2,486	1,184	1,802	4
2,342	1,197	1,145	4,138	2,233	1,905	8,765	1,756	2,009	327	172	155	5
1,117	584	533	1,824	1,034	790	1,884	940	944	50	32	18	6
417	198	219	602	315	287	514	248	266	101	51	50	7
613	308	305	199	101	98	171	99	72	166	81	85	8
						9,658	5,513	4,145	679	383	296	9
1,574	832	742	1,373	742	631	1,730	916	814	428	230	198	10
1,511	762	749	2,245	1,266	979	1,940	1,075	865	110	73	87	11
982	583	449	818	164	154	390	177	153	174	99	75	12
						275	152	123	72	36	36	13
						467	300	167	93	54	39	14
814	420	394	1,771	941	830	1,649	803	816	103	57	46	15
297	157	140	1,264	684	580	737	331	406	4	1	3	16
397	204	193	438	240	198	344	194	150				17
288	141	147	371	190	181	416	195	221	39	24	15	18
1,227	648	579	862	179	188	410	211	199	380	180	200	19
1,027	526	501	1,622	891	781	1,354	689	665	100	51	49	20
999	537	462	373	216	157	360	232	128	464	218	246	21
						423	268	155	105	74	31	22
						595	313	282	1,122	533	589	23
288	142	146	826	457	369	598	260	388	4	8	1	24
						187	122	65	1,427	765	662	25
794	422	372	1,963	1,034	929	1,585	891	694	18	8	5	26
633	316	317	629	317	312	718	404	314	27	14	13	27
678	336	342	49	24	25	119	72	47	987	494	493	28
1,218	640	578	1,408	770	638	1,444	763	651	207	107	100	29
483	230	258	541	310	231	588	281	307	95	46	49	30
1,660	920	749	864	486	378	1,449	811	638	3,310	1,726	1,584	31
13,642	7,140	6,502	26,623	14,542	12,081	24,279	12,563	11,716	1,970	1,006	964	32
						319	194	125	72	45	27	33
376	196	180	661	362	299	660	358	302	44	21	23	34
						6,434	3,240	3,194	1,988	1,023	965	35
1,773	981	792	2,244	1,212	1,032	1,822	1,133	689	445	233	212	36
						249	162	87	58	42	11	37
1,024	508	516	1,252	676	576	1,012	477	585	188	67	66	38
						139	90	49	17	12	5	39
						131	76	55	1,229	654	575	40
737	875	362	676	357	319	884	416	468	16	10	6	41
						122	71	51	99	50	49	42
						2,931	1,694	1,287	1,155	641	514	43
890	190	200	473	245	228	572	310	262	24	15	9	44
						2,825	1,777	1,048	624	519	105	45
						486	269	217	8	4	4	46
206	133	73	148	97	51	265	192	73	28	22	6	47
567	284	283	355	194	161	408	212	196	18	9	9	48
742	879	863	728	370	358	539	275	264	29	17	12	49
2,198	1,145	1,053	522	270	252	616	359	257	2,704	1,307	1,897	50
						178	91	87	254	144	110	51
509	247	262	626	342	284	540	272	268	22	9	13	52

TABLE 11.—DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS

		AGES.										
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24
1	The United States	1,039,094	199,325	59,879	28,136	17,638	12,554	317,532	36,748	24,500	38,109	51,004
2	Males	551,611	110,673	31,599	14,658	8,942	6,340	172,212	18,660	12,196	18,329	25,252
3	Females	487,483	88,652	28,280	13,478	8,696	6,214	145,320	18,088	12,304	19,780	25,752
4	Registration record	512,669	102,220	25,986	12,020	7,825	5,520	153,571	15,045	8,585	13,420	21,360
5	Males	272,819	57,251	13,768	6,275	3,972	2,762	84,028	7,707	4,339	6,658	10,881
6	Females	259,850	44,969	12,218	5,745	3,858	2,758	69,543	7,333	4,246	6,762	10,529
7	Registration states	301,670	60,524	15,101	6,797	4,335	2,933	89,740	7,909	4,576	7,118	11,090
8	Males	157,745	33,924	8,021	3,547	2,227	1,468	49,187	4,047	2,274	3,584	5,434
9	Females	143,925	26,600	7,080	3,250	2,158	1,465	40,553	3,862	2,302	3,584	5,606
10	Cities in registration states	191,667	43,688	11,508	5,114	3,246	2,197	65,748	5,389	2,782	4,237	7,363
11	Males	100,041	24,442	6,100	2,670	1,665	1,078	35,955	2,771	1,362	2,094	3,629
12	Females	91,626	19,246	5,408	2,444	1,581	1,119	29,708	2,618	1,420	2,143	3,734
13	Rural part of registration states	110,008	16,836	3,598	1,683	1,189	736	23,992	2,520	1,794	2,881	3,727
14	Males	57,704	9,482	1,921	877	562	390	13,232	1,276	912	1,440	1,855
15	Females	52,299	7,354	1,677	806	577	346	10,760	1,244	882	1,441	1,872
16	Registration cities in other states	210,999	41,696	10,885	5,223	3,440	2,587	63,881	7,136	4,009	6,302	10,270
17	Males	115,074	23,327	5,747	2,728	1,745	1,294	34,841	3,660	2,065	3,124	5,347
18	Females	95,925	18,369	5,138	2,495	1,695	1,293	28,990	3,476	1,944	3,173	4,923
19	Nonregistration	526,425	97,105	33,893	16,116	9,813	7,034	163,961	21,703	15,915	24,689	29,644
20	Males	278,702	53,422	17,831	8,383	4,970	3,578	88,184	10,953	7,857	11,671	14,421
21	Females	247,633	43,688	16,062	7,733	4,843	3,456	75,777	10,750	8,058	13,018	15,223
22	Alabama	25,699	5,142	2,071	843	488	308	8,852	1,059	783	1,388	1,816
23	Males	12,970	2,756	1,095	457	240	161	4,710	528	405	618	893
24	Females	12,729	2,386	975	386	248	147	4,142	531	378	770	923
25	Arizona	1,223	192	106	51	26	21	396	81	49	49	64
26	Males	750	109	63	22	18	9	221	44	15	27	44
27	Females	473	83	43	29	8	12	175	37	34	22	20
28	Arkansas	22,518	4,076	1,911	988	603	436	8,064	1,382	933	1,451	1,588
29	Males	11,813	2,165	1,014	510	279	242	4,210	728	468	715	795
30	Females	10,705	1,911	897	478	324	244	3,854	659	465	736	788
31	California	22,506	2,514	555	297	239	183	8,788	628	402	655	1,118
32	Males	13,998	1,431	306	160	131	94	2,122	328	203	385	617
33	Females	8,508	1,083	249	137	108	89	1,666	300	199	320	501
34	Colorado	7,428	1,208	381	171	135	104	1,949	296	185	268	420
35	Males	4,471	651	169	94	69	54	1,037	172	107	145	243
36	Females	2,957	557	162	77	66	50	912	124	78	123	177
37	Connecticut	15,422	3,101	569	280	175	137	4,262	369	218	348	539
38	Males	7,902	1,725	294	145	91	62	2,317	174	115	173	258
39	Females	7,520	1,376	275	135	84	75	1,945	195	103	175	281
40	Delaware	3,075	597	139	88	39	32	895	133	79	94	189
41	Males	1,644	346	76	51	21	15	509	65	35	57	87
42	Females	1,431	251	68	37	18	17	386	68	44	57	82
43	District of Columbia	6,364	1,306	268	129	105	67	1,875	184	140	189	358
44	Males	3,274	687	135	66	45	34	967	98	63	78	188
45	Females	3,000	619	138	63	60	33	908	86	77	111	175
46	Florida	6,482	1,360	475	220	122	99	2,276	298	199	278	879
47	Males	3,520	734	259	120	60	43	1,216	153	118	143	208
48	Females	2,902	626	216	100	62	56	1,060	145	81	135	171
49	Georgia	26,941	5,786	2,285	1,032	552	351	10,008	998	757	1,282	1,771
50	Males	13,321	3,085	1,175	583	305	168	5,216	482	355	567	826
51	Females	13,620	2,751	1,110	499	247	183	4,790	516	402	715	945
52	Idaho	1,242	214	72	26	28	21	361	78	60	57	47
53	Males	762	121	32	17	10	16	196	38	26	31	22
54	Females	480	93	40	9	18	5	165	35	34	26	25
55	Illinois	61,229	11,169	3,386	1,598	1,068	884	18,023	2,385	1,413	2,014	2,705
56	Males	33,641	6,284	1,760	800	506	401	9,751	1,247	730	980	1,387
57	Females	27,588	4,885	1,626	796	532	433	8,272	1,138	683	1,034	1,338
58	Indiana	23,586	5,850	1,562	782	439	337	8,970	1,054	837	1,430	1,669
59	Males	17,454	3,294	826	373	221	179	4,898	520	407	652	797
60	Females	16,132	2,556	783	404	218	158	4,072	584	430	778	872
61	Indian Territory	5,256	1,220	699	269	168	111	2,467	364	216	305	273
62	Males	2,705	668	345	146	79	60	1,298	190	112	155	186
63	Females	2,491	552	354	123	89	51	1,169	174	104	150	187
64	Iowa	19,573	3,256	753	382	246	174	4,811	597	471	754	876
65	Males	10,612	1,884	425	212	133	84	2,783	305	247	339	411
66	Females	8,961	1,372	328	170	113	90	2,073	292	224	421	465
67	Kansas	16,261	2,939	1,009	420	255	186	4,809	681	476	627	796
68	Males	8,978	1,658	517	208	133	97	2,608	335	239	315	883
69	Females	7,283	1,286	492	212	122	89	2,201	296	237	312	413
70	Kentucky	27,091	5,059	1,727	829	456	307	8,408	937	759	1,317	1,721
71	Males	13,848	2,809	892	428	251	158	4,538	448	391	564	768
72	Females	13,248	2,250	855	401	235	149	3,870	489	368	753	953
73	Louisiana	20,955	3,785	1,389	668	400	288	6,530	873	634	1,067	1,468
74	Males	10,971	2,043	697	341	190	146	3,417	446	338	509	732
75	Females	9,984	1,742	692	327	210	142	3,113	427	296	558	736
76	Maine	12,148	1,946	408	187	125	88	2,754	265	162	364	445
77	Males	6,292	1,085	215	93	70	41	1,504	138	80	186	209
78	Females	5,856	861	193	94	55	47	1,250	127	82	178	236

SUBDIVISIONS, AND IN EACH STATE AND TERRITORY, BY SEX AND AGE: 1900.

AGES—continued.

25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95+	Un-known.	
48,693 24,173 24,520	48,857 22,349 21,508	44,367 23,296 21,071	41,439 22,428 19,011	40,201 22,529 17,672	42,666 23,315 18,751	43,160 24,024 19,145	48,173 26,269 21,909	52,190 28,563 23,627	53,073 28,761 24,312	46,089 24,627 21,412	88,786 17,525 8,790	17,247 17,525 8,790	6,135 2,616 3,519	2,721 1,045 1,676	7,440 4,385 3,055	1 2 3
23,936 12,418 11,518	23,185 13,540 10,626	24,333 12,650 10,793	22,286 12,495 9,424	21,919 13,004 10,118	23,122 13,197 10,910	24,107 13,787 12,363	26,155 14,414 13,355	27,769 14,032 13,360	27,392 12,055 11,862	28,917 12,055 9,041	17,391 8,350 4,959	9,000 4,041 4,959	3,212 1,216 1,998	1,100 1,216 729	1,864 1,127 787	4 5 6
12,893 6,519 6,374	12,630 6,601 6,029	13,142 6,570 5,572	12,142 6,568 5,544	12,112 7,116 6,899	13,262 7,632 8,227	14,531 7,632 8,206	16,083 8,512 8,807	17,385 8,375 8,375	17,803 8,996 8,996	16,487 5,967 3,028	12,305 3,338 3,543	6,566 1,460 1,460	2,407 231 472	708 493 363	856 8 9	
8,962 4,620 4,342	9,078 4,923 4,155	9,360 5,168 4,192	8,394 4,663 3,731	8,176 4,515 3,661	8,882 4,807 4,377	9,184 4,647 4,760	9,588 4,647 4,757	9,404 4,149 4,722	8,871 8,314 3,900	7,214 2,192 2,885	4,967 1,056 1,524	2,580 291 590	881 85 196	281 169 157	326 11 12	
8,931 1,899 2,032	8,552 1,078 1,874	8,782 1,913 1,869	8,748 1,907 1,841	8,936 2,053 1,883	4,380 2,253 2,127	5,347 2,825 2,522	6,445 3,399 3,046	7,981 4,226 3,755	8,982 4,847 4,085	9,258 5,061 4,192	7,388 3,835 3,503	8,986 1,967 2,019	1,526 656 870	422 146 276	530 14 15	
11,043 5,899 5,144	10,555 5,958 4,597	11,191 6,450 4,732	10,144 6,080 4,064	9,807 5,927 3,972	9,860 5,888 4,011	9,576 5,565 4,562	10,122 5,560 4,562	10,384 5,541 4,843	9,589 5,036 4,553	7,450 3,680 3,770	5,086 2,833 2,703	2,484 1,018 1,416	805 269 536	397 140 257	1,008 634 374	
24,757 11,755 13,002	20,672 9,790 10,882	20,034 9,756 10,278	19,153 9,778 9,375	18,282 10,034 8,248	19,544 10,911 8,633	19,062 10,827 8,235	22,023 12,482 9,541	24,421 14,149 10,272	25,681 14,729 10,952	22,122 12,572 9,550	16,895 9,175 7,220	8,247 4,416 3,831	2,923 1,400 1,523	1,621 674 947	5,576 3,258 2,318	19 20 21
1,375 648 727	1,128 534 594	1,011 456 555	889 428 461	982 503 479	809 447 452	702 342 360	898 465 433	926 461 421	862 441 337	719 382 280	569 289 146	287 141 77	153 76 84	136 52 114	265 151 24	
80 62 18	58 40 18	70 48 22	61 44 17	71 45 26	55 35 20	33 22 11	45 34 11	15 8 7	27 16 11	12 6 6	13 7 6	4 3 1	2 2 1	34 26 27	25 26 27	
1,289 622 667	969 431 498	888 453 457	881 494 428	886 371 392	811 371 340	619 393 248	660 319 267	558 298 239	405 217 202	360 143 143	263 57 120	110 53 53	43 19 24	42 17 25	231 131 190	28 29 30
1,264 733 551	1,238 767 471	1,358 824 486	1,231 391 407	1,230 831 399	1,296 795 417	1,205 795 410	1,559 1,036 523	1,553 1,021 488	1,497 730 476	1,114 398 384	665 201 267	332 181 181	94 52 42	44 18 26	235 171 64	31 32 33
492 288 204	473 293 180	479 301 178	435 307 128	391 267 134	378 272 106	317 206 111	279 186 93	312 192 120	227 145 82	194 120 74	113 58 60	44 18 26	12 7 5	159 119 40	34 35 36	
604 326 278	606 312 294	638 363 275	554 296 258	600 319 281	704 375 329	754 377 377	844 400 444	988 480 458	995 483 512	915 461 454	767 352 415	428 186 242	172 10 110	47 62 37	120 63 57	37 38 39
100 60 40	112 59 53	123 62 61	123 68 55	123 81 42	116 64 52	131 88 43	157 79 78	179 100 79	176 86 90	166 89 77	117 55 62	56 22 34	29 19 13	5 41 10	40 41 42	
344 185 159	267 149 118	244 125 119	275 130 145	254 129 125	310 174 153	356 203 171	349 178 151	348 156 157	313 117 121	288 82 108	185 40 43	83 40 17	24 6 15	7 44 45	43 44 45	
333 162 171	306 155 151	305 159 146	261 147 114	245 152 98	248 139 109	232 134 113	224 140 90	226 129 86	227 129 98	155 99 56	115 62 53	58 28 30	21 11 10	28 33 20	46 47 48	
1,451 646 805	1,064 492 574	1,126 451 634	991 451 540	955 372 345	1,020 512 469	717 372 469	966 497 469	885 455 435	910 475 435	711 358 358	545 281 264	284 140 144	140 62 78	120 47 73	242 50 117	49 50 51
48 27 21	53 31 22	54 33 23	55 37 22	48 35 11	48 48 13	64 45 16	59 45 14	63 48 15	52 41 11	41 33 8	17 8 9	7 4 3	3 5 2	6 22 1	26 63 54	52 53 54
2,824 1,430 1,394	2,806 1,513 1,293	2,942 1,639 1,303	2,719 1,643 1,076	2,519 1,545 1,035	2,655 1,620 1,082	2,699 1,617 1,246	2,926 1,780 1,342	3,253 1,780 1,220	3,122 1,403 872	2,623 1,003 1,003	1,875 423 462	885 137 158	295 51 65	116 265 160	425 56 57	55 56 57
1,587 681 856	1,398 663 785	1,335 615 720	1,244 568 636	1,282 695 624	1,260 695 565	1,532 829 736	1,619 883 844	1,899 1,055 940	2,151 1,211 940	1,849 1,015 884	1,343 674 669	661 342 319	216 104 112	69 31 38	231 116 115	58 59 60
248 116 132	206 106 100	162 82 80	165 76 89	147 100 76	114 91 56	123 85 45	80 46 34	71 40 31	55 28 30	80 20 10	16 9 7	3 2 1	8 5 3	49 29 20	61 62 63	
851 375 476	741 387 406	756 359 388	692 598 289	650 615 371	765 695 398	859 829 453	973 883 569	1,382 1,003 567	1,367 1,003 567	1,321 1,003 567	918 789 562	449 258 196	145 65 80	40 22 18	155 94 57	64 65 66
659 325 334	593 257 336	590 309 281	588 315 273	598 318 280	615 346 269	789 484 289	913 589 324	904 587 367	777 472 305	520 472 213	254 138 116	68 38 30	33 16 17	232 147 85	67 68 69	
1,460 683 777	1,110 525 585	1,185 521 627	989 549 523	1,023 545 474	990 545 445	1,097 577 520	1,187 614 573	1,198 633 565	1,041 565 476	719 565 476	877 389 330	110 206 171	77 57 53	342 125 173	70 71 72	
1,305 704 601	1,028 577 451	977 531 446	904 485 419	865 496 394	861 496 365	713 428 322	833 401 415	752 351	640 298	510 269	405 191	200 109	106 47 59	111 43 68	168 72 96	73 74 75
439 200 239	398 172 221	374 183 191	403 192 211	412 219 224	443 318 292	610 318 292	736 318 343	890 393 397	924 500 424	824 504 425	487 438 386	192 264 228	57 75 38	45 22 23	47 77 78	76 77 78

TABLE 11.—DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS

		AGES.										
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24
1	Maryland	20,422	4,227	979	464	331	248	6,249	674	433	692	874
2	Males	10,526	2,315	508	251	159	127	3,360	308	204	319	434
3	Females	9,896	1,912	471	213	172	121	2,889	366	229	373	440
4	Massachusetts	49,756	10,754	2,331	1,058	714	499	15,356	1,184	674	1,100	1,779
5	Males	25,352	6,028	1,246	542	385	240	8,441	614	307	533	930
6	Females	24,404	4,726	1,085	516	329	259	6,915	570	367	567	849
7	Michigan	33,572	6,570	1,434	668	431	275	9,378	984	688	1,088	1,847
8	Males	18,084	3,743	768	359	212	153	5,230	485	344	543	827
9	Females	15,488	2,827	671	309	219	122	4,148	449	339	540	720
10	Minnesota	17,005	3,569	692	367	239	192	5,059	624	471	634	813
11	Males	9,354	1,998	367	187	134	101	2,787	346	213	311	391
12	Females	7,651	1,571	325	180	105	91	2,272	278	258	323	422
13	Mississippi	20,251	3,542	1,450	781	444	316	6,483	1,029	827	1,863	1,539
14	Males	10,299	1,906	788	389	208	160	3,446	517	422	638	774
15	Females	9,952	1,636	667	342	236	156	3,037	512	405	725	765
16	Missouri	28,084	6,806	2,398	1,063	712	493	11,472	1,494	1,058	1,650	2,133
17	Males	20,480	3,742	1,282	561	352	241	6,128	763	527	775	1,032
18	Females	17,604	3,064	1,166	502	360	252	5,344	781	531	875	1,101
19	Montana	2,188	306	95	45	44	22	512	84	38	76	119
20	Males	1,387	178	48	21	21	11	279	34	25	36	65
21	Females	801	128	47	24	23	11	233	50	18	40	53
22	Nebraska	8,264	1,642	479	252	185	91	2,599	822	237	318	368
23	Males	4,480	929	242	122	69	44	1,406	173	124	170	165
24	Females	3,784	713	237	130	66	47	1,193	149	113	148	198
25	Nevada	488	46	20	3	8	2	79	10	12	7	27
26	Males	290	23	11	2	4	2	42	3	6	5	11
27	Females	148	23	9	1	4	—	37	7	6	2	16
28	New Hampshire	7,400	1,384	306	137	101	53	1,981	156	108	156	238
29	Males	3,663	759	161	65	43	30	1,058	77	51	63	111
30	Females	3,737	625	145	72	58	23	923	79	57	93	127
31	New Jersey	32,735	7,292	1,873	830	505	370	10,870	1,032	520	745	1,150
32	Males	17,462	4,202	968	450	245	179	6,044	542	275	393	588
33	Females	15,273	3,090	905	380	260	191	4,826	490	245	352	562
34	New Mexico	2,674	562	250	118	106	76	1,112	202	95	108	112
35	Males	1,455	226	120	60	53	42	601	96	43	37	46
36	Females	1,219	236	130	58	53	34	511	106	52	71	66
37	New York	130,268	25,492	7,248	3,240	2,065	1,836	39,381	3,474	1,860	2,786	4,735
38	Males	68,648	14,169	3,889	1,690	1,056	674	21,478	1,765	1,386	2,236	2,399
39	Females	61,620	11,323	3,359	1,550	1,009	662	17,903	1,709	931	1,400	1,400
40	North Carolina	21,068	4,200	1,647	723	400	249	7,219	754	642	1,039	1,335
41	Males	10,427	2,310	854	375	217	113	3,869	344	297	465	622
42	Females	10,641	1,390	793	348	188	136	3,350	410	345	574	713
43	North Dakota	2,287	506	144	78	46	49	823	152	99	106	124
44	Males	1,159	272	70	39	20	25	428	62	43	52	63
45	Females	1,123	234	74	39	26	24	397	90	56	54	61
46	Ohio	53,362	8,819	2,190	1,123	711	515	13,358	1,583	1,034	1,733	2,419
47	Males	28,648	4,913	1,137	596	368	281	7,295	884	507	806	1,211
48	Females	24,714	3,906	1,053	527	343	234	6,063	749	527	927	1,208
49	Oklahoma	3,181	744	333	107	82	53	1,319	182	120	157	170
50	Males	1,741	421	173	53	39	28	714	95	67	82	89
51	Females	1,440	323	160	54	43	25	605	87	53	75	81
52	Oregon	3,396	372	100	73	40	38	623	187	119	161	180
53	Males	2,019	215	50	44	22	22	353	71	64	77	88
54	Females	1,377	157	50	29	18	16	270	66	55	84	92
55	Pennsylvania	90,199	18,409	5,130	2,548	1,704	1,258	29,049	3,290	1,861	2,641	3,737
56	Males	49,150	10,427	2,804	1,351	868	630	16,080	1,700	998	1,414	2,059
57	Females	41,049	7,682	2,826	1,197	836	628	12,969	1,590	868	1,227	1,678
58	Rhode Island	8,176	1,854	495	195	133	75	2,752	192	117	197	288
59	Males	4,132	1,036	260	102	63	41	1,502	99	63	94	138
60	Females	4,044	818	235	93	70	34	1,250	93	54	103	150
61	South Carolina	17,166	3,477	1,436	666	378	241	6,198	722	554	943	1,177
62	Males	8,461	1,824	754	368	191	119	3,256	364	259	417	505
63	Females	8,705	1,653	682	298	187	122	2,942	358	295	526	672
64	South Dakota	3,085	616	187	98	78	45	1,024	197	126	158	161
65	Males	1,654	360	99	51	41	23	574	98	53	77	77
66	Females	1,484	256	88	47	37	22	450	104	73	81	84
67	Tennessee	30,572	5,546	2,134	1,023	603	423	9,729	1,285	1,018	1,734	2,061
68	Males	15,354	2,977	1,136	509	313	221	5,158	607	452	794	981
69	Females	15,218	2,569	998	514	290	202	4,573	678	566	940	1,080
70	Texas	34,160	7,604	3,204	1,525	877	678	13,888	1,794	1,192	1,615	2,011
71	Males	18,045	4,086	1,729	782	435	364	7,396	887	586	802	991
72	Females	16,115	3,518	1,475	743	442	314	6,492	907	606	813	1,020
73	Utah	3,079	580	183	77	53	41	934	145	92	142	158
74	Males	1,821	324	104	39	27	14	508	64	52	88	86
75	Females	1,258	256	79	38	26	27	426	81	40	54	72
76	Vermont	5,829	825	169	78	31	33	1,131	119	94	150	211
77	Males	2,936	490	90	35	17	14	646	55	47	85	104
78	Females	2,893	335	79	38	14	19	485	64	47	65	107

SUBDIVISIONS, AND IN EACH STATE AND TERRITORY, BY SEX AND AGE: 1900—Continued.

AGES—continued.																
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 +	Un-known.	
807	780	830	805	778	887	866	1,066	1,105	1,144	915	652	848	111	63	283 1	
428	387	423	443	420	453	465	552	600	590	438	309	151	28	21	154 2	
439	393	407	362	353	404	514	505	545	477	343	197	83	42	42	129 3	
2,068	2,061	1,999	1,861	1,926	2,282	2,412	2,639	2,892	2,926	2,761	2,074	1,140	427	126	119 4	
1,045	1,077	1,056	931	1,019	1,129	1,213	1,313	1,405	1,395	1,304	932	459	142	37	70 5	
1,028	984	943	930	907	1,103	1,199	1,326	1,487	1,531	1,457	1,142	681	285	89	49 6	
1,444	1,183	1,268	1,239	1,281	1,294	1,540	1,780	2,001	2,187	2,104	1,560	807	279	85	95 7	
682	589	640	639	710	722	906	995	1,097	1,266	1,212	811	450	128	37	71 8	
812	644	628	600	571	572	634	785	904	921	749	892	857	151	48	24 9	
770	769	732	712	594	660	633	724	870	960	843	629	288	97	42	81 10	
381	415	393	399	350	390	386	415	512	573	457	368	150	48	22	52 11	
389	354	339	313	244	270	309	358	387	386	366	261	138	54	20	29 12	
1,236	932	774	750	650	693	550	703	595	640	487	391	190	118	118	193 13	
574	426	373	352	309	358	285	365	326	349	265	216	101	61	48	96 14	
662	506	401	398	341	355	267	338	291	222	175	89	57	70	70	97 15	
1,906	1,768	1,719	1,545	1,523	1,557	1,700	1,726	1,899	1,708	1,370	974	448	128	65	241 16	
968	883	922	883	897	914	972	1,003	1,072	985	773	572	241	45	32	143 17	
938	885	797	712	626	643	728	723	827	723	597	402	207	83	33	98 18	
120	154	180	133	133	112	102	78	77	67	41	17	8	5	-----	127 19	
69	92	131	96	98	88	76	59	56	44	24	6	3	2	-----	108 20	
51	62	49	37	40	29	26	19	21	23	17	11	5	3	-----	19 21	
837	858	350	349	294	359	341	421	416	411	345	235	120	35	14	40 22	
170	161	168	180	163	212	188	259	264	237	199	184	71	16	4	21 23	
167	197	187	169	181	147	158	162	152	174	146	101	49	19	10	19 24	
20	16	10	26	17	32	30	39	36	25	17	13	10	4	-----	8 25	
9	10	7	20	18	28	23	26	28	18	15	10	7	2	-----	7 26	
11	6	3	6	4	7	7	13	8	7	2	3	3	2	-----	1 27	
218	207	222	231	250	274	329	364	509	575	559	502	263	122	33	93 28	
101	100	112	114	136	158	190	259	259	284	256	104	46	2	46	46 29	
117	107	122	119	136	138	181	174	250	280	275	246	159	76	31	47 30	
1,419	1,365	1,511	1,347	1,280	1,397	1,544	1,678	1,793	1,709	1,502	1,045	515	187	53	73 31	
743	699	821	759	722	769	799	929	923	863	738	487	225	72	25	46 32	
676	666	690	588	558	628	745	749	870	846	764	558	290	115	28	27 33	
112	99	106	84	72	73	84	90	65	65	48	82	21	14	8	72 34	
61	54	56	46	44	46	54	57	44	42	31	19	16	9	4	49 35	
51	45	50	38	28	27	30	33	21	23	17	13	5	5	-----	23 36	
5,813	6,081	6,372	5,706	5,602	6,004	6,280	6,856	7,200	7,250	6,492	4,623	2,449	830	231	243 37	
3,037	3,823	3,551	3,229	3,124	3,309	3,298	3,456	3,618	3,559	3,284	2,250	1,144	356	77	130 38	
2,776	2,758	2,821	2,477	2,478	2,695	2,982	3,400	3,582	3,691	3,208	2,373	1,305	474	154	104 39	
945	802	789	746	692	777	643	765	811	895	787	620	320	136	96	255 40	
414	345	332	330	351	396	332	388	431	437	403	308	158	60	32	118 41	
531	457	457	416	341	381	311	382	380	458	384	312	182	76	64	137 42	
98	106	113	96	83	70	56	67	82	60	57	44	16	4	1	30 43	
47	42	55	52	47	37	31	34	35	35	30	25	7	2	-----	19 44	
51	64	58	44	36	33	25	33	32	25	27	19	9	2	1	11 45	
2,388	2,189	2,227	2,138	2,124	2,259	2,529	2,796	3,849	3,571	3,251	2,391	1,228	888	114	298 46	
1,137	1,068	1,182	1,180	1,188	1,237	1,418	1,629	1,914	1,979	1,763	1,268	640	171	47	174 47	
1,251	1,121	1,045	953	936	1,022	1,111	1,167	1,435	1,592	1,488	1,123	588	217	67	124 48	
132	101	121	112	101	99	124	91	104	82	62	45	21	4	4	30 49	
58	47	60	54	55	59	79	52	68	58	40	28	14	3	18	50 51	
74	54	61	58	46	40	45	39	36	24	22	17	7	3	1	12 51	
160	153	180	163	149	176	154	191	223	227	173	90	64	20	8	45 52	
87	82	106	101	96	108	96	124	158	146	116	60	36	8	5	87 53	
73	71	74	62	53	68	58	67	65	81	57	30	28	12	3	8 54	
3,808	3,632	3,639	3,521	3,518	3,762	3,933	4,368	4,845	4,960	4,078	3,031	1,504	441	144	442 55	
2,100	1,963	2,014	1,969	2,066	2,170	2,255	2,360	2,576	2,600	2,115	1,545	674	274	50	163 56	
1,708	1,669	1,625	1,552	1,452	1,592	1,675	2,003	2,269	2,360	1,968	1,488	830	271	94	164 57	
319	303	317	309	330	379	404	426	432	449	423	275	163	53	16	27 58	
159	157	161	168	182	189	213	199	209	208	198	117	61	16	5	14 59	
160	146	156	141	168	190	191	227	223	241	230	158	102	37	11	13 60	
920	676	718	661	571	636	490	599	536	576	440	319	186	74	70	120 61	
420	272	302	315	291	344	261	292	270	303	241	157	77	23	28	64 62	
500	404	416	346	280	292	297	307	266	278	199	162	89	51	42	56 63	
120	105	103	134	111	86	126	120	139	122	110	80	24	10	3	29 64	
59	46	46	68	61	50	77	71	87	70	62	49	15	4	1	19 65	
61	59	57	71	50	38	49	49	52	52	48	31	9	6	2	10 66	
1,743	1,236	1,233	1,121	1,106	1,232	1,050	1,131	1,179	1,182	926	701	357	133	99	316 67	
787	577	568	546	577	648	566	575	619	624	481	358	201	54	31	152 68	
956	659	665	575	529	584	484	566	560	558	445	343	156	79	68	164 69	
1,742	1,410	1,269	1,207	1,152	1,142	877	978	951	893	694	511	266	102	89	377 70	
783	651	634	623	687	682	515	588	562	584	410	268	134	57	38	222 71	
959	759	635	584	465	460	362	390	389	359	284	248	132	45	51	155 72	
171	181	157	136	103	92	107	115	131	146	119	88	39	17	1	55 73	
108	89	105	94	64	64	74	78	85	83	64	45	16	5	49	74 74	
63	42	52	42	39	28	38	37	46	63	55	43	23	12	1	6 75	
225	164	197	217	177	225	292	361	382	475	539	450	231	121	34	34 76	
91	73	81	114	86	94	147	174	192	271	273	242	90	48	13	15 77	
134	91	91	116	103	91	131	145	187	190	204	266	208	141	78	21 78	

TABLE 11.—DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS

		AGES.										
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24
1	Virginia	25,252	4,921	1,462	677	392	296	7,748	943	639	1,189	1,565
2	Males	13,112	2,717	746	366	207	148	4,184	472	294	578	811
3	Females	12,140	2,204	716	311	185	148	3,564	471	345	616	754
4	Washington	4,910	629	178	89	81	73	1,050	177	154	214	293
5	Males	3,148	879	105	48	39	38	609	113	72	104	166
6	Females	1,762	250	73	41	42	35	441	64	82	110	127
7	West Virginia	9,588	1,956	610	311	180	180	3,187	373	267	509	601
8	Males	5,046	1,098	319	167	95	59	1,788	183	128	261	279
9	Females	4,542	858	291	144	85	71	1,449	190	139	248	322
10	Wisconsin	24,928	5,213	970	485	333	240	7,241	824	546	732	1,060
11	Males	13,815	2,960	513	240	178	128	4,009	433	274	341	503
12	Females	11,113	2,263	457	245	155	112	3,232	391	272	391	557
13	Wyoming	767	142	37	31	12	10	232	53	37	34	37
14	Males	452	76	22	13	9	4	124	27	21	25	19
15	Females	315	66	15	18	3	6	108	26	16	9	18

TABLE 12.—DEATHS IN EACH PRINCIPAL

		AGES.										
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24
16	Albany, N. Y.	1,813	311	53	39	31	20	454	47	28	49	75
17	Males	897	177	25	22	17	12	253	23	10	24	38
18	Females	916	134	28	17	14	8	201	24	18	25	37
19	Allegheny, Pa.	2,385	585	148	72	34	32	821	73	43	68	131
20	Males	1,326	303	82	36	19	21	461	47	22	34	70
21	Females	1,059	232	66	36	15	11	360	26	21	34	61
22	Atlanta, Ga.	2,387	523	189	80	39	27	858	56	43	100	166
23	Males	1,255	272	106	47	23	17	465	29	22	50	85
24	Females	1,132	251	83	33	16	10	398	27	21	50	81
25	Baltimore, Md.	10,679	2,549	513	262	187	135	3,646	346	191	313	427
26	Males	5,414	1,393	257	143	91	63	1,947	153	95	154	210
27	Females	5,265	1,156	256	119	96	72	1,699	193	96	159	217
28	Boston, Mass.	11,277	2,421	620	310	226	137	3,714	277	121	229	432
29	Males	5,726	1,352	317	159	130	66	2,024	125	54	109	222
30	Females	5,551	1,069	303	151	96	71	1,690	152	67	120	210
31	Buffalo, N. Y.	5,207	1,268	342	139	69	52	1,870	152	86	115	176
32	Males	2,779	745	189	71	40	18	1,068	86	42	67	92
33	Females	2,428	523	153	68	29	34	807	66	44	48	84
34	Cambridge, Mass.	1,699	396	96	48	39	23	602	56	31	47	56
35	Males	841	211	54	30	22	8	325	22	19	19	28
36	Females	858	185	42	18	17	15	277	34	12	28	28
37	Camden, N. J.	1,235	239	70	40	27	18	444	78	21	28	35
38	Males	634	155	36	17	13	8	229	43	8	14	21
39	Females	601	134	34	23	14	10	215	35	13	14	14
40	Chicago, Ill.	27,583	5,773	1,748	854	547	481	9,408	1,250	552	717	1,093
41	Males	15,135	3,287	890	424	260	220	5,081	656	283	357	569
42	Females	12,898	2,536	858	430	287	261	4,372	603	269	360	524
43	Cincinnati, Ohio	6,214	1,056	272	116	79	63	1,586	148	80	160	286
44	Males	3,883	582	149	55	40	35	861	86	46	81	159
45	Females	2,831	474	123	61	39	28	725	62	34	79	127
46	Cleveland, Ohio	6,521	1,610	341	174	112	84	2,321	238	120	159	277
47	Males	3,699	901	184	102	62	48	1,297	126	57	81	159
48	Females	2,922	709	157	72	50	36	1,024	112	63	78	118
49	Columbus, Ohio	1,983	278	68	34	22	17	419	68	47	80	107
50	Males	1,085	157	35	18	9	13	232	34	24	38	63
51	Females	898	121	33	16	13	4	187	29	23	42	44
52	Dayton, Ohio	1,405	208	33	11	7	6	265	37	20	55	77
53	Males	726	112	20	4	2	4	142	20	11	26	35
54	Females	679	96	13	7	5	2	123	17	9	29	42
55	Denver, Colo.	2,484	387	97	52	37	30	588	66	47	72	150
56	Males	1,481	198	44	25	22	14	303	32	28	33	77
57	Females	1,053	169	53	27	15	16	280	34	19	39	73
58	Detroit, Mich.	4,893	1,319	268	119	69	47	1,817	132	87	139	182
59	Males	2,522	707	134	68	34	17	960	65	45	68	81
60	Females	2,371	612	129	51	35	30	857	67	42	71	101
61	Fall River, Mass.	2,345	916	209	56	32	22	1,235	41	34	42	69
62	Males	1,196	514	113	38	17	11	688	23	13	18	35
63	Females	1,149	402	96	28	15	11	547	18	21	24	34
64	Grand Rapids, Mich.	1,258	274	67	35	19	14	409	53	24	32	54
65	Males	685	168	81	21	8	10	238	27	11	16	22
66	Females	578	111	36	14	11	4	176	26	13	16	32
67	Hartford, Conn.	1,546	319	65	36	26	20	466	49	24	36	72
68	Males	779	178	32	17	11	8	246	23	12	11	36
69	Females	767	141	33	19	15	12	220	26	12	25	36

SUBDIVISIONS, AND IN EACH STATE AND TERRITORY, BY SEX AND AGE: 1900—Continued.

AGES—continued.																	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95+	Un-known.		
1,147	1,004	943	953	879	1,009	920	1,163	1,165	1,239	951	778	417	173	121	306	1	
529	473	444	457	468	544	489	608	635	680	516	420	215	76	47	182	2	
618	581	499	496	416	465	431	555	530	559	435	358	202	97	74	124	3	
251	261	349	312	284	270	239	245	223	285	122	101	28	19	6	72	4	
145	166	239	218	215	194	174	185	157	151	75	74	15	4	4	57	5	
106	95	110	94	69	76	65	60	71	84	47	27	13	4	2	15	6	
480	368	324	353	302	300	349	309	403	444	392	292	139	47	81	118	7	
243	189	165	171	164	154	183	168	230	282	228	159	65	22	15	69	8	
237	179	159	182	188	146	166	141	173	212	164	183	74	25	16	49	9	
958	848	987	936	802	894	999	1,122	1,394	1,677	1,688	1,212	632	211	79	136	10	
481	455	489	534	476	534	604	624	813	990	957	711	350	104	37	96	11	
477	393	448	402	326	360	395	498	581	687	731	501	282	107	42	40	12	
58	46	61	26	36	30	20	26	24	15	5	8	3	2	2	19	13	
34	39	33	20	25	19	13	14	10	6	2	5	1	1	1	14	14	
19	7	28	6	11	11	7	12	14	9	3	3	2	1	1	5	15	

REGISTRATION CITY, BY SEX AND AGE: 1900.

AGES—continued.																	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95+	Un-known.		
93	99	93	87	91	98	106	118	109	94	70	58	27	7	5	5	16	
48	50	55	39	43	49	50	52	46	43	35	22	13	2	2	2	17	
45	49	38	48	48	49	56	66	63	51	35	36	14	5	5	3	18	
133	108	112	114	112	114	113	82	106	92	84	53	17	4	3	2	19	
81	69	68	73	68	63	63	44	47	44	43	20	8	1	1	1	20	
52	39	44	41	44	51	50	38	59	48	41	33	9	4	3	1	21	
138	104	117	101	103	111	87	102	97	73	65	29	19	5	10	3	22	
69	47	60	58	66	62	48	53	51	42	26	10	8	4	2	2	23	
69	57	57	48	37	49	39	49	46	31	39	19	11	2	6	1	24	
482	455	503	473	458	495	474	540	547	500	389	269	116	46	25	4	25	
245	229	269	271	250	268	244	257	270	287	150	111	41	2	9	2	26	
237	226	234	202	208	227	230	283	277	263	219	158	75	44	16	2	27	
596	629	581	500	498	548	526	568	571	542	412	296	157	58	20	2	28	
302	356	314	263	272	280	271	279	256	234	173	116	54	16	6	2	29	
294	273	267	237	226	268	255	259	315	308	239	180	103	42	14	2	30	
190	243	258	288	226	221	221	253	230	268	208	148	76	22	6	5	31	
99	127	129	138	124	127	114	140	116	135	89	55	33	6	1	1	32	
91	116	129	105	102	94	107	113	114	128	119	93	43	16	5	4	33	
62	67	58	70	63	78	75	74	98	84	75	54	24	16	4	9	34	
33	35	26	35	30	37	41	36	37	40	33	21	9	6	2	7	35	
30	32	32	35	33	36	34	38	61	44	42	33	15	10	2	2	36	
43	52	57	41	52	49	50	75	54	58	55	21	12	5	3	2	37	
19	27	21	26	27	27	30	40	26	31	26	9	5	1	1	1	38	
24	25	36	15	25	22	20	35	28	27	29	12	7	2	1	1	39	
1,285	1,446	1,537	1,387	1,309	1,283	1,201	1,198	1,218	996	792	514	223	71	38	11	40	
681	796	904	881	815	733	667	649	515	389	247	100	25	17	7	41		
604	650	633	506	494	470	468	531	569	481	408	267	128	46	16	4	42	
362	303	354	308	314	319	311	320	325	382	317	178	74	15	9	33	43	
173	168	231	194	187	186	179	169	159	195	173	81	32	20	12		44	
189	135	153	114	127	133	132	151	166	187	144	97	42	12	9	13	45	
806	312	352	313	289	262	287	269	264	252	213	161	72	26	13	15	46	
161	166	192	193	188	150	148	168	146	149	101	73	23	9	3	9	47	
145	146	160	120	101	112	139	101	118	103	112	88	49	17	10	6	48	
121	122	121	114	94	86	109	100	105	106	77	58	26	10	2	16	49	
65	67	62	68	52	56	60	58	61	47	46	19	14	5	1	12	50	
56	55	59	51	42	30	43	42	44	59	31	39	12	5	1	4	51	
69	77	68	63	79	50	78	68	80	106	96	59	30	6	2	5	52	
28	34	35	35	49	35	40	46	40	49	56	25	12	2	1	5	53	
41	43	33	28	30	15	38	37	40	57	40	34	18	4	1	4	54	
187	185	178	143	141	137	123	106	127	84	66	46	18	7	2	16	55	
120	119	100	94	83	92	75	65	74	51	42	28	6	1	1	9	56	
67	66	78	49	58	45	48	41	53	33	24	23	12	3	1	7	57	
233	180	208	175	177	199	203	231	246	247	194	133	61	25	9	15	58	
89	93	105	91	111	110	119	133	124	110	104	58	28	13	4	11	59	
144	87	103	84	66	89	98	122	137	90	75	33	12	5	12	4	60	
90	60	69	61	74	92	102	96	82	78	55	33	16	8	2	6	61	
46	31	37	31	31	34	44	47	32	32	24	16	7	4	2	1	62	
44	29	32	30	48	55	58	49	50	46	31	17	9	4	4	5	63	
52	54	50	62	62	49	55	53	58	54	48	43	28	16	4	3	64	
28	29	22	31	35	29	33	31	33	41	28	21	12	6	1	1	65	
29	25	28	31	27	20	22	25	18	20	22	11	10	3	1	2	66	
66	76	87	69	57	76	60	81	78	98	67	85	29	10	2	8	67	
30	45	44	39	44	30	38	40	42	31	36	14	14	6	1	3	68	
36	31	43	30	28	32	30	43	38	56	36	36	15	6	5	5	69	

TABLE 12.—DEATHS IN EACH PRINCIPAL

		AGES.										
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24
1	Indianapolis, Ind	2,817	532	97	77	36	27	769	97	52	109	135
2	Males	1,434	317	49	38	20	15	439	52	29	45	57
3	Females	1,383	215	48	39	16	12	330	45	23	64	78
4	Jersey City, N. J	4,277	988	806	115	99	68	1,571	135	69	79	189
5	Males	2,285	551	147	58	52	26	834	78	42	42	102
6	Females	1,992	437	159	57	47	37	737	62	27	37	87
7	Kansas City, Mo	2,852	514	169	51	43	33	810	75	62	101	185
8	Males	1,558	289	89	25	25	16	444	41	31	42	90
9	Females	1,294	225	80	26	18	17	366	34	31	59	95
10	Los Angeles, Cal	1,857	253	39	21	24	17	854	62	37	53	80
11	Males	1,121	159	26	11	16	7	219	30	17	22	43
12	Females	736	94	13	10	8	10	135	32	20	31	37
13	Louisville, Ky	4,092	685	204	102	57	46	1,094	106	70	168	238
14	Males	2,106	386	110	51	23	18	588	56	35	79	118
15	Females	1,986	299	94	51	34	28	506	50	35	89	120
16	Lowell, Mass	1,876	572	105	35	29	17	758	44	20	42	80
17	Males	934	394	48	19	16	5	422	28	9	22	40
18	Females	942	288	57	16	13	12	336	21	11	20	40
19	Memphis, Tenn	2,572	378	151	61	45	30	665	117	65	115	199
20	Males	1,436	207	79	25	22	17	350	51	31	55	108
21	Females	1,136	171	72	36	23	18	315	66	34	60	91
22	Milwaukee, Wis	4,550	1,347	240	111	89	65	1,852	171	72	133	175
23	Males	2,496	729	120	57	51	34	991	91	32	69	76
24	Females	2,054	618	120	54	38	31	861	80	40	64	99
25	Minneapolis, Minn	2,183	429	79	47	31	21	607	80	56	74	119
26	Males	1,184	280	42	20	18	10	320	43	24	34	52
27	Females	1,029	199	37	27	13	11	287	37	32	40	67
28	Nashville, Tenn	2,042	364	144	54	35	26	628	82	53	102	188
29	Males	1,039	188	82	33	18	15	336	47	15	49	70
30	Females	1,003	176	62	21	17	11	287	35	33	53	68
31	Newark, N. J	4,866	1,120	350	150	88	87	1,795	145	69	114	162
32	Males	2,622	660	178	80	38	42	996	73	37	68	85
33	Females	2,244	460	174	70	50	45	799	72	32	46	77
34	New Haven, Conn	1,862	376	73	26	23	18	511	34	19	86	77
35	Males	953	215	38	13	17	7	290	18	6	19	43
36	Females	909	161	35	13	6	6	221	16	13	17	34
37	New Orleans, La	8,287	1,377	410	198	94	66	2,140	204	168	298	516
38	Males	4,524	771	188	110	58	39	1,161	98	102	149	274
39	Females	3,763	606	222	83	41	27	979	106	66	149	242
40	New York, N. Y	70,229	16,400	5,321	2,278	1,418	883	26,295	2,042	872	1,333	2,601
41	Males	37,499	9,089	2,841	1,172	724	437	14,268	1,041	415	657	1,251
42	Females	32,730	7,311	2,480	1,106	689	446	12,032	1,001	457	676	1,350
43	Omaha, Nebr	1,382	295	64	26	28	11	419	40	28	45	71
44	Males	793	168	35	11	13	5	227	21	9	25	34
45	Females	589	182	29	15	10	6	192	19	14	20	37
46	Paterson, N. J	2,000	479	124	62	35	27	727	97	28	51	86
47	Males	1,081	266	74	34	22	18	414	50	19	32	43
48	Females	919	213	50	28	18	9	313	47	9	19	43
49	Philadelphia, Pa	27,450	5,657	1,592	774	548	898	8,964	950	418	608	1,056
50	Males	14,381	3,167	884	413	272	206	4,942	489	231	300	549
51	Females	13,075	2,490	708	381	271	192	4,022	461	187	308	507
52	Pittsburg, Pa	6,436	1,470	583	236	99	71	2,409	208	137	228	383
53	Males	3,668	824	281	115	47	38	1,305	112	75	129	221
54	Females	2,708	646	252	121	52	33	1,104	96	62	99	162
55	Portland, Oreg	856	106	20	18	12	11	167	32	24	32	47
56	Males	495	48	10	10	8	7	83	19	16	14	26
57	Females	361	58	10	8	4	4	84	13	8	18	21
58	Providence, R. I	3,491	784	241	99	56	38	1,213	74	41	91	130
59	Males	1,772	429	125	50	27	16	647	35	16	45	69
60	Females	1,719	355	116	49	29	17	566	39	25	46	61
61	Reading, Pa	1,401	335	54	28	27	19	463	50	21	25	54
62	Males	755	190	29	14	15	7	255	27	10	14	29
63	Females	646	145	25	14	12	12	208	23	11	11	25
64	Richmond, Va	2,523	516	132	44	18	21	731	50	36	87	151
65	Males	1,339	297	73	26	8	11	415	24	16	46	77
66	Females	1,184	219	59	18	10	10	316	26	20	41	74
67	Rochester, N. Y	2,446	340	70	40	26	21	497	71	43	59	101
68	Males	1,225	187	37	23	15	5	267	46	25	30	53
69	Females	1,221	153	33	17	11	16	230	25	18	29	48
70	St. Joseph, Mo	933	142	56	30	18	14	255	33	24	30	42
71	Males	497	83	27	9	6	5	130	15	11	11	20
72	Females	436	59	29	21	7	9	125	18	13	19	22
73	St. Louis, Mo	10,320	1,806	429	218	185	119	2,842	322	168	294	540
74	Males	5,776	1,051	227	122	89	57	1,546	179	83	142	278
75	Females	4,544	845	202	91	96	62	1,296	143	85	152	262
76	St. Paul, Minn	1,574	337	58	31	29	15	470	57	40	46	59
77	Males	828	179	26	20	16	6	247	31	14	22	24
78	Females	746	158	32	11	18	9	223	26	26	24	35

REGISTRATION CITY, BY SEX AND AGE: 1900—Continued.

AGES—continued.																
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 +	Un-known.	
138	155	147	138	138	119	128	139	152	147	91	92	44	15	7	15	1
62	78	61	72	62	66	59	77	74	70	55	41	17	6	3	2	2
76	77	86	61	71	53	69	62	78	77	36	51	27	9	4	6	3
220	228	204	207	188	201	228	192	185	160	120	68	29	5	3	1	4
117	118	110	129	104	110	112	103	105	76	56	39	11	5	1	1	5
103	110	94	78	79	91	116	89	80	84	64	29	13	5	2	2	6
176	175	187	144	149	129	140	112	127	112	66	62	19	7	6	8	7
80	97	102	83	84	76	84	78	69	62	43	34	10	3	3	8	8
96	78	85	61	65	53	56	39	58	50	23	28	9	5	3	3	9
121	120	139	134	116	109	90	109	93	80	68	57	17	5	2	11	10
68	87	87	74	79	71	63	69	65	47	40	26	9	1	4	4	11
53	33	52	60	37	38	27	40	28	33	28	31	8	5	1	7	12
255	188	243	173	169	212	201	193	196	188	142	96	51	13	11	85	13
120	101	133	101	90	110	112	92	99	89	63	50	25	4	1	40	14
135	87	110	72	79	102	89	101	97	99	79	46	26	9	10	45	15
78	88	88	69	72	92	88	72	81	76	66	45	20	6	6	16	16
40	37	32	33	37	49	34	27	37	34	26	22	6	3	1	17	17
38	46	51	36	35	43	49	45	44	42	40	28	14	3	5	5	18
214	158	175	188	138	147	107	94	87	61	36	24	10	9	5	8	19
126	101	110	95	84	98	67	53	46	28	17	10	3	2	3	8	20
88	57	65	43	54	54	40	41	41	33	19	14	7	6	3	5	21
150	160	167	191	184	146	178	189	196	230	184	125	69	20	5	3	22
71	94	101	120	80	93	117	105	109	139	93	66	36	9	2	2	23
79	66	66	71	54	53	61	84	87	91	59	33	11	3	1	1	24
103	108	128	126	98	110	88	93	108	107	73	64	29	10	2	5	25
41	54	67	67	57	62	59	58	58	61	37	39	15	4	1	8	26
62	54	61	59	41	48	24	37	50	46	36	25	14	6	1	2	27
127	105	83	86	75	98	90	79	94	77	48	41	16	9	7	28	28
57	53	36	40	43	41	55	42	56	43	19	20	7	2	2	6	29
70	52	47	46	32	57	35	37	38	34	29	21	9	7	1	1	30
200	216	279	240	216	223	259	221	221	181	164	109	37	10	5	31	31
121	115	186	146	132	119	135	122	83	74	68	39	14	6	3	32	32
79	101	98	94	84	104	124	99	138	107	96	70	23	4	2	33	33
86	86	95	78	103	116	111	133	95	97	73	52	40	16	4	34	34
49	49	50	45	49	58	56	59	49	45	33	17	16	6	1	35	35
37	37	45	33	54	63	55	74	46	52	40	35	24	10	3	36	36
559	473	475	463	456	397	401	424	375	323	242	172	98	40	23	37	37
325	280	280	263	281	235	225	215	203	154	105	78	38	17	16	12	38
284	190	195	200	175	162	176	209	172	169	137	94	60	23	24	11	39
3,516	3,757	3,880	3,450	3,212	3,347	3,254	3,264	2,970	2,638	1,877	1,081	589	171	63	8	40
1,873	2,110	2,277	2,041	1,865	1,949	1,718	1,632	1,523	1,224	900	460	224	58	14	4	42
1,643	1,647	1,612	1,409	1,347	1,398	1,536	1,632	1,447	1,414	977	621	365	113	49	4	42
76	78	95	74	62	67	63	55	57	59	45	25	16	5	2	5	43
44	48	53	52	44	41	34	38	37	35	22	13	11	1	1	3	44
82	30	42	22	18	26	29	17	20	24	23	12	5	4	1	2	45
97	82	98	78	78	82	107	102	68	87	78	86	17	5	1	1	46
51	36	55	37	39	42	52	56	39	46	41	17	10	1	1	1	47
46	46	43	36	39	40	55	46	29	41	37	19	7	4	4	48	48
1,231	1,231	1,321	1,232	1,240	1,249	1,264	1,386	1,449	1,356	1,042	772	423	127	52	85	49
634	712	681	707	710	717	687	693	634	446	340	151	35	14	55	50	50
597	577	609	551	533	539	547	699	756	722	596	432	272	92	38	80	51
385	325	322	279	289	256	233	254	217	208	147	90	41	14	4	7	52
246	203	198	181	188	158	145	151	119	97	73	38	23	5	4	8	53
139	122	124	98	101	98	88	103	98	111	74	54	18	9	4	4	54
42	51	54	55	48	45	50	45	52	49	31	8	11	5	2	6	55
27	28	35	32	33	22	30	25	33	32	21	6	4	2	2	5	56
15	23	19	23	15	23	20	20	19	17	10	2	7	3	1	57	57
153	154	169	156	152	169	166	185	162	157	149	93	48	19	5	58	58
78	78	95	87	86	85	89	89	70	69	72	36	22	2	2	59	59
80	76	74	69	66	84	77	96	92	88	77	57	26	17	3	60	60
60	60	51	52	59	59	59	71	73	92	65	48	27	8	4	61	61
33	32	32	31	32	34	35	43	29	52	30	17	10	2	3	62	62
22	28	19	21	27	25	24	28	44	40	35	31	17	6	1	1	63
137	121	145	125	105	156	134	127	129	90	84	49	24	12	6	24	64
68	65	71	66	62	85	68	72	64	52	42	18	6	3	2	17	65
69	56	74	59	43	71	66	55	65	38	31	18	9	4	7	7	66
118	119	126	114	134	111	127	147	161	180	149	114	50	15	7	8	67
42	67	64	67	68	50	66	77	69	87	67	43	24	7	4	2	68
76	52	62	47	66	61	70	92	93	82	71	26	8	3	3	1	69
52	47	62	37	39	37	52	35	52	32	30	25	9	3	2	35	70
25	20	35	22	21	23	32	17	35	16	16	17	4	1	2	26	71
27	27	27	15	18	14	20	18	17	16	14	8	5	2	2	9	72
579	574	605	483	521	524	546	553	569	464	344	219	102	30	14	27	73
339	352	361	290	338	318	320	310	319	252	165	99	50	10	21	21	74
240	222	244	193	183	206	226	243	250	212	179	120	52	20	10	6	75
70	88	89	91	64	65	59	80	71	95	61	39	17	5	3	3	76
35	47	50	52	38	38	36	44	41	49	28	18	8	1	2	2	77
35	41	39	39	26	27	28	36	36	30	46	33	9	4	2	1	78

TABLE 12.—DEATHS IN EACH PRINCIPAL

		AGES.										
		All ages.	Under 1	1	2	3	4	Under 5	5-9	10-14	15-19	20-24
1	San Francisco, Cal	7,040	827	153	75	73	60	1,188	170	71	150	350
2	Males	4,367	459	94	43	32	32	660	83	37	74	204
3	Females	2,673	368	59	32	41	28	528	87	34	76	146
4	Scranton, Pa	2,111	446	131	104	92	56	829	163	67	60	71
5	Males	1,114	241	72	47	49	28	437	71	32	39	30
6	Females	997	205	59	57	43	28	392	92	35	21	41
7	Seattle, Wash	898	107	21	9	8	8	153	27	14	29	54
8	Males	621	78	13	6	4	3	104	17	5	14	33
9	Females	277	29	8	3	4	5	49	10	9	15	21
10	Syracuse, N. Y	1,494	251	54	22	20	10	357	36	29	40	63
11	Males	779	139	31	12	15	6	208	16	20	23	30
12	Females	715	112	23	10	5	4	154	20	9	17	33
13	Toledo, Ohio	2,112	461	89	66	50	41	707	100	46	72	87
14	Males	1,091	254	38	32	30	15	369	37	20	37	32
15	Females	1,021	207	51	34	20	26	338	63	26	35	55
16	Wilmington, Del	1,595	345	71	50	22	21	509	80	40	47	75
17	Males	854	200	42	33	12	9	296	39	20	19	32
18	Females	741	145	29	17	10	12	213	41	20	28	43
19	Worcester, Mass	1,838	444	85	44	26	22	621	42	18	46	60
20	Males	945	243	53	28	14	9	347	17	8	22	30
21	Females	893	201	32	16	12	13	274	25	10	24	30

REGISTRATION CITY BY SEX AND AGE: 1900—Continued.

AGES—continued.																
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95 +	Un-known.	
485	426	490	452	469	467	487	520	433	404	270	150	80	18	8	52	
253	257	886	322	327	313	279	335	280	264	160	82	39	9	5	2	
182	169	154	130	142	154	158	185	153	140	110	68	41	9	8	4	
95	77	93	70	73	92	76	95	75	65	42	24	14	2	1	27	
46	42	68	38	48	52	37	50	37	26	25	10	8	-----	18	4	
49	35	25	32	25	40	39	45	38	39	17	14	6	2	1	9	
58	66	74	70	76	48	55	48	42	39	15	15	8	1	-----	11	
37	51	60	53	59	34	41	41	25	23	5	10	1	-----	8	7	
21	15	14	17	17	14	14	7	17	16	10	5	2	1	-----	9	
62	69	79	63	89	81	88	81	111	83	69	54	28	9	3	10	
27	40	40	38	44	44	44	39	54	47	33	24	9	3	1	11	
35	29	39	25	45	37	44	42	57	36	36	30	19	6	2	12	
97	87	80	88	107	84	84	106	111	97	70	38	27	5	4	15	
43	49	44	47	59	46	45	65	64	47	35	21	15	2	2	13	
54	38	36	41	48	38	39	41	47	50	35	17	12	3	2	14	
62	68	57	74	70	68	65	77	82	74	64	49	19	8	2	10	
37	40	30	49	43	34	48	30	41	36	31	17	5	2	-----	16	
25	28	27	25	27	29	17	47	41	38	33	32	14	6	2	5	
98	82	80	61	83	79	113	96	98	70	78	62	37	7	3	6	
49	43	48	29	39	47	64	47	48	28	33	25	14	2	-----	19	
47	39	32	32	44	32	49	49	50	42	45	37	23	5	3	1	

TABLE 13.—DEATHS IN THE UNITED STATES AND IN EACH STATE AND TERRITORY,

	CAUSE OF DEATH.	United States.	STATES AND TERRITORIES.								
			Alabama.	Arizona.	Arkansas.	California.	Colorado.	Connecticut.	Dela-wa-re.	District of Colum-bia.	Florida.
1	All causes	1,039,094	25,699	1,223	22,518	22,506	7,428	15,422	3,075	6,364	6,482
2	Males	551,611	12,970	750	11,813	13,998	4,471	7,902	1,644	3,274	3,520
3	Females	487,483	12,729	473	10,705	8,508	2,957	7,520	1,431	3,070	2,962
4	Unknown cause	40,539	2,173	171	2,604	466	250	54	58	26	454
5	Males	21,818	1,068	83	1,351	296	150	31	31	15	224
6	Females	19,221	1,105	88	1,253	170	100	28	27	11	230
7	1. General diseases: General diseases—A	209,819	7,493	830	7,234	2,762	1,285	8,138	508	1,270	1,814
8	Males	107,704	8,806	184	3,742	1,559	673	1,525	244	680	961
9	Females	102,115	8,687	155	3,492	1,203	612	1,618	264	640	853
10	Measles	{M F 6,231 6,635	209 219	32 37	582 692	29 27	27 32	79 82	4 5	19 19	27 23
11	Scarlet fever	{M F 3,185 3,198	20 14	9 9	27 32	38 36	39 40	30 31	1 3	15 10	8 5
12	Diphtheria	{M F 8,070 8,405	43 44	5 10	64 44	109 118	69 79	121 132	61 50	99 94	15 12
13	Whooping cough	{M F 4,601 5,357	239 255	12- 10	142 174	69 82	50 44	45 74	4 11	22 16	36 54
14	Malarial fever	{M F 7,497 7,877	497 508	9 8	907 823	65 54	14 7	45 65	9 10	29 34	202 164
15	Influenza	{M F 7,718 8,927	886 392	4 4	179 140	125 92	22 18	281 363	16 18	41 74	133 132
16	Typhoid fever	{M F 18,881 16,498	873 840	26 15	602 570	347 195	137 85	140 109	39 51	185 90	143 147
17	Cholera morbus	{M F 8,870 8,039	74 63	7 7	75 57	68 53	26 41	18 21	7 2	6 4	23 31
18	Colitis	{M F 770 651	31 25	2 -	9 6	9 6	6 3	5 17	4 1	7 1	3 8
19	Diarrhea	{M F 4,272 3,438	166 120	5 6	90 77	50 32	18 12	81 95	2 3	44 41	32 20
20	Dysentery	{M F 6,112 5,598	442 422	14 8	300 241	103 32	14 14	80 86	11 13	17 21	73 39
21	Enteritis	{M F 10,258 9,399	173 179	13 9	189 165	200 171	40 27	193 175	19 21	90 128	67 60
22	Cholera infantum	{M F 13,662 11,914	220 208	11 13	169 150	105 96	79 74	258 243	44 50	69 61	65 58
23	Fever	{M F 1,892 1,425	98 102	19 10	43 38	23 9	16 17	2 1	1 1	-	27 28
24	Cerebro-spinal fever	{M F 2,322 1,862	29 21	3 1	100 80	55 46	15 12	33 34	7 7	18 11	9 4
25	Smallpox	{M F 2,116 1,868	136 88	4 1	131 64	7 7	34 20	-	1 -	2 3	7 9
26	Erysipelas	{M F 1,582 1,279	27 29	3 2	38 33	25 21	14 14	26 19	3 1	3 4	6 5
27	Septicemia	{M F 3,033 3,743	61 94	5 1	53 79	75 76	39 66	43 27	5 12	8 8	15 16
28	Venereal diseases	{M F 934 657	55 44	20 2	22 9	22 18	18 4	16 8	4 4	9 15	9 10
29	Others of this group	{M F 1,748 1,355	32 20	1 2	22 18	35 32	6 3	29 31	3 5	2 6	66 28
30	General diseases—B	18,247	252	22	202	722	180	214	70	68	195
31	Males	11,048	151	18	110	477	119	142	44	45	119
32	Females	7,199	101	4	92	245	61	72	26	23	76
33	Alcoholism	{M F 2,388 423	19 1	6 2	14 36	171 51	51 10	53 15	4 2	18 2	6 1
34	Parasitic diseases	{M F 265 236	26 17	1 -	16 21	4 1	1 -	1 -	-	-	6 9
35	Lead poison	{M F 85 28	2 2	-	-	1 1	1 3	-	-	-	-
36	Other poisons	{M F 2,102 1,288	50 24	2 2	51 30	92 47	28 13	36 18	5 3	13 6	20 11
37	Inanition	{M F 6,208 5,174	54 57	9 2	29 39	209 160	38 38	49 38	35 21	14 14	87 55

FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900.

STATES AND TERRITORIES—continued.

Georgia.	Idaho.	Illinois.	Indiana.	Indian Territory.	Iowa.	Kansas.	Kentucky.	Louisiana.	Maine.	Maryland.	Massachusetts.	Michigan.	Minnesota.	
26,941	1,242	61,229	38,586	5,286	19,573	16,261	27,091	20,955	12,148	20,422	49,756	33,572	17,005	1
13,321 13,620	762 480	33,641 27,588	17,454 16,132	2,795 2,491	10,612 8,961	8,978 7,288	18,843 13,248	10,971 9,984	6,292 5,856	10,526 9,896	25,352 24,404	18,084 15,488	9,354 7,651	2 3
2,209	108	1,345	621	537	720	897	1,733	1,281	220	806	350	632	788	4
1,099 1,110	57 51	733 612	342 279	271 266	408 312	488 409	906 827	626 655	181 89	393 413	189 161	385 297	442 346	5 6
6,724	248	11,584	6,803	1,960	2,866	3,699	5,498	6,187	1,788	8,586	8,715	5,884	2,592	7
8,260 8,464	129 119	5,981 5,603	8,192 8,111	1,055 905	1,499 1,387	1,954 1,745	2,789 2,709	3,208 2,929	973 815	1,799 1,787	4,841 4,374	3,088 2,796	1,362 1,230	8 9
97 104	3 7	225 256	44 63	168 174	20 25	109 111	156 179	250 276	23 27	48 54	167 144	174 199	43 36	{10}
26 18	10 9	315 328	70 94	16 10	45 54	32 36	21 26	44 53	37 17	18 21	180 204	115 105	50 42	{11}
60 73	9 21	717 787	236 287	17 7	143 112	128 115	95 127	48 42	55 48	260 291	516 556	167 211	185 172	{12}
100 122	17 21	228 269	93 108	44 69	42 61	117 126	135 144	90 90	47 50	42 60	162 213	137 136	70 94	{13}
481 530	2 2	251 246	168 172	191 163	46 88	135 126	161 183	519 511	11 5	69 62	41 29	84 84	8 6	{14}
301 366	6 5	218 236	210 246	19 17	107 99	100 75	238 239	87 104	116 129	104 117	411 709	204 215	72 80	{15}
756 829	20 17	1,052 845	766 730	187 134	289 260	358 330	847 822	528 549	128 72	288 222	374 251	365 315	233 153	{16}
89 85	12 10	203 164	140 132	24 24	127 127	117 103	94 68	90 61	33 18	29 19	56 57	129 109	108 109	{17}
10 16	----- -----	34 23	82 28	2 2	17 7	11 13	13 11	5 7	5 9	10 7	32 39	48 31	5 8	{18}
123 109	2 2	152 98	151 63	26 21	55 24	73 48	100 95	179 135	44 31	76 82	160 156	180 145	50 33	{19}
372 409	9 4	200 157	247 252	94 77	72 78	120 98	233 207	227 158	32 42	78 87	118 143	89 112	28 19	{20}
177 189	4 -----	925 826	251 229	44 37	71 50	68 68	124 108	255 246	67 70	257 218	622 547	289 271	98 102	{21}
306 274	12 10	875 892	404 398	109 79	265 206	326 277	211 213	193 170	246 194	337 358	1,062 902	636 473	205 172	{22}
141 155	8 1	13 21	8 5	23 30	6 1	21 20	77 59	76 106	1 2	2 1	1 5	3 6	9 6	{23}
25 20	9 8	92 85	116 76	36 24	43 50	45 37	73 48	88 39	25 19	40 34	125 86	175 119	45 38	{24}
81 15	2 4	17 8	9 10	24 9	11 6	46 27	38 14	433 275	5	----- 1	6 9	8 15	7 15	{25}
20 21	1 -----	82 90	56 45	9 4	22 28	45 12	42 43	23 8	16 10	31 22	80 76	80 43	35 35	{26}
63 78	5 3	193 194	102 177	18 21	82 116	68 98	80 90	49 46	48 42	68 82	109 117	83 133	78 130	{27}
53 82	----- -----	98 78	31 20	2 2	8 4	5 4	20 12	25 11	1 2	23 25	29 20	33 31	18 8	{28}
29 19	3 -----	91 60	58 36	2 3	28 23	30 21	31 21	49 42	38 28	24 24	90 76	84 56	25 20	{29}
862	16	1,438	886	53	304	266	455	361	118	370	1,222	615	429	30
203 159	18 3	889 549	474 362	31 22	181 123	168 98	257 198	194 167	71 47	213 157	730 492	379 236	269 160	31 32
25 3	5 -----	222 23	50 5	2 -----	25 -----	16 1	35 1	32 14	12 3	44 7	145 46	80 5	45 1	{33}
25 27	1 -----	6 5	5 2	1 2	1 4	1 3	7 6	16 27	1 1	1 3	1 1	3 3	3 1	{34}
2	----- -----	2 -----	1 -----	----- -----	3 -----	2 -----	1 -----	2 -----	----- -----	6 3	----- 2	----- -----	----- -----	{35}
59 43	4 3	107 85	78 48	18 7	44 28	47 16	42 30	33 23	17 7	26 20	75 43	83 59	33 27	{36}
92 86	8 -----	552 436	345 307	18 13	108 91	102 77	173 161	113 101	42 36	142 127	503 399	213 167	191 181	{37}

TABLE 13.—DEATHS IN THE UNITED STATES AND IN EACH STATE AND TERRITORY,

	CAUSE OF DEATH.	United States.	STATES AND TERRITORIES.								
			Alabama.	Arizona.	Arkansas.	Calif. ornia.	Colorado.	Connect- icut.	Dela- ware.	District of Colum- bia.	Florida.
1	1. General diseases—Continued.	65,484	988	24	506	1,167	360	1,116	306	542	312
2	General diseases—C—										
3	Males	33,230	472	18	242	697	201	596	151	287	156
3	Females	32,254	516	11	264	470	159	520	155	255	156
4	Old age	{M— F— 13,362 15,360	217 288	6 3	89 104	422 277	65 64	161 203	46 53	77 77	62 78
5	Premature birth	{M— F— 8,390 6,330	132 116	3 3	97 90	104 76	72 50	232 168	24 19	83 64	33 23
6	Malformation	{M— F— 1,478 1,227	11 12	2 19	14 24	25 5	7 22	36 22	2 1	8 7	8 4
7	Debility and atrophy	{M— F— 9,097 8,185	106 93	2 5	37 46	135 91	53 38	132 112	83 80	112 101	56 46
8	Obesity	{M— F— 4 5						1			
9	Others of this group	{M— F— 899 647	6 7		5 5	11 2	4 2	34 15	2 2	7 6	2 5
10	General diseases—D	176,072	4,016	188	2,792	5,329	1,276	2,520	562	1,219	908
11	Males	83,600	1,056	127	1,252	3,180	759	1,206	290	590	468
12	Females	92,472	2,360	61	1,540	2,149	517	1,314	272	629	435
13	Anemia	{M— F— 948 1,287	11 9		8 5	21 32	3 4	12 23	1 5	8 6	5 6
14	Diabetes	{M— F— 2,650 2,022	19 11	2	16 5	76 67	23 15	74 47	4 4	8 7	3 5
15	Rheumatism	{M— F— 2,669 2,398	70 55	3 3	61 54	58 35	19 26	33 38	9 9	12 18	17 11
16	Serofulpa and tabes	{M— F— 1,707 1,782	85 76	1 1	51 42	28 17	5 5	15 11	4 4	7 7	11 14
17	Leprosy	{M— F— 10 7				2					
18	Hydrocephalus	{M— F— 2,356 1,946	16 18	8	19 14	93 79	13 14	41 41	4 1	24 15	3 6
19	Tuberculosis, general	{M— F— 712 597	8 8		7 2	44 20	1 1	8 5		12 8	1 1
20	Consumption	{M— F— 58,626 56,124	1,079 1,587	107 45	782 1,107	2,210 1,270	570 804	803 726	198 184	441 410	800 257
21	Cancer	{M— F— 11,436 18,039	83 257	4 8	78 98	524 502	79 105	186 369	37 38	62 138	28 55
22	Tumor	{M— F— 1,305 2,122	19 41	2	21 19	33 54	8 7	12 33	4 9	6 10	6 14
23	Dropsey	{M— F— 5,600 5,664	259 290	5 3	212 191	78 58	35 34	12 8	29 18	5 7	89 65
24	Others of this group	{M— F— 581 484	7 8		2 3	28 15	3 2	10 13	1 1	5 3	5 1
25	2. Diseases of the nervous system	117,579	1,974	87	1,891	2,601	738	1,958	430	786	645
26	Males	64,189	1,063	57	1,066	1,646	444	1,012	238	446	363
27	Females	59,390	911	30	825	955	294	946	192	340	282
28	Inflammation of the brain	{M— F— 3,493 2,748	92 75	6	130 113	58 49	24 15	18 10	12 8	3 1	17 13
29	Meningitis	{M— F— 10,787 8,636	187 155	13	345 226	240 156	95 88	182 145	37 36	47 41	54 35
30	Apoplexy	{M— F— 14,812 12,589	107 69	8	54 39	486 280	74 44	413 410	47 47	163 129	50 36
31	Paralysis	{M— F— 11,800 10,762	219 247	7 5	137 105	304 160	77 58	107 114	65 56	28 33	61 55
32	Paralysis, general (of insane)	{M— F— 947 356	11 4	5	4	55 10	11 —	4 —		8 3	1 1
33	Tetanus and trismus nascentium	{M— F— 1,516 743	57 27	2	5 6	26 10	7 1	17 8	1 1	8 4	48 52
34	Chorea	{M— F— 63 116	1	1	1	1	1	2	2		2
35	Epilepsy	{M— F— 1,915 1,411	66 32	4 1	37 24	52 22	12 9	17 17	2 3	8 10	10 11
36	Convulsions	{M— F— 8,548 6,957	102 119	5 4	46 53	103 69	51 31	113 87	48 22	74 60	40 26
37	Mental diseases	{M— F— 1,910 1,707	23 20	3 1	7 6	62 34	29 10	32 33	2 1	25 12	3 5

FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

STATES AND TERRITORIES—continued.														
Georgia.	Idaho.	Illinois.	Indiana.	Indian Territory.	Iowa.	Kansas.	Kentucky.	Louisiana.	Maine.	Maryland.	Massachusetts.	Michigan.	Minnesota.	
1,198	74	2,921	2,340	121	1,349	817	1,332	1,117	1,097	1,749	4,734	2,712	1,278	1
575- 623	49 25	1,441 1,480	1,227 1,113	66 55	701 648	433 384	640 692	528 594	556 541	818 931	2,338 2,396	1,405 1,307	653 625	2 3
190- 269	21 14	732 854	482 522	16 14	421 441	258 244	314 385	219 303	313 340	278 466	661 1,042	594 416	416 416	{ 4
218- 170	9 4	359 322	404 301	41 29	187 93	83 56	167 117	105 79	104 94	162 135	683 481	401 293	104 83	{ 5
17- 16	3 6	98 86	68 54	1 4	32 32	23 17	16 18	7 9	12 10	29 17	95 96	90 96	21 28	{ 6
181- 161	14 4	200 182	261 222	8 6	94 75	68 57	187 164	182 197	118 89	317 300	817 718	272 259	98 91	{ 7
						1				1				{ 8
19- 7	2 3	52 36	12 13	— 2	17 7	5 10	6 8	10 6	9 8	31 13	82 58	48 24	14 7	{ 9
4,254	158	10,974	6,657	496	3,471	2,566	5,523	2,896	2,193	8,510	8,737	5,223	8,216	10
1,780- 2,474	86 72	5,627 5,347	2,949 3,708	227 269	1,575 1,365	1,201 1,395	2,328 1,484	1,412 1,228	965 1,841	1,669 1,228	4,168 4,569	2,337 2,886	1,569 1,647	11 12
18- 20	68 80	35 61	— —	19 37	10 5	14 19	7 11	24 33	13 23	76 119	70 101	26 29	{ 13	
38- 11	4 2	171 120	119 78	6 1	98 57	51 33	36 29	17 10	50 49	39 35	150 168	156 168	75 90	{ 14
66- 59	7 4	145 150	118 103	11 9	86 55	51 45	79 81	38 51	20 14	71 58	84 93	102 91	52 35	{ 15
62- 59	2 102	89 88	66 15	14 25	30 25	25 25	109 91	25 24	21 25	25 17	31 33	45 58	14 16	{ 16
								1					1	{ 17
21- 8	3 2	182 94	93 69	4 5	38 31	20 13	38 48	15 17	35 48	43 36	249 196	91 72	60 48	{ 18
7- 10	1 44	45 21	— —	17 19	9 4	10 8	22 5	25 17	27 8	77 79	31 46	30 23	{ 19	
1,064- 1,587	43 43	3,607 3,179	1,846 2,386	156 189	758 1,047	628 786	1,615 2,301	1,000 1,016	524 621	1,133 1,185	2,769 2,455	1,059 1,379	878 966	{ 20
92- 281	18 10	938 1,164	419 617	9 19	375 426	238 284	186 362	128 198	219 362	208 340	605 1,259	597 807	320 339	{ 21
28- 50	2 3	121 151	28 67	3 1	32 68	19 51	26 54	24 17	8 25	11 33	69 98	45 81	34 40	{ 22
374- 384	6 8	244 280	178 199	24 29	121 119	142 113	205 197	132 135	38 35	86 91	20 36	118 131	69 90	{ 23
10- 5	— 33	67 23	17 1	— 11	6 8	10 6	8 5	8 4	6 4	13 14	33 33	22 30	10 11	{ 24
2,304	88	7,279	4,136	425	2,566	1,798	2,867	1,857	1,827	2,480	6,156	4,308	1,857	25
1,202- 1,102	53 35	4,116 3,163	2,278 1,363	223 202	1,414 1,152	1,038 760	1,546 1,321	987 870	939 888	1,331 1,149	3,139 3,017	2,370 1,938	1,052 805	26 27
78- 60	7 6	247 205	163 132	34 33	104 85	112 83	239 194	62 45	27 11	.53 36	46 23	88 61	81 58	{ 28
138- 120	2 5	735 583	250 269	75 81	166 120	154 123	325 250	143 128	146 130	169 143	656 550	261 208	188 134	{ 29
140- 112	8 3	737 512	409 334	8 4	279 224	148 98	160 152	138 162	289 313	288 265	1,007 1,188	622 527	206 180	{ 30
340- 555	17 9	691 637	563 502	24 18	384 339	281 298	290 298	100 89	182 176	312 312	432 410	478 410	180 143	{ 31
15- 1	2 50	120 11	25 —	— 18	39 9	21 5	18 6	15 5	18 5	17 8	25 22	42 22	10 6	{ 32
37- 28	— 29	97 17	50 1	2 16	22 10	16 11	33 111	180 111	8 1	46 18	26 5	26 7	26 12	{ 33
2	1	3 11	2 5	— —	1 3	3 3	1 4	— —	1	1 2	4 4	6 10	1 1	{ 34
73- 36	3 1	112 73	69 62	7 1	43 36	45 32	53 46	33 37	17 9	26 19	66 67	86 66	49 34	{ 35
136- 128	3 5	651 511	232 172	13 11	138 104	76 73	162 134	93 100	67 48	268 205	890 307	322 246	177 146	{ 36
20- 28	2 146	220 48	54 48	1	32 46	61 44	66 31	24 26	53 31	51 78	107 133	72 58	13 19	{ 37

TABLE 13.—DEATHS IN THE UNITED STATES AND IN EACH STATE AND TERRITORY,

	CAUSE OF DEATH.	United States.	STATES AND TERRITORIES.								
			Alabama.	Arizona.	Arkansas.	California.	Colorado.	Connecticut.	Delaware.	District of Columbia.	Florida.
1	2. Diseases of the nervous system—Cont'd.										
1	Diseases of the brain	{M- F- 4,990	6,479 123	169 2	258 217	194 113	46 30	74 82	18 13	70 32	67 41
2	Diseases of the spinal cord	{M- F- 707	870 12	10 —	20 9	24 18	3 4	7 9	2 2	5 6	4
3	Locomotor ataxia	{M- F- 176	537 —	4 —	2 1	16 6	4 —	15 4	3 —	3 2	3 1
4	Others of this class	{M- F- 1,493	1,012 27	15 1	20 24	26 27	10 4	16 18	1 3	2 7	5 6
5	3. Diseases of the circulatory system		75,791	1,166	43	635	2,361	489	1,293	255	604
6	Males	40,804	562	22	331	1,525	293	634	142	314	222
7	Females	34,987	604	21	304	836	196	659	113	290	180
8	Pericarditis	{M- F- 419	457 5	6 1	5 2	20 17	1 3	4 7	1 —	4 3	1
9	Diseases of the heart	{M- F- 81,939	36,500 575	536 19	20 290	311 751	1,327 173	260 592	561 105	122 288	207 269
10	Angina pectoris	{M- F- 1,190	1,595 8	12 —	7 8	63 24	14 11	36 24	5 5	8 10	8 3
11	Diseases of the arteries	{M- F- 451	817 —	— —	1 —	52 3	3 —	11 16	— —	7 —	2 —
12	Aneurism	{M- F- 239	515 5	6 1	4 1	45 9	2 —	7 5	2 —	5 —	3 1
13	Embolism	{M- F- 293	192 2	— —	1 —	8 5	3 —	3 3	2 2	2 5	1
14	Others of this class	{M- F- 496	728 9	2 1	2 3	10 5	10 4	12 12	10 1	10 3	— —
15	4. Diseases of the respiratory system		154,085	3,502	136	8,742	2,588	1,269	2,212	432	800
16	Males	83,672	1,954	93	2,146	1,622	800	1,129	237	388	336
17	Females	70,333	1,608	48	1,596	966	460	1,083	195	412	262
18	Croup	{M- F- 5,676	6,808 278	301 4	6 249	812 36	59 24	34 39	18 15	9 8	34 22
19	Pneumonia	{M- F- 47,631	58,340 1,074	1,885 82	73 1,122	1,566 620	1,163 366	650 718	751 132	172 132	255 263
20	Laryngitis	{M- F- 393	467 14	12 —	2 10	6 10	4 2	9 11	— —	2 3	2 2
21	Bronchitis	{M- F- 10,192	10,081 142	133 2	6 113	150 178	219 33	37 215	229 215	22 20	62 79
22	Pleurisy	{M- F- 1,227	1,579 29	40 —	4 19	26 18	31 7	10 24	25 1	3 1	10 12
23	Asthma	{M- F- 1,327	1,679 32	26 1	2 15	52 23	24 7	20 18	3 5	2 3	7 8
24	Others of this class	{M- F- 3,917	4,768 39	57 4	2 68	76 81	152 21	50 58	61 19	19 48	48 16
25	5. Diseases of the digestive system		60,229	1,406	52	1,268	1,355	468	817	138	330
26	Males	31,457	744	36	654	745	225	396	70	164	202
27	Females	28,772	662	16	614	610	243	421	68	166	181
28	Dentition	{M- F- 1,274	1,369 103	102 4	31 38	13 7	4 4	10 12	4 1	8 17	21 25
29	Angina	{M- F- 709	703 34	23 1	24 45	14 13	7 3	9 9	4 2	— 1	2 9
30	Gastritis	{M- F- 4,290	4,052 82	64 2	58 60	91 87	24 32	58 92	11 22	25 30	24 21
31	Diseases of the stomach	{M- F- 2,443	2,699 57	47 1	163 175	63 46	17 16	22 23	10 2	13 12	12 5
32	Obstruction of the bowels	{M- F- 1,861	1,894 13	29 —	19 8	41 51	19 23	35 39	6 6	10 17	10 8
33	Appendicitis	{M- F- 1,829	3,282 11	39 —	5 15	92 61	45 25	36 30	4 6	16 9	8 2
34	Hernia	{M- F- 822	1,157 9	22 6	1 21	22 6	9 6	19 11	4 2	8 2	6 2
35	Other diseases of the bowels	{M- F- 52	1,810 52	78 —	1 55	30 18	7 12	7 2	3 7	1 4	11 7
36	Jaundice	{M- F- 1,127	1,358 32	25 17	2 8	13 10	11 7	7 7	4 1	9 3	7 11
37	Inflammation and abscess of the liver.	{M- F- 1,363	1,550 33	39 33	7 —	46 31	54 36	9 13	28 17	12 1	17 10

FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

STATES AND TERRITORIES—continued.														
Georgia.	Idaho.	Illinois.	Indiana.	Indian Territory.	Iowa.	Kansas.	Kentucky.	Louisiana.	Maine.	Maryland.	Massachusetts.	Michigan.	Minnesota.	
194 160	7 1	335 254	260 189	57 50	129 86	79 46	150 141	161 132	96 77	79 79	264 206	288 161	80 53	{ 1
8 9	— 40	68 38	38 31	1 1	28 19	14 13	14 6	14 15	13 12	9 8	42 41	59 45	17 4	{ 2
2	— 17	37 13	22 —	— 5	9 2	8 3	8 3	9 1	8 4	9 2	37 21	28 23	10 2	{ 3
24 65	1 5	63 95	36 78	1 2	40 51	20 27	27 46	15 18	15 23	8 21	37 56	47 56	20 18	{ 4
1,433	69	4,468	2,458	121	1,849	1,195	1,449	1,265	1,267	1,426	4,784	3,124	1,270	5
676 757	37 32	2,430 2,038	1,367 1,191	64 57	1,068 781	693 502	732 717	650 615	708 559	718 708	2,426 2,358	1,808 1,316	722 548	6 7
9 10	— 1	53 37	24 17	2 —	6 5	6 1	1 9	12 7	9 6	3 7	28 28	25 20	11 6	{ 8
631 719	35 29	2,091 1,814	1,180 970	57 56	959 780	649 471	671 659	580 569	625 503	615 646	2,143 2,123	1,561 1,179	669 513	{ 9
16 10	— —	99 91	82 60	4 1	37 23	18 16	27 31	9 12	45 35	33 21	95 86	115 111	9 11	{ 10
3 6	— —	96 85	29 14	— —	28 6	3 2	13 5	25 11	5 5	28 21	91 64	52 25	12 1	{ 11
10 7	1 2	46 18	7 6	— —	9 7	6 4	10 8	13 8	5 1	23 1	23 10	15 4	11 4	{ 12
2 3	— —	19 25	4 6	1 —	6 5	4 3	4 2	— 1	6 4	1 3	17 25	11 9	— 7	{ 13
5 2	— —	1 26	41 28	— —	20 5	11 5	6 3	11 7	13 5	15 9	29 22	29 16	10 6	{ 14
3,887	217	9,948	4,332	860	2,600	2,046	3,967	2,684	1,604	8,026	7,596	4,180	2,078	15
2,080 1,807	159 58	5,544 4,404	2,219 2,113	497 363	1,425 1,175	1,153 893	2,146 1,821	1,515 1,169	800 804	1,601 1,425	8,827 8,769	2,277 1,903	1,153 925	16 17
379 307	8 7	305 258	164 154	84 77	98 64	129 105	435 333	112 89	29 38	91 71	108 96	94 67	68 63	{ 18
1,400 1,193	184 42	3,981 3,011	1,518 1,401	867 245	1,004 822	806 680	1,314 1,113	1,111 834	580 559	1,144 1,023	2,676 2,592	1,469 1,178	781 593	{ 19
6 3	1 —	26 18	19 —	— —	4 4	3 2	10 4	4 2	3 6	9 2	31 22	19 19	9 6	{ 20
181 143	4 4	822 797	256 295	23 26	186 126	92 71	207 213	169 166	110 118	205 198	673 751	429 405	141 133	{ 21
49 48	1 1	90 65	33 26	3 2	27 24	19 9	28 26	41 24	11 16	33 22	79 49	31 37	19 19	{ 22
42 42	3 3	97 86	59 55	4 3	40 26	34 33	59 57	27 29	11 9	32 29	37 22	55 52	44 23	{ 23
73 66	8 1	273 169	170 162	16 10	116 109	70 43	98 75	51 25	56 60	87 80	223 237	180 145	91 83	{ 24
1,835	73	3,684	2,140	882	1,421	1,058	1,457	1,026	588	993	2,305	2,432	1,249	25
931 904	49 24	2,027 1,657	1,077 1,063	166 166	749 672	560 498	748 709	550 476	281 307	495 498	1,131 1,174	1,300 1,132	692 557	26 27
188 210	— 1	15 19	13 7	14 9	7 4	5 8	22 23	74 56	2 —	25 13	12 14	15 9	15 9	{ 28
23 32	— 1	47 39	38 29	9 8	15 25	18 12	20 24	17 10	3 5	8 5	17 18	19 11	17 8	{ 29
119 109	6 3	261 217	159 160	22 30	113 73	64 63	94 92	33 45	37 52	88 83	137 154	159 180	72 65	{ 30
86 87	8 3	222 197	129 123	40 40	79 68	82 72	83 95	29 30	24 15	39 39	59 54	90 74	51 39	{ 31
24 20	— 147	140 73	91 —	4 —	49 54	42 28	28 29	24 31	27 25	21 34	101 112	120 64	49 36	{ 32
37 19	6 2	297 181	103 42	4 2	104 56	65 44	64 28	24 12	20 25	51 44	167 152	150 92	105 52	{ 33
23 18	4 —	78 68	30 25	— —	28 18	22 12	24 11	19 6	13 12	24 19	40 52	47 27	20 19	{ 34
78 56	2 3	106 69	57 52	21 24	52 39	37 22	72 81	42 38	18 11	11 10	25 33	48 35	24 17	{ 35
49 41	— 74	84 38	48 6	4 24	24 23	21 32	48 32	30 11	18 11	38 22	50 34	50 47	17 14	{ 36
35 20	4 2	95 94	64 69	8 11	33 31	27 39	44 40	70 55	18 18	21 16	41 43	63 60	19 16	{ 37

TABLE 13.—DEATHS IN THE UNITED STATES AND IN EACH STATE AND TERRITORY,

CAUSE OF DEATH.	United States.	STATES AND TERRITORIES.									
		Alabama.	Arizona.	Arkansas.	California.	Colorado.	Connecticut.	Dela-	Delaware.	District of Colum-	Florida.
5 Diseases of the digestive system—Cont'd.											
1 Other diseases of the liver—{M—	4,226	68	5	89	167	25	81	10	28	10	28
{F—	2,625	32	3	80	103	14	47	5	10	18	18
2 Peritonitis—{M—	2,845	33	2	27	83	24	42	4	15	13	13
{F—	4,656	45		33	110	65	72	11	35		
3 Ascites—{M—	628	47	1	25	8	2	1	1	1	1	8
{F—	677	36	1	26	8	2	4	1	1		6
4 Others of this class—{M—	8,884	133	3	93	54	22	41	3	18	21	85
{F—	3,614	123	3	75	48	18	56	4	21		32
5 Diseases of the urinary system and male organs of generation.	44,941	609	38	382	1,183	282	985	127	348	174	
6 Males—	27,869	402	26	267	783	198	576	78	202	107	
Females—	17,072	207	7	115	350	84	409	49	146	67	
8 Bright's disease—{M—	18,997	226	20	140	568	137	421	59	160	60	
{F—	13,173	145	5	61	281	70	846	41	115	42	
9 Calculus, urinary—{M—	842	23		7	8	2	1	3	1	1	
{F—	89	4		4	2		2	1	2		
10 Diseases of the kidneys—{M—	2,947	70	3	60	52	23	40	8	11	19	
{F—	1,607	28	1	27	34	3	28	4	13	11	
11 Diseases of the bladder—{M—	2,172	28	2	17	60	11	66	8	15	8	
{F—	291	1	1	3	7	1	12		4	1	
12 Others of this class—{M—	8,411	55	1	43	95	25	48	5	15	14	
{F—	1,912	29		20	26	10	21	3	12	18	
13 Diseases of the female organs of generation.	3,253	96	2	56	77	26	50	6	39	21	
14 Ovarian tumors—	478	6		1	10	4	11	2	7		
Ovarian diseases—	145	1			4	1	1		2	1	
Disease of the tubes—	352	3			12	2	1		10		
17 Uterine tumors—	657	8	1	8	20	6	15	1	8	1	
18 Uterine diseases—	406	25		7	2	5	5	1	1	8	
Others of this class—	1,215	53	1	40	29	8	17	2	11	11	
20 Affections connected with pregnancy—	9,699	335	12	257	118	64	115	23	43	106	
21 Abortion—	578	21	2	20	27	11	9		7	5	
Childbirth—	4,527	181	10	142	43	29	21	13	13	70	
Puerperal septicemia—	8,207	100		82	26	13	55	6	14	17	
Extra-uterine pregnancy—	188	2			6	2	3	1	3	2	
Others of this class—	1,199	31		13	16	9	27	3	6	12	
26 Diseases of the bones and joints—	3,021	63	1	67	52	11	40	4	17	5	
27 Males—	1,717	35	1	38	32	6	24	1	8	1	
Females—	1,304	28		29	20	5	16	3	9	4	
29 Diseases of the spine—{M—	958	24	1	28	14	3	4		2	1	
{F—	813	19		23	9	2	5	2		4	
30 Abscess, lumbar and psoas—{M—	63	1		2			3			1	
{F—	35									3	
31 Diseases of the bones—{M—	395	7		4	7	2	14		4	1	
{F—	230	2		1	3	1	2				
32 Diseases of the hip-joint—{M—	149	1		2	6		2			1	
{F—	82	2		1	3	1					
33 Others of this class—{M—	152	2		2	5	1	4	1	1	1	
{F—	144	5		4	5	1	6	1	3		
34 10. Diseases of the skin—	2,158	49	1	71	34	18	30	11	9	26	
35 Males—	1,204	27		37	20	9	14	6	4	17	
Females—	954	22	1	34	14	9	16	5	5	9	
37 Abscess—{M—	582	10		17	10	6	8	3	1	8	
{F—	471	9	1	10	8	5	11	4	1	1	
38 Carbuncle—{M—	180	5		5	3		1	1	3	1	
{F—	88	3		1					1		
39 Others of this class—{M—	442	12		15	7	3	5	2	3	8	
{F—	395	10		23	5	4	5	1			

FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

STATES AND TERRITORIES—continued.														
Georgia.	Idaho.	Illinois.	Indiana.	Indian Territory.	Iowa.	Kansas.	Kentucky.	Louisiana.	Maine.	Maryland.	Massachusetts.	Michigan.	Minnesota.	
50	8	313	132	10	78	46	90	79	49	65	192	214	68	
40	1	151	113	4	81	32	47	41	28	39	146	130	89	} 1
46	4	147	96	3	74	43	45	29	35	52	169	183	90	
70	4	199	216	7	97	63	106	60	72	101	301	256	118	} 2
40	2	23	15	6	12	15	19	24	1	11	6	9	5	
42	1	28	18	3	17	20	15	24	8	13	15	11	5	} 3
183	5	199	108	21	81	78	95	56	26	60	114	186	140	
186	3	174	103	22	85	60	86	62	32	60	116	144	120	} 4
607	37	2,674	1,378	56	871	575	896	794	704	1,195	2,401	1,573	833	5
419	31	1,714	860	42	600	411	590	458	427	716	1,389	1,022	528	6
188	6	960	518	14	271	164	306	336	267	479	1,012	551	305	7
252	18	1,188	551	23	392	265	378	348	284	593	946	636	351	
130	6	728	377	6	182	111	213	289	202	415	809	418	228	} 8
21	17	3	3	6	6	8	9	4	6	7	15	2		
5	5	1	1	3	1	1	3	1	1	1	8			} 9
59	6	209	81	10	76	69	104	34	33	47	87	94	66	
23	—	121	60	4	49	25	48	18	13	31	64	56	36	} 10
41	7	118	84	3	57	30	37	22	48	27	163	126	47	
4	—	17	16	—	6	5	4	1	7	3	17	15	7	} 11
46	—	182	141	3	69	41	63	45	68	43	186	151	62	
26	—	89	64	4	31	22	41	25	44	29	121	54	34	} 12
103	5	247	181	18	48	34	70	74	31	39	130	164	55	13
7	31	23	1	1	7	7	9	10	9	10	21	31	7	14
5	18	11	1	1	4	4	1	2	2	1	5	6	1	15
2	57	4	—	—	2	1	—	9	—	7	33	15	7	16
13	1	49	24	—	10	5	9	13	8	9	40	41	12	
24	1	23	15	3	6	2	10	17	3	2	15	15	3	18
52	3	69	54	13	17	15	41	25	9	10	32	56	25	19
374	23	581	267	84	185	166	214	288	88	154	270	407	200	20
19	2	57	26	8	7	11	13	10	5	15	13	19	10	21
242	14	209	75	54	97	81	120	175	34	83	78	109	104	22
87	6	240	124	19	55	50	64	74	85	25	92	200	66	23
4	—	18	5	1	7	3	4	2	—	2	19	8	1	24
22	1	57	37	2	19	12	18	27	14	29	68	71	19	25
61	8	178	111	22	81	52	188	32	30	46	114	105	45	26
32	4	118	62	12	44	35	114	21	18	27	74	69	31	27
29	4	65	49	10	37	17	74	11	12	19	40	36	14	28
18	4	68	36	8	24	21	90	7	7	13	26	23	21	
20	3	42	32	8	27	10	65	3	7	11	10	19	9	} 29
—	—	4	2	—	1	—	1	3	—	—	5	4	2	} 30
1	—	4	1	—	1	—	—	—	—	2	2	—	—	
7	—	28	13	4	10	8	15	4	5	8	28	24	4	
4	1	17	6	—	5	1	8	4	4	3	13	10	3	} 31
1	—	7	7	—	6	4	7	5	5	4	6	9	2	} 32
1	—	2	4	—	3	2	1	1	1	1	2	1	1	
6	—	6	4	—	3	2	1	2	1	2	9	9	2	} 33
3	—	4	3	1	2	3	—	3	—	2	13	4	1	
73	4	143	54	15	41	36	56	45	22	38	94	85	35	34
80	1	80	35	10	21	22	30	32	15	17	49	50	22	35
43	3	63	19	5	20	14	26	18	7	21	45	35	18	36
13	—	40	20	4	12	11	12	8	10	8	30	23	9	
12	3	34	7	3	14	9	15	6	5	15	18	19	7	} 37
5	—	10	5	1	2	4	3	18	2	3	7	3	4	} 38
12	—	5	2	—	2	—	4	3	—	—	4	3	—	
12	1	30	10	5	7	7	15	11	3	6	12	24	9	
19	—	24	10	2	4	5	7	4	2	6	23	13	6	} 39

TABLE 13.—DEATHS IN THE UNITED STATES AND IN EACH STATE AND TERRITORY,

	CAUSE OF DEATH.	United States.	STATES AND TERRITORIES.								
			Alabama.	Arizona.	Arkansas.	California.	Colorado.	Connecticut.	Delaware.	District of Columbia.	Florida.
1	11. Diseases of the absorbent system	714	12		12	20	1	10		4	1
2	Males	885	7		8	11	1	5		2	
3	Females	829	5		4	9		5		2	1
4	Addison's disease	{M F 94 79	1		1	5 4		1 3			
5	Diseases of the spleen	{M F 98 76	2		6	3	1		2		1
6	Others of this class	{M F 198 174	4		2	3		4		2	
7	12. Accidents and injuries	57,513	1,505	112	799	1,721	711	870	145	259	443
8	Males	43,414	1,023	90	589	1,405	584	612	112	179	344
9	Females	14,099	482	22	230	316	127	258	80	80	99
10	Burns and scalds	{M F 2,750 4,022	121	1	67	45	10	31	6	11	36
11	Drowning	{M F 4,728 664	81		27	168	33	98	20	29	53
12	Exposure and neglect	{M F 500 422	15		13	18	13	6	4	1	7
13	Gunshot wounds	{M F 3,571 489	207	17	99	98	51	18	6	10	74
14	Homicide	{M F 1,533 296	81	18	42	66	18	3	1	8	32
15	Infanticide	{M F 23 24			1					1	
16	Injuries by machinery	{M F 320 13	8		14	5	8				1
17	Railroad accidents	{M F 6,376 554	96	9	47	142	71	116	22	23	28
18	Suffocation	{M F 1,454 994	36		23	24	12	24	8	5	9
19	Suicide by shooting	{M F 1,190 103	8	4	4	84	11	12		5	1
20	Suicide by drowning	{M F 157 84			6	1	3	8			1
21	Suicide by poison	{M F 761 464	8		5	56	6	22		3	1
22	Other suicides	{M F 2,205 534	6	2	13	144	22	31	8	7	7
23	Sunstroke	{M F 535 198	6	1	8	3	2	6	1	7	2
24	Surgical operations	{M F 241 464	4	1	1	17	2	4		2	1
25	Wounds	{M F 690 62	9	2	7	18	8	11	8	4	2
26	Others of this class	{M F 16,385 4,715	837	40	198	516	316	227	83	66	89
			97	7	67	98	56	106	8	20	28

FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

STATES AND TERRITORIES—continued.														
Georgia.	Idaho.	Illinois.	Indiana.	Indian Territory.	Iowa.	Kansas.	Kentucky.	Louisiana.	Maine.	Maryland.	Massachusetts.	Michigan.	Minnesota.	
11	1	48	32	1	21	13	18	6	11	12	40	49	14	1
7 4	1 —	29 19	18 14	1	12 9	9 4	10 8	5 1	4 7	5 7	21 19	28 21	9 5	2 3
1	—	8 5	3 4	—	4 3	1	4	—	3 1	1	8 5	7 6	—	3
2	1	6 7	8 3	1	3 1	4 1	1 4	1 1	—	2	2	1 5	5 2	2 2
5 3	—	15 7	7 7	—	5 5	4 2	5 4	4	1 4	4 5	12 9	16 13	4 3	6
1,506	113	8,717	1,790	185	1,180	1,043	1,868	1,092	560	992	2,099	2,079	1,066	7
1,027 479	98 20	2,917 800	1,359 431	131 54	915 265	813 230	1,007 361	790 302	394 166	724 268	1,530 559	1,616 463	850 216	8 9
155 216	1 5	127 188	80 93	11 24	46 45	29 44	70 142	58 105	17 24	54 85	90 128	78 83	46 54	10
66 18	12 6	272 36	105 22	8 2	99 20	85 11	84 6	121 20	95 17	116 10	267 18	200 31	105 14	11
19 26	2 1	14 11	9 10	1 8	7 4	9 5	18 12	14 14	2 2	6 5	15 8	14 8	13 9	12
181 27	13 1	145 25	116 18	87 3	53 8	93 16	195 27	178 21	17 2	41 9	26 9	87 10	50 10	18
98 11	1 —	118 34	37 6	11 1	21 2	29 6	51 7	48 6	4 4	21 3	13 6	14 8	20 2	14
8	—	1	—	2	—	—	—	1	—	1	—	4	—	15
12	—	29	6	2	2	2	8	5	4	—	6	14	7	16
—	—	1	1	1	1	—	—	—	1	—	—	1	—	—
82 7	6 —	606 61	246 20	6 1	147 6	112 7	104 9	57 12	84 4	81 10	250 15	245 25	109 6	17
59 63	2 —	104 44	85 53	2 3	28 14	26 10	86 25	31 23	15 8	25 25	68 46	47 39	38 16	18
12 1	—	151 12	44 8	2	24 2	19 2	22 3	25 —	17 —	17 —	71 4	47 9	26 —	19
—	—	14 4	4 2	—	5 3	5 1	5 2	—	3 5	2 1	19 10	9 3	5 —	20
5 3	—	92 64	32 17	—	12 6	5 6	16 6	11 3	8 8	16 4	20 14	23 27	16 10	21
28 4	8 1	197 51	69 15	8 1	54 13	70 15	49 10	15 8	28 6	40 11	94 30	79 14	52 13	22
14 4	1 —	49 12	14 2	2	20 2	9 2	9 4	27 12	2 2	17 6	7 2	5 3	3 —	23
4 5	—	19 35	12 18	1	4 23	3 14	5 14	6 6	1 7	8 7	7 22	6 25	6 8	24
15 2	—	40 3	15 4	1	15 1	2 —	16 —	17 3	4 —	20 1	29 2	88 4	12 —	25
279 102	47 5	989 219	485 150	44 10	873 115	315 90	319 95	177 72	143 77	264 90	544 252	710 178	847 78	26

MORT—3

TABLE 13.—DEATHS IN THE UNITED STATES AND IN EACH STATE AND TERRITORY,

	CAUSE OF DEATH.	STATES AND TERRITORIES.											
		Mississippi.	Missouri.	Montana.	Nebraska.	Nevada.	New Hampshire.	New Jersey.	New Mexico.	New York.	North Carolina.	North Dakota.	
1	All causes.....	20,251	38,084	2,188	8,264	433	7,400	32,735	2,674	130,268	21,068	2,287	
2	Males.....	10,299	20,480	1,387	4,480	290	3,663	17,462	1,455	68,648	10,427	1,159	
3	Females.....	9,952	17,604	801	3,784	148	3,737	15,273	1,219	61,620	10,641	1,128	
4	Unknown cause.....	1,989	1,382	101	458	24	122	186	404	580	2,105	252	
5	Males.....	1,010	747	58	255	15	65	95	231	319	1,076	126	
6	Females.....	979	635	48	203	9	57	91	173	261	1,029	126	
7	1. General diseases: General diseases—A.....	6,416	8,040	326	1,681	78	1,146	5,494	997	21,444	5,173	447	
8	Males.....	3,299	4,149	166	827	43	548	2,883	489	11,074	2,529	210	
9	Females.....	3,117	3,891	160	804	35	598	2,611	508	10,370	2,644	237	
10	Measles.....	{M F }459 491	253 241	8 9	80 20	3 2	20 25	109 97	41 30	574 600	115 108	5 11	
11	Scarlet fever.....	{M F }21 23	65 69	13	43 40	2	16 18	119 113	21 23	426 386	14 10	9 8	
12	Diphtheria.....	{M F }42 43	260 234	5 19	83 79	—	30 35	354 324	29 27	1,351 1,322	43 77	41 79	
13	Whooping cough.....	{M F }91 84	167 213	9 10	47 58	1 6	35 43	161 168	13 16	472 516	134 186	11 14	
14	Malarial fever.....	{M F }498 485	494 471	4 1	16 16	7 3	9 9	59 51	41 48	138 170	217 280	3 1	
15	Influenza.....	{M F }304 283	186 189	10 7	64 58	7 3	79 105	199 244	15 11	605 848	350 449	12 13	
16	Typhoid fever.....	{M F }687 703	926 864	29 13	145 115	2 10	40 29	240 158	47 55	1,014 762	637 613	39 26	
17	Cholera morbus.....	{M F }56 58	144 127	14	61 60	7 8	11 23	55 38	10 9	170 164	68 56	17 18	
18	Colitis.....	{M F }5 5	29 19	1	5 5	—	4 4	35 35	—	157 140	14 20	—	
19	Diarrhea.....	{M F }104 110	142 110	9 11	32 22	3 —	21 22	98 91	15 4	575 488	126 131	13 9	
20	Dysentery.....	{M F }213 167	198 192	2 2	35 37	4 2	18 16	77 95	— 2	322 354	271 243	4 2	
21	Enteritis.....	{M F }86 82	341 309	7 5	24 23	— <td>—</td> <td>45 58</td> <td>612 529</td> <td>6 4</td> <td>2,419 2,245</td> <td>77 73</td> <td>6 6</td>	—	45 58	612 529	6 4	2,419 2,245	77 73	6 6
22	Cholera infantum.....	{M F }94 76	462 393	22 25	149 165	3 1	148 145	446 396	13 15	1,656 1,360	216 223	24 26	
23	Fever.....	{M F }68 76	33 29	2	4 9	— <td>—</td> <td>3 1</td> <td>92 102</td> <td>10 8</td> <td>61 62</td> <td>4 3</td>	—	3 1	92 102	10 8	61 62	4 3	
24	Cerebro-spinal fever.....	{M F }20 15	144 117	18 9	19 17	1 2	22 17	81 61	1 2	279 238	25 21	2	
25	Smallpox.....	{M F }471 311	48 23	3 1	4 1	— <td>—</td> <td>5 3</td> <td>133 154</td> <td>9 7</td> <td>28 23</td> <td>3 1</td>	—	5 3	133 154	9 7	28 23	3 1	
26	Erysipelas.....	{M F }14 15	61 59	2	15 10	1 —	4 7	68 53	8 2	249 177	32 31	1	
27	Septicemia.....	{M F }38 51	185 175	8 19	35 55	3 1	22 32	88 87	5 —	277 295	43 66	12 19	
28	Venereal diseases.....	{M F }22 14	31 16	4	5 4	1 —	2 13	13 1	2 1	118 90	12 8	—	
29	Others of this group.....	{M F }26 25	55 41	2	11 10	— <td>—</td> <td>27 19</td> <td>61 54</td> <td>2 3</td> <td>253 200</td> <td>16 14</td> <td>4 1</td>	—	27 19	61 54	2 3	253 200	16 14	4 1
30	General diseases—B.....	128	861	66	146	8	114	587	20	2,148	183	31	
31	Males.....	69	480	46	90	7	70	328	14	1,366	116	24	
32	Females.....	59	381	20	56	1	44	209	6	782	67	7	
33	Alcoholism.....	{M F }6 5	48 6	22 6	14 2	1 1	8 1	84 17	2	480 129	29 2	8	
34	Parasitic diseases.....	{M F }21 26	6	12	—	1	—	3	—	4 2	23 19	2 1	
35	Lead poison.....	{M F }5 1	1	3	—	—	5	—	10 10	2	1	—	
36	Other poisons.....	{M F }23 11	85 60	12 7	31 20	2 —	10 2	54 40	6 3	345 183	31 13	8 1	
37	Inanition.....	{M F }19 19	336 304	11 6	42 34	4 —	52 40	182 152	6 3	527 458	31 33	10 5	

FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

STATES AND TERRITORIES—continued.																
Ohio.	Oklahoma.	Oregon.	Pennsylvania.	Rhode Island.	South Carolina.	South Dakota.	Tennessee.	Texas.	Utah.	Vermont.	Virginia.	Washington.	West Virginia.	Wisconsin.	Wyoming.	
53,862	8,181	8,396	90,199	8,176	17,166	8,088	30,572	34,160	8,079	5,829	25,252	4,910	9,588	24,928	767	1
28,648 24,714	1,741 1,440	2,019 1,377	49,150 41,049	4,132 4,044	8,461 8,705	1,654 1,434	15,354 15,218	18,045 16,115	1,821 1,258	2,936 2,893	13,112 12,140	3,148 1,762	5,046 4,542	13,815 11,113	452 315	2 3
1,269	271	108	1,870	61	1,304	284	2,279	2,941	125	95	2,049	163	671	916	27	4
653 616	138 138	61 47	1,019 851	33	672	148	1,180 1,099	1,592 1,349	67	56	1,064 985	103	367 304	499 417	15 12	5 6
8,449	941	538	16,321	1,780	4,665	560	7,879	10,971	520	720	5,274	787	2,130	3,523	142	7
4,360 4,089	524 417	804 234	8,573 7,748	860	2,820	286	3,977 3,902	5,493 5,478	246	364	2,750 2,524	455	1,113 1,017	1,885 1,688	73 69	8 9
81 85	88 15	9 5	416 399	98	54	19	394	646	6	9	148	6	112	38	10	10
166 168	4 7	4 6	444 450	28	14	11	17	309	31	6	27	31	28	105	7	11
823 875	24 22	12 17	1,394 1,411	84	45	41	89	171	15	21	125	53	66	185	9	12
184 217	19 31	15 17	333 369	85	81	25	183	259	30	24	139	19	73	96	2	13
91 65	75 59	11 12	75 65	11	358	2	505	667	1	5	201	5	15	22	15	14
277 328	14 9	89 27	451 524	181	249	14	494	212	12	53	357	27	87	98	9	15
962 883	126 75	55 51	1,617 1,162	61	446	38	879	1,014	38	50	497	107	342	220	10	16
191 166	25 26	20 12	322 316	8	44	34	91	196	17	12	51	25	30	138	8	17
34 25	4 3	4 46	58 3	2	9	2	30	41	2	4	21	2	1	12	7	18
156 115	28 14	11 5	291 226	45	104	14	164	175	11	14	123	17	38	93	1	19
201 198	39 29	13 4	227 228	17	296	9	341	447	8	17	239	21	71	56	8	20
416 376	8 7	27 18	791 707	94	129	5	185	368	9	24	109	17	21	225	1	21
685 575	75 70	31 20	1,350 1,153	246	186	32	247	424	29	67	313	42	134	357	4	22
7 8	9 15	4 3	10 6	1	143	8	73	193	1	37	5	15	6	12	1	23
136 113	11 10	5 9	149 101	16	21	5	62	39	16	11	43	10	15	25	3	24
18 17	16 8	9 3	12 9	2	43	1	62	95	3	178	13	8	3	8	3	25
78 62	8 7	8 102	145 111	11	12	6	82	56	5	6	28	11	14	28	2	26
208 258	10 10	16 18	262 318	8	41	20	103	104	15	18	63	29	24	104	2	27
40 23	4 1	1 1	46 25	8	29	1	34	21	2	22	5	9	6	2	2	28
106 82	2 2	10 3	182 132	11	16	6	22	56	3	25	29	10	12	28	2	29
1,140	19	46	1,686	90	172	42	332	558	42	81	279	123	91	514	20	30
689 451	11 8	28 18	1,000 686	58	94	29	204	320	31	49	166 113	89 34	64 27	297 217	12 8	31 32
108 11	2 1	4 36	220 13	32	12	5	38	38	7	10	41 5	25 1	16 10	49 40	4	33
3 4	1	5 6	1 23	27	1	13	9	10	17	19	5 8	1 1	1 1	1 1	1	34
8		13 5	8 3	3		2	4	2	1		1	1	1	1	1	35
80 51	4 3	13 7	124 81	13	23	11	43 31	92 56	18 2	10 5	34 25	19 9	19 8	41 32	3 4	36
490 885	5 4	11 10	688 558	9	32	18	108 79	177 170	9 9	29 25	74 64	44 24	23 11	205 174	5 4	37

TABLE 13.—DEATHS IN THE UNITED STATES AND IN EACH STATE AND TERRITORY,

CAUSE OF DEATH.	STATES AND TERRITORIES.										
	Mississippi.	Missouri.	Montana.	Nebraska.	Nevada.	New Hampshire.	New Jersey.	New Mexico.	New York.	North Carolina.	North Dakota.
1. General diseases—Continued.											
General diseases—C.	525	2,035	101	445	22	734	2,528	49	10,040	703	86
2 Males	233	1,053	61	221	16	350	1,353	30	5,155	337	45
3 Females	287	982	40	221	6	384	1,175	19	4,885	366	41
4 Old age	{M F 131 198	500 538	21 15	111 150	14 4	152 197	260 360	23 16	1,632 2,026	182 211	25 21
5 Premature birth	{M F 54 43	286 187	16 11	61 34	1 —	79 43	342 245	2 1	1,291 972	76 68	13 12
6 Malformation	{M F 15 11	87 29	1 1	14 6	— —	10 11	94 57	— —	267 180	16 11	3 1
7 Debility and atrophy	{M F 33 30	268 213	19 13	33 30	2 —	108 132	585 469	4 2	1,772 1,549	54 72	3 6
8 Obesity	{M F	— —	— —	— —	— —	— —	— —	1	— —	1	— —
9 Others of this group	{M F 5 5	12 15	4	2 4	— —	1 1	72 43	1	193 157	9 4	1 1
10 General diseases—D	3,161	6,147	282	1,206	88	1,157	5,208	281	22,516	3,660	381
11 Males	1,357	2,924	163	574	62	477	2,622	154	11,525	1,508	177
12 Females	1,804	3,213	119	632	26	680	2,586	127	10,991	2,152	204
13 Anemia	{M F 2 5	27 51	1	9 8	— —	17 33	35 44	— —	136 213	7 12	1 2
14 Diabetes	{M F 15 3	72 49	8 4	43 19	3 2	25 30	79 77	1 1	390 371	37 18	6 6
15 Rheumatism	{M F 69 55	109 87	8 3	26 26	1 1	8 11	88 42	11 5	287 256	61 50	10 7
16 Scrofula and tubercles	{M F 73 58	45 48	1 4	11 14	— —	12 13	24 15	3 —	87 107	72 100	6 4
17 Leprosy	{M F	— —	— —	— —	— —	— —	— —	2	— —	— —	— —
18 Hydrocephalus	{M F 8 3	57 52	3	17 8	— —	18 16	125 105	2	557 456	12 14	4 7
19 Tuberculosis, general	{M F 1 5	11 5	2	11 1	— —	3 6	28 19	1	114 82	2 2	3 2
20 Consumption	{M F 878 1,251	1,967 2,140	97 67	265 327	45 11	292 335	1,880 1,562	84 68	8,001 6,109	976 1,374	106 140
21 Cancer	{M F 84 174	374 584	25 30	118 142	6 8	82 193	850 599	16 15	1,571 2,877	108 247	29 21
22 Tumor	{M F 14 39	42 69	3 3	12 33	2 —	7 18	50 64	9 7	173 281	14 46	5 6
23 Dropsy	{M F 212 215	211 182	14 7	59 51	5 3	9 20	38 39	28 30	176 207	221 280	6 7
24 Others of this group	{M F 1 1	19 16	2	3 —	— —	4 1	25 5	— 20	81 81	8 9	1 2
25 2. Diseases of the nervous system	1,270	4,130	211	965	43	1,062	4,801	125	14,815	1,793	238
26 Males	666	2,256	145	552	27	524	2,560	74	7,812	918	132
27 Females	604	1,874	66	413	16	588	2,241	51	7,008	875	106
28 Inflammation of the brain	{M F 77 63	289 210	14 3	47 49	2 —	10 10	25 35	18 21	86 62	82 68	22 20
29 Meningitis	{M F 115 96	483 394	21 22	75 63	1 2	101 79	514 395	6 6	1,448 1,154	174 146	20 16
30 Apoplexy	{M F 47 47	309 289	24 18	88 66	5 2	177 190	784 736	6 3	2,878 2,839	95 92	19 7
31 Paralysis	{M F 122 114	461 363	17 10	131 98	7 3	90 103	817 815	80 10	1,108 975	253 299	12 15
32 Paralysis, general (of insane)	{M F 2 3	28 5	1	34 11	— 2	2 2	52 21	— —	87 44	2 —	1 —
33 Tetanus and trismus nascentium	{M F 14 8	55 45	1	11 5	— —	1 2	69 25	— —	150 54	29 17	2 —
34 Chorea	{M F 1 2	4 5	— —	2	— —	— —	2 4	— —	8 12	— 1	1 —
35 Epilepsy	{M F 39 32	66 52	6	14 16	8 1	10 9	88 23	1 3	173 149	66 54	6 8
36 Convulsions	{M F 106 82	217 193	17 5	64 42	4 4	58 46	487 398	5 3	800 664	75 82	30 30
37 Mental diseases	{M F 10 2	37 50	17 3	9 10	2 —	20 19	44 62	— 1	200 245	25 18	10 4

FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

STATES AND TERRITORIES—continued.																
Ohio.	Oklahoma.	Oregon.	Pennsylvania.	Rhode Island.	South Carolina.	South Dakota.	Tennessee.	Texas.	Utah.	Vermont.	Virginia.	Washington.	West Virginia.	Wisconsin.	Wyoming.	
3,827	124	134	7,070	606	649	140	995	1,837	250	565	1,839	250	388	2,362	20	1
1,906	73	84	8,586	311	322	71	458	679	116	257	685	159	206	1,257	11	2
1,921	51	50	8,534	295	327	69	537	658	134	308	654	91	182	1,105	9	3
921	25	58	1,151	79	107	43	218	283	55	140	338	81	90	665	8	
1,087	24	38	1,559	109	154	44	307	307	72	207	375	49	94	651	5	4
382	32	14	859	80	78	14	129	283	86	66	132	39	71	247		5
295	18	2	637	68	71	9	120	214	38	40	96	16	43	179	2	2
55	9	3	128	22	42	4	24	28	3	8	21	6	13	35		6
55	4	2	98	15	38	1	15	32	2	16	16	12	9	32	1	1
508	6	7	1,828	120	89	8	77	78	17	32	187	29	26	274	3	
504	5	6	1,198	91	55	13	88	97	20	40	160	12	27	213	1	7
														1		
1																8
45	1	2	70	10	6	2	10	7	5	11	7	4	6	35		
29		2	47	12	9	2	7	8	2	5	7	2	9	30		9
9,791	437	734	18,388	1,885	8,159	623	6,256	4,339	300	1,000	4,714	925	1,850	4,286	114	10
4,665	211	368	6,466	689	1,322	285	2,545	2,060	170	425	2,086	500	763	2,067	54	11
5,126	226	366	6,922	746	1,837	343	3,711	2,279	180	575	2,628	425	1,087	2,219	60	12
63	1	7	79	9	5	3	15	6	4	16	11	6	8	31	1	
57	1	3	96	17	7	-----	17	15	4	23	10	6	8	24	2	13
158	6	19	228	18	17	13	38	50	11	22	45	20	14	83	1	
108	1	12	199	23	25	9	16	29	3	17	21	10	9	66		
160	11	6	199	11	36	14	117	77	11	9	82	14	32	101		
147	5	10	189	23	24	7	78	71	11	10	88	6	35	51	3	15
95	10	8	95	12	42	8	145	56	1	6	78	5	22	17	14	
105	5	6	93	6	47	5	209	48		11	69	8	33	15	13	16
			2						1							17
75	2	10	171	41	18	5	39	28	6	11	29	19	7	34		
82	8	10	122	45	18	8	22	26	2	11	14	11	7	34		
19		3	27	25	16	1	10	9	1	4	2	2	1	5		
85	2	4	41	22	11	1	8	6	1	5	4	3	1	6		
2,874	131	219	4,007	436	895	181	1,736	1,893	89	240	1,402	298	503	1,087	24	20
2,915	157	214	3,784	401	1,238	244	2,715	1,558	54	284	1,821	265	770	1,263	27	
775	23	58	963	78	50	34	143	197	36	97	156	97	73	466	9	7
1,168	26	85	1,644	189	181	48	304	281	32	184	305	88	115	514		21
82	1	8	122	6	18	4	25	41	3	11	12	10	16	53	1	
144	4	10	195	13	42	6	41	50	18	60	11	11	13	67	2	22
338	25	26	513	1	221	20	268	196	8	5	252	23	88	167	4	
339	21	11	520	4	240	19	293	196	15	7	229	15	93	164	6	23
26	1	4	60	2	4	2	11	8	4	5	17	6	4	28		
26	1	1	39	3	4	1	4	4	3	5	7	2	3	14		24
7,735	801	401	12,405	822	1,356	273	2,514	2,741	299	800	2,620	497	1,087	8,212	55	25
4,319	175	234	6,903	428	686	162	1,364	1,480	174	416	1,430	321	558	1,827	28	26
3,416	126	167	5,502	394	670	111	1,150	1,261	125	384	1,190	176	479	1,385	27	
235	80	7	265	3	55	17	150	103	15	4	101	18	73	99	5	
176	10	11	179	3	55	7	106	98	8	9	90	7	77	52	2	28
665	43	39	929	82	64	25	311	296	94	65	225	54	96	244	4	
524	42	28	634	74	48	15	284	227	25	56	189	41	87	205	7	29
897	7	62	1,632	182	96	23	143	188	31	160	197	67	57	408	4	
626	6	33	1,403	174	94	14	84	102	16	159	186	25	39	276	8	30
995	25	65	1,165	36	180	25	248	225	27	59	398	65	185	820	5	
944	22	54	1,074	42	188	24	248	198	30	57	362	34	143	247	5	31
51	6	11	104	15	18	2	20	11	2	1	18	14	2	3		
21	1	23	6	3	1	1	8	4	2	1	4	4	2	4		32
67		135	6	46	2	31	80	4	3	48	1	8	2	18		
19		1	33	3	53	16	56				18		2	10		
3		7	1	1	1	4	3	1	1		1	1	1	1		34
13		1	9	1	1	4	3	1			1	4	1	1		
118	11	5	152	12	80	7	58	54	9	11	48	7	29	52		
79	8	2	101	10	28	6	29	56	6	7	23	4	22	30		35
593	14	7	1,529	29	94	35	124	134	37	44	191	24	49	465	6	
492	11	5	1,198	17	104	22	116	147	20	23	164	18	34	369	7	36
181	8	9	186	10	14	6	15	48	5	10	28	27	37	44	1	
101	6	6	160	12	21	1	16	32	1	9	32	18	14	59		37

TABLE 13.—DEATHS IN THE UNITED STATES AND IN EACH STATE AND TERRITORY,

	CAUSE OF DEATH.	STATES AND TERRITORIES.											
		Mississippi.	Missouri.	Montana.	Nebraska.	Nevada.	New Hampshire.	New Jersey.	New Mexico.	New York.	North Carolina.	North Dakota.	
1	2. Diseases of the nervous system—Cont'd.												
	Diseases of the brain	(M) 117	(F) 133	309	222	22 4	50 37	2	41 50	187 163	7 2	589 519	92 59
2	Diseases of the spinal cord	(M) 2	(F) 2	44	45		11 6	1	5 11	46 29		114 131	5 1
3	Locomotor ataxia	(M) 8	(F) 2	19	2		6 5		2 3	27 5		82 31	4 1
4	Others of this class	(M) 11	(F) 20	35	49	8 1	12 13		7 14	18 30	1 2	94 124	16 39
5	3. Diseases of the circulatory system	895	2,806	122	612	26	799	2,811	70	10,946	1,184	116	
6	Males	401	1,268		76	345	20	484	1,433	41	5,591	581	
7	Females	494	1,038		46	267	6	365	1,378	29	5,355	603	
8	Pericarditis	(M) 3	(F) 4	17	21	1	1 3		4 1	12 20	81 1	4 2	
9	Diseases of the heart	(M) 394	(F) 432	1,128 933	68 44	819 247	19 6	394 344	1,265 1,254	39 28	4,877 4,791	558 577	
10	Angina pectoris	(M) 8	(F) 4	38	29	1 1	10 8	1	24 16	70 57	247 1	12 1	
11	Diseases of the arteries	(M) 18	(F) 8		2				6	36	113	1	
12	Aneurism	(M) 1	(F) 8	24	10		3 4		1	11 4	78 33	5 3	
13	Embolism	(M) 9	(F) 1	1	5		1		1	5 2	46	2	
14	Others of this class	(M) 34	(F) 32	1	1	11 3		4 2	34 18		149 130	1 2	
15	4. Diseases of the respiratory system	2,955	6,850	498	1,113	67	1,230	5,881	338	23,515	3,171	807	
16	Males	1,611	3,557	348	614	39	609	2,864	191	12,298	1,721	152	
17	Females	1,344	2,802	145	499	28	627	2,517	147	11,217	1,450	155	
18	Croup	(M) 205	(F) 204	331 299	11 16	36 30	1 4	20 22	138 108	21 24	388 281	276 227	
19	Pneumonia	(M) 1,223	(F) 945	2,539 1,903	302 105	459 364	35 20	426 447	1,966 1,702	129 103	8,845 7,759	1,169 958	
20	Laryngitis	(M) 1	(F) 8	16 13	1			7	25 28		100 71	6 3	
21	Bronchitis	(M) 103	(F) 102	359 354	19 15	51 48	2 2	102 111	432 449	13 4	1,931 2,141	133 157	
22	Pleurisy	(M) 19	(F) 29	49 34	2 3	8 12		14 5	61 37	10 4	216 189	58 40	
23	Asthma	(M) 81	(F) 25	78 66	5 4	16 14	1	2 7	16 19	6 2	78 91	35 26	
24	Others of this class	(M) 29	(F) 36	185 133	8 2	44 31		38 28	231 174	12 10	790 685	49 39	
25	5. Diseases of the digestive system	968	2,479	120	602	25	884	1,685	128	6,984	1,191	180	
26	Males	525	1,299	63	332	18	160	819	79	8,502	611	106	
27	Females	448	1,180	57	270	12	174	866	49	8,482	580	74	
28	Dentition	(M) 57	(F) 50	42 36	2 3	2 4	1	8 7	11 19		95 97	53 39	
29	Angina	(M) 20	(F) 8	30 40	1 1	5 12	1	2 2	14 13	4 2	44 38	12 10	
30	Gastritis	(M) 50	(F) 57	178 191	6 9	35 26	2 1	20 39	155 161	12 6	468 577	72 92	
31	Diseases of the stomach	(M) 52	(F) 58	166 145	4 7	26 30		18 14	40 30	11 1	203 159	27 28	
32	Obstruction of the bowels	(M) 9	(F) 8	62 68	6 4	24 12	2	12 16	54 82		278 318	22 15	
33	Appendicitis	(M) 29	(F) 9	183 71	6 8	56 37	2 1	11 10	65 64		453 283	32 20	
34	Hernia	(M) 21	(F) 4	58 38	6 2	18 7	3 1	9 4	45 35	1 2	155 147	25 5	
35	Other diseases of the bowels	(M) 60	(F) 47	97 74	5 2	18 19		6 1	24 25	13 7	77 73	77 2	
36	Jaundice	(M) 13	(F) 18	53 40	1 7	11 3		3 3	39 23	1 2	110 105	30 40	
37	Inflammation and abscess of the liver	(M) 35	(F) 26	80 60	5 2	7 8	1 1	11 9	16 25	11 9	120 157	36 24	

FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

STATES AND TERRITORIES—continued.																	
Ohio.	Oklahoma.	Oregon.	Pennsylvania.	Rhode Island.	South Carolina.	South Dakota.	Tennessee.	Texas.	Utah.	Vermont.	Virginia.	Washington.	West Virginia.	Wisconsin.	Wyoming.		
392 237	24 18	19 20	589 419	36 35	68 58	13 10	215 169	352 289	6 9	38 34	134 85	85 19	43 20	115 82	2 2	{ 1	
57 43	4 1	3 2	77 53	5 6	8 2	10 1	11 2	12 7	1 1	8 8	10 8	5 3	11 15	35 16	1 1	{ 2	
31 11		4 1	71 20	7 2	1 1	2 1	3 2	5 1		4 3	7 3	3 3	13 3			{ 3	
84 130	3 4	3 4	112 146	5 9	17 20	5 9	33 57	27 42	3 5	9 18	24 26	1 6	19 20	16 31	1 1	{ 4	
4,631	146	383	7,291	652	885	174	1,318	1,330	283	682	1,539	485	517	2,262	41	5	
2,601 2,080	86 60	219 3,270	4,021 331	321 454	106 68	714 604	710 629	115 118	375 307	822 717	292 143	274 243	1,303 959	26 15	6 7		
16 18		1 3	39 88	4 4	5 2	2 4	5 6	9 8		6 1	2 1	1 1	3 1	7 6		{ 8	
2,354 1,856	83 57	204 101	3,556 2,032	273 293	407 436	101 65	673 572	664 590	107 107	327 278	778 681	274 135	255 224	1,202 903	25 14	{ 9	
118 74	2 2	10 5	147 120	15 17	7 5	1 1	22 12	16 17	7 2	19 14	26 17	7 4	40 12	1 1	{ 10		
86 30		2 55	76 4	10 1	2 1		1 1	3 1		6 3	5 3		2 3	37 8		{ 11	
26 15	1 1	1 4	58 24	4 3	5 5	1 1	3 6	8 8		3 1	6 4	9 1	4 3	7 5		{ 12	
10 12		18 23		4	1 3	1 1	2 5	4 3		4 1	1 5	1 1	1 1	3 14		{ 13	
41 25		1 1	132 78	10 6	4 2	1 1	8 4	6 4		10 5	4 3	1 1	2 3	7 5		{ 14	
6,901	489	390	14,129	1,332	1,926	390	4,898	4,274	476	871	8,560	547	1,260	3,184	159	15	
3,667 3,234	247 192	252 138	7,763 6,366	683 649	1,034 892	233 157	2,640 2,258	2,450 1,824	280 196	436 435	1,050 1,610	161 186	687 573	1,766 1,418	109 50	16 17	
316 238	36 30	9 9	581 483	30 24	98 116	23 16	510 448	384 265	12 9	11 10	200 162	21 24	186 140	86 73	4 1	{ 18	
2,431 2,175	180 133	204 101	5,352 4,455	458 441	725 599	168 112	1,762 1,423	1,650 1,182	205 142	318 313	1,366 1,063	269 110	402 320	1,161 861	82 27	{ 19	
27 27	2 2	8 29	47 9	9 7	3 4	2 1	6 4	7 3	1 1	1 1	7 4	2 2	12 14	1 1		{ 20	
445 444	14 16	18 19	797 716	148 138	87 73	14 8	203 230	242 235	25 26	65 74	166 195	25 25	37 45	284 294	16 17	{ 21	
78 61	1 1	8 138	177 43	12 4	64 1	4 27	35 19	28 4	3 6	5 37	48 11	18 6	34 14	1 24		{ 22	
138 91	2 5	3 3	308 130	6 7	24 24	8 8	21 32	40 40	15 5	3 5	48 61	5 7	17 17	77 50	1 1	{ 23	
242 198	12 8	12 15	501 415	20 28	33 33	14 11	103 94	99 80	19 9	33 23	115 85	28 12	27 35	112 102	4 4	{ 24	
8,872	206	247	4,812	1,396	1,075	192	1,633	2,304	216	844	1,426	287	580	1,636	47	25	
1,721 1,651	116 90	142 105	2,583 2,229	209 187	571 504	98 94	830 803	1,289 1,015	135 81	169 175	715 711	160 127	295 235	904 732	19 28	26 27	
23 20	6 3		59	2 5	120	8 5	57 43	70 49	7		108 92	2 2	7 4	21 13		{ 28	
29 34	3 11	1 5	49 50	1 1	10 5	2 2	25 24	73 69	2 1	3 14	5 14	7 7	8 2	13 11		{ 29	
245 252	16 11	18 14	421 420	16 26	55 54	10 13	91 115	119 118	14 10	30 31	89 119	14 20	66 48	122 109	1 4	{ 30	
153 126	21 21	15 12	194 116	8 9	16 22	7 9	95 118	164 150	9 2	7 16	27 37	8 7	34 39	71 45		{ 31	
97 135	2 3	14 9	160 151	13 17	16 11	7 1	26 22	52 30	8 4	11 18	24 29	17 8	16 9	60 58	4 3	{ 32	
183 98	8 2	32 14	287 126	26 9	26 14	11 4	49 21	89 44	27 15	27 15	50 30	34 17	15 5	140 77	3 5	{ 33	
81 47	8 1	5 7	90 92	10 11	20 3	4 8	17 9	17 9	9 3	8 6	36 8	9 3	8 8	29 25	1 1	{ 34	
95 81	11 6	7 3	105 98	6 4	44 42	7 3	100 73	115 112	7 5	2 6	55 45	11 3	27 22	84 25	4 2	{ 35	
56 67	9 4	3 6	128 109	12 12	39 33	1 1	47 38	157 87	6 5	9 6	29 27	6 4	15 7	82 18	1 1	{ 36	
68 71	5 5	9 2	101 93	10 5	20 16	3 5	50 42	98 61	4 2	4 6	45 38	4 3	19 13	20 13	1 1	{ 37	

TABLE 13.—DEATHS IN THE UNITED STATES AND IN EACH STATE AND TERRITORY,

	CAUSE OF DEATH.	STATES AND TERRITORIES.										
		Mississippi.	Missouri.	Montana.	Nebraska.	Nevada.	New Hampshire.	New Jersey.	New Mexico.	New York.	North Carolina.	North Dakota.
1	5. Diseases of the digestive system—Cont'd. Other diseases of the liver	{M- F- 45 27	154 79	5	38 25	1	28 11	170 111	7 2	741 479	44 46	11 7
2	Peritonitis	{M- F- 20 24	83 205	8 14	34 45	2 3	21 46	127 208	1 5	419 692	15 28	8 11
3	Ascites	{M- F- 17 17	34 28	1 3	7	—	—	1 2	4 3	11 8	23 10	1 2
4	Others of this class	{M- F- 97 90	134 110	7 2	58 31	—	15 10	55 67	6 4	313 347	143 133	21 14
5	6. Diseases of the urinary system and male organs of generation.	432	1,608	61	324	12	817	1,968	39	9,132	454	56
6	Males	817	1,086	46	226	8	188	1,121	30	5,096	300	33
7	Females	115	522	15	98	4	129	842	9	4,036	154	23
8	Bright's disease	{M- F- 187 71	700 358	35 12	151 61	4 4	120 113	848 655	17 5	3,975 3,471	149 94	23 14
9	Calculus, urinary	{M- F- 20 1	5 5	—	3 1	—	—	8 4	—	22 6	39 4	1 1
10	Diseases of the kidneys	{M- F- 53 21	156 59	7 —	32 27	2	15 5	76 50	6 3	296 203	62 35	5 5
11	Diseases of the bladder	{M- F- 25 3	59 9	1 —	15 9	1	30 2	69 11	3 —	325 39	25 3	1 1
12	Others of this class	{M- F- 52 19	166 91	8 3	25 9	1	23 9	125 92	4 1	478 317	25 18	3 2
13	7. Diseases of the female organs of generation.	51	123	6	27	1	15	65	3	468	64	7
14	Ovarian tumors	2	17	1	4	—	3	9	—	80	7	2
15	Ovarian diseases	3	3	—	2	—	—	1	—	32	—	—
16	Disease of the tubes	13	—	1	4	—	1	11	—	84	1	1
17	Uterine tumors	3	24	—	7	—	8	13	2	131	5	1
18	Uterine diseases	11	15	1	—	—	—	6	1	31	25	—
19	Others of this class	32	51	3	10	1	3	25	—	110	26	3
20	8. Affections connected with pregnancy	259	355	33	93	3	32	238	65	989	269	44
21	Abortion	19	14	2	6	—	1	6	8	55	12	1
22	Childbirth	187	160	16	53	1	10	61	48	235	187	33
23	Puerperal septicemia	40	144	10	25	—	16	112	8	452	62	5
24	Extra-uterine pregnancy	3	2	4	1	—	5	—	36	2	2	—
25	Others of this class	13	34	3	5	1	5	54	1	211	26	3
26	9. Diseases of the bones and joints	45	177	4	29	1	15	62	5	271	58	8
27	Males	24	102	2	12	1	8	37	2	152	25	5
28	Females	21	75	2	17	—	7	25	3	119	33	3
29	Diseases of the spine	{M- F- 8 13	76 62	1 1	8 14	—	3 5	11 6	2 3	48 39	16 25	2 3
30	Abscess, lumbar and psoas	{M- F- 6 3	—	—	—	—	1	1	—	11 3	2	—
31	Diseases of the bones	{M- F- 4 3	13 7	1	3 3	—	2	15 11	—	56 38	3 3	2
32	Diseases of the hip-joint	{M- F- 2 1	5 2	1	—	—	2	8 1	—	16 14	1 3	—
33	Others of this class	{M- F- 10 4	2 1	—	1	—	2	2 7	—	21 25	3 2	—
34	10. Diseases of the skin	42	83	7	14	2	10	39	11	214	61	6
35	Males	24	46	5	6	2	6	26	7	118	33	—
36	Females	18	37	2	8	—	4	13	4	96	28	6
37	Abscess	{M- F- 9 6	20 16	4 2	4 5	1	1	9 8	—	70 47	14 10	4
38	Carbuncle	{M- F- 5 2	12 4	—	1	1	2	8 1	—	13 5	3 4	—
39	Others of this class	{M- F- 10 10	14 17	1	1	—	2	9 4	7 2	35 44	16 14	2

FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

STATES AND TERRITORIES—continued.																
Ohio.	Oklahoma.	Oregon.	Pennsyl-van-ia.	Rhode Island.	South Caro- lina.	South Dako-ta.	Ten- nesse.	Texas.	Utah.	Vermont.	Virginia.	Wash- ington.	West Virginia.	Wiscon- sin.	Wyoming.	
251	11	4	397	36	29	1	76	94	12	23	70	24	32	79	3	1
168	5	5	220	23	18	2	56	40	3	15	45	7	19	56		
197	2	20	308	13	21	5	46	51	21	34	44	17	12	108	1	6
827	5	17	431	19	29	15	64	71	20	38	77	38	17	145		
52	2	8	43	26	2	38	27	3	2	20	27	2	12	7	1	
50	2	1	49	27	3	51	26	3	2	27	3	3	17	6	2	
191	17	11	241	56	129	80	118	163	6	11	104	7	29	168		
175	11	10	197	46	110	23	127	149	8	16	128	10	25	136	2	
2,366	65	126	4,170	556	572	106	612	758	129	308	785	206	281	874	12	5
1,571	45	95	2,476	312	337	75	408	536	84	182	479	155	200	603	4	6
795	20	31	1,694	244	235	31	204	222	45	128	256	51	81	271	8	7
988	28	60	1,582	288	237	45	222	307	57	116	304	104	115	387	2	8
551	15	24	1,192	217	188	18	113	141	37	94	188	36	57	188	6	
10	1	18	4	1	6	1	12	15	2	12	12	2	6	4		
4		3			1	1	6	4						2		
186	8	10	254	21	55	18	84	109	8	10	81	15	46	70	1	
90	4	8	145	11	24	9	43	45	5	7	42	4	15	53	2	
172	4	7	129	21	18	4	18	44	9	27	37	14	16	78		
21	1	28	4	5	8	2	8	2	4	8	1			9		
215	4	18	498	28	21	7	72	61	8	29	45	22	17	64	1	
129	1	3	826	11	17	4	34	30	3	21	16	10	9	19		
161	13	13	208	38	55	10	99	124	8	17	64	10	28	44		
29	1	3	46	5	3	1	10	17	1	5	10	3		5		
8		1	13	1			1	3		1	2	2		1		
23		2	20	4			5	8	1		1	2		5		
34	3	1	45	15	7		10	14	1	5	8	2	6	10		
13		18	2	24			16	29			17	1	6	9		
54	9	6	71	11	21	9	57	53	5	6	26	2	13	15		
364	56	25	639	72	290	52	285	459	40	47	256	49	102	190	19	20
22	1	4	25	3	8	1	15	18			11	4	6	17	2	
154	87	11	306	18	193	33	153	271	19	16	162	23	49	107	12	
154	14	7	195	34	56	15	89	144	10	16	57	18	33	48	4	
6		23	3				1	1			2		3	1		
48	4	3	90	19	33	3	27	25	11	15	24	4	11	17	1	
191	9	24	229	28	25	10	184	88	14	16	84	18	80	65	3	26
92	6	16	121	9	17	6	69	51	8	6	47	12	45	37	3	27
99	3	8	108	14	8	4	65	37	6	10	37	6	35	28		
65	4	8	57	3	10	1	53	27	8	4	33	5	39	21	2	
70	3	4	60	5	3	8	51	22	5	4	25	5	33	18		
3		4					1	2			2	2				
1		3					1	1								
14	1	2	27	3	5	4	7	14			3	4	4	14		
15		2	20	5	3	1	7	6		3	7		1	3		
4		5	19	3			1	2			1	1		1	1	
7		1	12	1			4	4						3		
6	1	1	14	2	1		8	6			7	1	1	1	1	
6		1	18	3	2		2	4	1	1	3	1		4		
105	7	8	175	14	50	11	57	79	4	12	59	11	21	64	2	34
55	6	5	97	10	29	6	37	46	3	3	28	8	14	34	2	
50	1	3	78	4	21	5	20	33	1	9	31	3	7	30		
25	8	3	49	6	18	5	15	28	3	1	10	5	6	18	2	
28		2	37	1	13	4	10	22			11	2	4	17		
13	1	16	1	1			6	8			4		2	2		
7		7					2	2			6	1				
17	2	2	32	3	15	1	16	15	9	1	2	14	3	6	14	
15	1	1	34	3	5	1	8	9			14	3	8	18	13	

TABLE 13.—DEATHS IN THE UNITED STATES AND IN EACH STATE AND TERRITORY,

	CAUSE OF DEATH.	STATES AND TERRITORIES.										
		Mississ- ippi.	Missouri.	Mont- tana.	Ne- braska.	Nevada.	New Hampshire.	New Jersey.	New Mexico.	New York.	North Carolina.	North Dakota.
1	11. Diseases of the absorbent system	9	27	1	13		8	17		105	10	1
2	Males	7	12		7			10		47	4	
3	Females	2	15	1	6		3	7		58	6	1
4	Addison's disease	(M) (F)	2 2		2 1		1	1		25	1	
5	Diseases of the spleen	(M) (F)	5 2	4 7		4 2		3		6 5	1	
6	Others of this class	(M) (F)	2 6	6 1		1 3		4 4		25 28	2 5	1
7	12. Accidents and injuries	1,106	1,972	254	586	38	804	1,720	139	6,101	989	127
8	Males	751	1,491	213	419	37	224	1,811	113	4,593	668	95
9	Females	855	481	41	167	1	80	409	26	1,508	321	32
10	Burns and scalds	(M) (F)	85 157	75 83	6 5	21 33	1 1	10 114	74 4	245 316	109 172	4 6
11	Drowning	(M) (F)	55 8	99 9	12 2	35 10	1 —	35 3	208 20	2 4	774 72	72 9
12	Exposure and neglect	(M) (F)	20 27	11 5	4 1	9 14	2 —	6 2	9 2	28 1	22 16	1 5
13	Gunshot wounds	(M) (F)	166 19	142 20	16 2	38 1	2 —	7 2	48 7	18 1	198 27	69 6
14	Homicide	(M) (F)	75 11	104 7	13 4	6 3		1	12 4	6 2	69 22	43 5
15	Infanticide	(M) (F)	1 1			1			2		2	1
16	Injuries by machinery	(M) (F)	12	8		3			3		10	13
17	Railroad accidents	(M) (F)	53 4	174 14	23	50	3	29	809	12	554	63
18	Suffocation	(M) (F)	34 37	38 21	1 1	8 3		10 7	62 36		168 114	40 15
19	Suicide by shooting	(M) (F)	7 1	36 6	6 1	13 —		9	52 1	2 —	145 12	5 1
20	Suicide by drowning	(M) (F)	5 2	1 —		2		1	6 3	1 1	17 10	1 1
21	Suicide by poison	(M) (F)	2	17 9	3 5	9 7	1	2	43 21	1 —	158 100	4 2
22	Other suicides	(M) (F)	9	182 48	14 3	28 10	8	22	39 7	6 —	260 69	11 3
23	Sunstroke	(M) (F)	8 2	24 5	1	3 2		1	29 17		72 40	10 1
24	Surgical operations	(M) (F)	4 1	18 51	7	11 15		1	6 12	1 1	26 45	2 —
25	Wounds	(M) (F)	12 2	15 2	1	7 —		2	17 2	3 —	67 13	11 1
26	Others of this class	(M) (F)	208 83	593 200	118 10	177 62	19	94 45	897 119	60 12	1,800 591	195 83

FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

STATES AND TERRITORIES—continued.																
Ohio.	Oklahoma.	Oregon.	Pennsylvania.	Rhode Island.	South Carolina.	South Dakota.	Tennessee.	Texas.	Utah.	Vermont.	Virginia.	Washington.	West Virginia.	Wisconsin.	Wyoming.	
29	1	5	61	5	4	4	16	17	1	7	10	4	5	22		1
17		3	36	5	3	2	7	8		3	2	4	3	18		2
12	1	2	25		1	2	9	9	1	4	8	2	2	9		3
2			8				1	1		2		3	4			4
2			5				3		1	2		3	1			
7		2	9				1	2					4			5
2	1		7				1	1		1		1	1			5
8		1	19	5	3	1	4	3		1	2	1	3	5		6
8		2	18		1		5	3		1	7	1	1	8		
8,031	146	264	5,745	344	979	212	1,265	1,881	422	264	1,244	598	597	1,774	106	7
2,332	108	208	4,556	254	623	152	921	1,331	392	195	888	529	457	1,373	96	8
699	38	56	1,189	90	356	60	344	500	30	69	356	69	140	401	10	
127	5	8	277	19	102	6	83	94	2	5	104	16	32	49	3	
162	8	9	264	19	182	10	143	177	4	13	167	14	61	74	1	10
198	9	47	310	44	60	16	43	121	17	26	97	88	25	172	4	11
33	4	6	87	3	14	5	11	28	4	4	18	9	10	20	1	
14	1		26	3	21	2	21	15	1	2	38	4	5	16	4	12
6		1	25	1	38	4	14	19		1	28	1	5	16	1	
109	19	23	127	3	120	12	150	236	10	10	84	52	42	53	10	13
16	4	1	17		14	1	20	28		1	5	4	4	5		
49	3	5	68	4	41		78	98	9	1	47	16	15	19	3	14
17		2	14	3	7		14	15	1	1	10	6	2	5		
2					1	2								1	1	15
5	1	1	65	3	6	2	1						2	5	6	
1			2				5	20			17		1			16
510	6	22	1,087	36	61	7	107	123	26	20	127	49	98	211	22	
48		1	73	5	3	1	9	10	1		5	1	5	8		17
69	5	2	98	15	13	4	37	49	6	4	22	9	12	50		
50		3	54	12	21	5	31	42	2	5	25	2	7	27		
80	8	7	82	6	6	8	8	32	4	11	16	18	3	29		19
6	2		9	3	1		1	4						3		
9	1		10	1	1		1	3		1	2	3	1	9	4	20
49	2	4	32	4	4		2	10	3	1	2	10	2	7	3	21
25	1	6	24	1			1	3	6	1	2	3	1	10	2	2
150	4	9	201	17	6	8	31	52	11	17	8	32	10	83	1	22
39		7	41	7	1		3	6		3	4	7	2	23	1	
24	1	1	52	2	10	4	7	28	2	1	22	1	3	14	1	23
8			38		1		2	7			8					
12		1	22		2		3	8	1		5	4		9		24
22		2	30	1	2	1	6	12	2	2	4	7	1	15		
51	2	5	88	2	7			18	22	1	3	14	26	10	22	
2			6		3			4			1		1	3		25
876	47	73	2,070	93	163	81	323	401	299	93	283	204	194	623	45	26
253	18	17	448	33	69	32	85	140	15	35	82	18	39	187	4	

TABLE 14.—DEATHS IN EACH PRINCIPAL REGISTRATION CITY, FROM

	CAUSE OF DEATH.	Albany, N. Y.	Alle- gheny, Pa.	Atlanta, Ga.	Balti- more, Md.	Boston, Mass.	Buffalo, N. Y.	Cam- bridge, Mass.	Camden, N. J.	Chicago, Ill.	Cincin- nati, Ohio.	Cleve- land, Ohio.
1	All causes.....	1,813	2,885	2,887	10,679	11,277	5,207	1,699	1,235	27,533	6,214	6,521
2	Males.....	897	1,826	1,255	5,414	5,726	2,779	841	634	15,135	3,883	3,599
3	Females.....	916	1,059	1,182	5,265	5,551	2,428	858	601	12,398	2,881	2,922
4	Unknown cause.....	4	30	41	36	66	24	11	8	85	68	65
5	Males.....	2	18	20	19	33	16	3	5	49	39	33
6	Females.....	2	12	21	17	33	8	8	3	36	29	32
7	1. General diseases: General diseases—A.....	256	481	539	1,908	2,129	930	298	194	5,466	805	994
8	Males.....	128	268	279	942	1,026	498	150	94	2,795	429	550
9	Females.....	128	213	260	961	1,103	432	148	100	2,671	376	441
10	Measles..... (M) 12 (F) 10	5	5	4	18	50	47	3	2	127	8	3
11	Scarlet fever..... (M) 5 (F) 6	8	10	11	84	18	5	1	221	15	25	20
12	Diphtheria..... (M) 22 (F) 24	16	3	157	182	42	31	34	481	35	56	67
13	Whooping cough..... (M) 1 (F) 4	3	6	14	53	11	8	1	73	16	17	15
14	Malarial fever..... (M) 1 (F) 1	1	21	27	5	5	1	1	25	3	4	2
15	Influenza..... (M) 8 (F) 13	13	16	44	62	10	9	3	70	23	11	15
16	Typhoid fever..... (M) 26 (F) 15	84	55	93	90	46	13	17	265	60	116	68
17	Cholera morbus..... (M) 1 (F) 4	6	7	9	8	4	2	1	24	10	16	13
18	Colitis..... (M) 3 (F) 2	1	2	3	10	8	1	1	22	3	1	2
19	Diarrhea..... (M) 4 (F) 6	7	15	34	40	32	2	1	35	24	8	4
20	Dysentery..... (M) 2 (F) 3	2	37	31	11	18	2	1	49	17	13	9
21	Enteritis..... (M) 9 (F) 11	44	39	213	152	89	19	12	769	134	105	84
22	Cholera infantum..... (M) 13 (F) 9	65	54	177	153	115	48	18	434	27	101	69
23	Fever..... (M) 3 (F) 1	3	1		2	1			2	1	1	1
24	Cerebro-spinal fever..... (M) 6 (F) 6	2	1	25	46	11	1	3	10	13	14	4
25	Smallpox..... (M) 1 (F) 1	1	1		3				3	1	5	5
26	Erysipelas..... (M) 3 (F) 2	1	1	20	27	4	1	3	31	12	13	6
27	Septicemia..... (M) 7 (F) 12	4	3	40	25	11	4	4	51	15	29	42
28	Venereal diseases..... (M) 2 (F) 1	3	5	17	13	12			73	6	6	3
29	Others of this group..... (M) 2 (F) 4	2	2	14	12	15	4	2	1	30	11	6
30	General diseases—B.....	33	47	75	281	288	140	55	48	964	132	319
31	Males.....	20	36	39	155	176	85	33	23	607	70	179
32	Females.....	13	11	36	126	112	55	22	25	357	62	140
33	Alcoholism..... (M) 7 (F) 4	9	6	25	59	20	1	3	161	16	10	7
34	Parasitic diseases..... (M) 1 (F) 1								1		1	
35	Lead poison..... (M) 1 (F) 1				3	1	1			1		
36	Other poisons ¹ (M) 9 (F) 4	2	5	14	28	10	1	1	38	4	7	8
37	Inanition..... (M) 4 (F) 5	24	26	116	86	54	31	19	407	49	161	137
		6	31	108	74	40	18	23	309	51		

EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900.

Columbus, Ohio.	Dayton, Ohio.	Denver, Colo.	Detroit, Mich.	Fall River, Mass.	Grand Rapids, Mich.	Hartford, Conn.	Indianapolis, Ind.	Jersey City, N. J.	Kansas City, Mo.	Los Angeles, Cal.	Louisville, Ky.	Lowell, Mass.	Memphis, Tenn.	Milwaukee, Wis.	
1,983	1,405	2,484	4,893	2,345	1,258	1,546	2,817	4,277	2,852	1,857	4,092	1,876	2,572	4,550	1
1,085 898	726 679	1,481 1,058	2,522 2,371	1,196 1,149	685 573	779 767	1,434 1,383	2,285 1,992	1,558 1,294	1,121 736	2,106 1,386	984 942	1,436 1,186	2,496 2,054	2
15	10	21	39	2	5	8	20	25	29	18	124	10	93	38	4
10 5	5 5	15 6	21 18	2	1 4	1 2	11 9	8 17	19 10	11 7	67 57	7 8	54 39	23 15	5 6
843	177	322	891	558	213	323	468	721	453	220	575	890	723	701	7
182 161	90 87	161 161	444 447	301 257	113 100	154 169	227 241	375 346	248 205	116 104	288 292	199 191	379 344	374 327	8 9
6 4	8 7	39 42	10 7	8 12	4 3	8 2	12 12	5 8	1 1	14 12	7 4	22 23	8 10	{10}	
4 2	2 3	6 11	12 4	2 3	3 4	1 1	10 14	24 19	4 1	2 3	1 2	2 5	1 2	39 37	{11}
10 12	4 6	17 18	43 70	12 8	5 7	33 35	18 28	38 36	12 11	15 13	9 20	9 18	3 7	54 39	{12}
4 9	1 10	8 13	10 4	15 8	9 8	6 10	3 4	15 16	9 14	6 4	15 29	3 10	4 11	3 6	{13}
4 1	3 1	4 3	6 3	1 2	6 2	6 3	4 10	9 10	15 9	3 7	9 7	1 1	140 132	2 1	{14}
17 13	5 5	7 8	11 12	12 20	9 5	14 17	17 30	10 19	5 11	6 11	10 14	13 20	16 17	5 5	{15}
40 28	21 24	31 26	26 28	16 7	22 12	19 26	43 34	82 14	43 24	31 16	80 70	8 10	30 21	31 21	{16}
7 8	2 3	2 3	18 9	2 3	8 3	----- 3	4 5	6 4	10 5	1 2	5 7	3 3	6 4	4 7	{17}
5 2	3 2	8 1	8 4	----- 2	1 1	7 7	4 8	6 3	6 2	4 3	1 3	8 10	4 1	{18}	
14 12	1 1	2 1	19 26	10 12	8 1	9 10	8 4	8 4	7 3	3 2	16 14	3 1	15 14	27 18	{19}
5 6	8 3	3 5	9 10	9 4	2 4	4 7	10 15	9 6	9 8	4 1	19 15	2 2	36 22	6 2	{20}
22 16	8 8	17 16	49 57	74 67	12 14	31 25	55 34	131 113	42 45	23 21	43 41	45 35	41 42	108 85	{21}
22 25	12 6	22 29	116 107	125 106	19 14	17 16	21 13	42 45	31 30	9 6	18 16	97 75	19 15	67 64	{22}
		1					1	2	1				1		{23}
		2	1				1	1					1	2	
6 7	10 13	1 3	20 9	2	2 7	4 6	5 1	10 8	12 6	2 8	8 4	8 4	3 4	2 2	{24}
		3	1		2		1		7	1		1	3	1	{25}
		1	1	1			1		1				1	1	
4 3	6 1	5 6	20 7	2	1 2	1 2	8 3	7 8	4 1	2 5	2 3	2 1	2 3	5 5	{26}
8 10	3 10	11 18	10 17	4 5	3 4	2 3	7 27	14 13	15 24	5 7	11 22	2 4	20 12	10 10	{27}
1	1	8 1	17 21	1	1	4 3	4 4	1 1	4 4	1 1	11 8		4 2	2 9	{28}
4 2	3 1	2 2	10 6	6 5	1 1	----- 1	6 4	6 9	7 1	3 1	8 5	4 1	5 1	2 4	{29}
43	56	73	120	85	42	29	128	71	167	57	228	51	81	181	80
25 18	36 20	51 22	68 52	48 37	24 18	21 8	66 62	45 26	93 74	41 16	126 102	27 24	58 23	110 71	81 32
4 1	7 1	25 4	18 3	4 1	6 1	12 2	2 3	14 3	11 2	13 4	10 1	1 1	14 1	22 4	{33}
		1		1						1			1		{34}
1			1					2	1			1			{35}
4 7	10 5	15 8	12 13	4 1	2 3	5 3	11 5	2 2	21 16	5	7	3 2	11 6	11 4	{36}
16 11	19 14	10 10	38 38	40 32	16 14	4 3	53 57	27 21	60 56	22 12	109 97	23 20	32 17	27 62	{37}

TABLE 14.—DEATHS IN EACH PRINCIPAL REGISTRATION CITY, FROM

	CAUSE OF DEATH.	Albany, N. Y.	Alle- gheny, Pa.	Atlanta, Ga.	Balti- more, Md.	Boston, Mass.	Buffalo, N. Y.	Cam- bridge, Mass.	Camden, N. J.	Chicago, Ill.	Cincin- nati, Ohio.	Cleve- land, Ohio.
1	1. General diseases—Continued. General diseases—C	167	238	135	1,088	985	419	143	111	981	565	705
2	Males	88	118	76	492	475	217	61	62	455	284	324
3	Females	84	120	59	596	480	202	82	49	526	281	381
4	Old age	{M F 21 36	29 42	10 14	126 290	91 167	40 85	19 28	7 7	194 270	105 122	83 127
5	Premature birth	{M F 7 6	44 26	47 29	118 98	149 100	98 57	18 16	22 17	154 157	84 64	50 47
6	Malformation	{M F 1 1	2 4	3 2	23 13	32 29	18 9	6 5	6 5	62 52	6 2	2 6
7	Debility and atrophy	{M F 52 40	43 46	16 14	201 184	164 135	47 34	21 29	27 20	18 24	74 81	187 200
8	Obesity	{M F										
9	Others of this group	{M F 2 1			24 11	39 29	14 17	3 3		27 23	15 12	2 1
10	General diseases—D	332	817	444	1,760	2,169	806	323	173	4,746	1,155	881
11	Males	168	152	210	847	1,069	398	151	81	2,541	672	470
12	Females	164	165	234	918	1,100	408	172	92	2,205	483	361
13	Anemia	{M F 1 5	10 2	7 14	7 17	14 26	2 13	3 5	2 5	24 35	9 4	5 9
14	Diabetes	{M F 4 5	3 2	7 1	21 19	30 37	24 22	5 3	3 1	55 55	22 12	6 9
15	Rheumatism	{M F 1 3	13 10	3 6	40 40	17 21	8 5	1 1		49 52	5 11	12 10
16	Scrofula and tubercles	{M F 1 1	4 4	14 2	5 3	4 7	1 3	2 8		31 42	5 7	3 9
17	Leprosy	{M F			1							
18	Hydrocephalus	{M F 5 2	8 4	2 1	34 28	95 57	20 8	10 14	1 2	85 64	20 13	2 5
19	Tuberculosis, general	{M F 1 2	3 6	15 5	20 23	5 5	3 7	1 1		32 23	2 2	
20	Consumption	{M F 125 111	107 102	152 148	574 547	744 630	248 216	106 87	60 60	1,748 1,286	486 281	323 180
21	Cancer	{M F 30 34	12 31	5 30	118 216	122 266	74 110	14 45	10 22	418 551	85 127	83 102
22	Tumor	{M F 1 3	1 2	3 4	7 14	11 22	4 10	6 3	2 2	52 56	16 11	8 13
23	Dropsy	{M F 10 1	18 8	13 19	2 2	2 8	4 2	1 1		8 19	16 14	25 21
24	Others of this group	{M F 1 2	1 1	9 11	9 13	5 4	2 2	1 2		39 22	8 1	2 3
25	2. Diseases of the nervous system	264	270	280	1,199	1,091	573	194	181	2,893	829	956
26	Males	124	146	159	614	557	296	97	82	1,611	458	550
27	Females	140	124	121	585	584	277	97	99	1,282	371	406
28	Inflammation of the brain	{M F 5 1	6 2	7 5	5 4	5 1			1 6	20 20	7 8	8 10
29	Meningitis	{M F 24 17	29 28	13 14	101 80	131 96	64 62	32 17	18 16	380 323	136 100	104 70
30	Apoplexy	{M F 35 47	35 29	40 19	169 176	236 249	88 97	28 45	20 26	310 262	93 91	99 92
31	Paralysis	{M F 14 19	12 12	39 27	91 122	38 48	25 28	9 12	14 18	138 140	34 45	68 36
32	Paralysis, general (of insane)	{M F 1 1	1 2	1 1	2 2	6 2	8 2	1 1	1 1	11 2	4 1	5 2
33	Tetanus and trismus nascentium	{M F 1 2	2 5	82 8	9 6	1 1	3 1			37 15	14 5	10 3
34	Chorea	{M F			2					1 5	1 1	
35	Epilepsy	{M F 3 1	3 2	2 5	10 10	10 7	2 1	1 1		34 21	9 7	3 5
36	Convulsions	{M F 20 26	39 38	13 18	154 127	45 40	44 31	11 9	14 19	400 311	77 64	191 143
37	Mental diseases	{M F 2 7	1 2	2 2	3 6	11 24	12 11	8 2	1 1	107 66	22 12	10 10

EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

Columbus, Ohio.	Dayton, Ohio.	Denver, Colo.	Detroit, Mich.	Fall River, Mass.	Grand Rapids, Mich.	Hartford, Conn.	Indianapolis, Ind.	Jersey City, N. J.	Kansas City, Mo.	Los Angeles, Cal.	Louisville, Ky.	Lowell, Mass.	Memphis, Tenn.	Milwaukee, Wis.
89	129	163	495	314	108	153	278	307	162	107	366	151	91	420
40	60	89	253	156	57	84	142	165	89	59	169	76	36	219
49	69	74	242	158	51	69	136	142	73	48	197	75	55	201
21	26	27	75	16	20	22	39	17	33	20	85	14	15	62
29	38	29	89	28	23	31	61	27	29	25	124	28	33	68
11	20	34	73	55	19	25	75	44	42	22	30	20	16	81
6	17	18	54	49	19	14	42	34	26	14	16	9	13	73
1	1	2	20	2	4	4	1	21	2	1	1	4	2	3
7	10	26	74	82	14	32	26	66	11	12	53	41	4	66
13	10	24	81	73	8	20	30	63	14	7	54	34	7	51
								1						8
1	3	1	11	1	1	1	1	17	1	4	1	1	1	7
	1	1	3	1	1	1	1	2	4	4	1	1	1	6
429	294	606	701	317	196	246	582	681	487	516	723	272	882	730
226	133	370	334	149	91	110	253	363	228	315	341	117	181	365
203	161	236	367	168	105	136	279	318	259	201	332	155	201	365
8	1	5	2	5	1	5	8	8	3	3	3	5	4	3
4	4	3	17	2	2	1	3	2	3	3	2	8	2	6
4	3	4	9	14	5	6	5	8	7	4	8	8	5	7
3	6	6	10	9	4	4	9	10	3	3	3	7	1	14
7	7	3	14	12	5	1	7	4	6	7	5	6	3	10
9	1	2	3	8	4	1	3	1	2	5	3	2	7	3
1	1	3	3	3	3	7	1	3	7	4	3	1	7	1
														17
4	5	7	16	6	4	2	4	20	2	11	13	6	2	9
	5	7	10	8	5	1	9	21	6	6	13	2	2	12
1	1	3	1	1	1	2	1	5	1	3	4	1	2	1
154	85	296	186	106	48	82	176	281	156	244	247	80	134	213
115	87	140	171	100	46	82	166	209	178	136	231	101	144	213
34	23	39	76	18	16	18	35	28	37	34	34	15	7	S2
55	50	48	109	34	33	38	71	56	45	39	36	33	21	94
6	8	3	4	2	1	3	1	8	3	5	11	2	3	8
8	4	5	8	2	2	3	5	5	4	2	14	2	4	8
3	2	6	10	13	3	2	9	3	10	3	9	1	12	19
1	3	4	4	2	2	3	3	8	1	2	3	1	4	23
														24
295	208	269	604	272	160	185	369	568	327	201	512	242	185	600
179	110	146	321	139	96	88	198	305	185	119	280	126	102	332
116	98	123	283	133	64	97	171	263	142	82	232	116	83	268
5	5	2	12	3	9	8	5	2	4	1	19	4	4	12
1	2	3	2	1	2	2	5	2	1	3	7	4	4	3
29	22	37	43	32	19	17	48	80	57	30	49	36	22	67
30	20	33	37	30	11	23	33	67	35	17	42	25	20	47
41	33	37	84	19	23	34	45	93	32	40	50	25	22	61
26	30	27	62	32	24	45	38	85	32	30	38	42	9	44
27	16	17	49	22	12	10	33	16	34	16	47	15	15	18
18	18	11	44	19	7	8	33	14	29	11	43	15	7	19
		2	3	1	1	2	1	1		2	5	1		32
2		2	3	3	1	7	2	3	2	11	1	7	2	3
1		1	1							1				34
7	1	2	3	10	1	1	1	3	4	1	3	2	1	2
15	9	20	73	40	13	10	19	65	16	9	54	17	11	138
16	10	21	75	32	8	7	14	59	19	7	54	20	15	123
31	3	6	13	6	1	8	6	2	2	1	8	4	1	8
14	5	4	12	7	4	4	4	1	6	3	1	3	1	10

TABLE 14.—DEATHS IN EACH PRINCIPAL REGISTRATION CITY, FROM

	CAUSE OF DEATH.	Albany, N. Y.	Alle- gheny, Pa.	Atlan- ta, Ga.	Balti- more, Md.	Boston, Mass.	Buffalo, N. Y.	Cam- bridge, Mass.	Camden, N. J.	Chicago, Ill.	Cincin- nati, Ohio.	Cleve- land, Ohio.
1	2. Diseases of the nervous system—Cont'd. Diseases of the brain	19 17	12 10	36 22	31 35	41 36	23 19	7 7	9 10	101 70	50 29	38 26
2	Diseases of the spinal cord	2 1	2 2	1	6 6	7 8	1 8	1 4	1 1	31 18	6 1	4 3
3	Locomotor ataxia	1 1	6 1	1	6 2	10 4	6 2	1 1	—	22 7	2 1	2 —
4	Others of this class	2 3	— —	1 8	4 10	6 13	3 6	1 —	—	19 22	4 6	7 6
5	3. Diseases of the circulatory system	160	168	157	726	1,029	433	156	108	1,978	482	503
6	Males	77	103	81	347	495	198	65	53	1,087	254	255
7	Females	83	65	76	379	534	235	91	55	891	228	248
8	Pericarditis	3 1	— —	4 6	2 6	9 6	4 5	— —	— —	37 22	6 4	4 6
9	Diseases of the heart	67 73	93 60	68 63	272 333	421 479	171 209	62 87	47 52	873 762	206 196	219 224
10	Angina pectoris	5 5	3 4	4 3	20 10	16 17	9 11	1 2	— —	58 50	15 16	9 6
11	Diseases of the arteries	— 2	— —	2	26 21	28 23	9 3	2 —	1 —	71 25	8 12	11 9
12	Aneurism	— 1	— 1	3 1	19 1	10 2	— 2	— —	2 —	32 9	11 2	3 —
13	Embolism	1 1	1 1	1 1	1 3	5 5	1 1	— —	— —	11 18	3 2	1 3
14	Others of this class	1 1	— —	3 1	7 5	6 2	4 4	— 2	3 —	10 5	5 6	8 —
15	4. Diseases of the respiratory system	257	478	288	1,752	1,875	913	297	171	5,201	902	1,042
16	Males	189	268	135	919	949	488	154	92	2,896	469	586
17	Females	118	210	153	833	926	425	143	79	2,305	433	456
18	Croup	5 1	5 2	13 18	31 28	17 16	13 10	4 4	14 7	50 38	25 18	43 31
19	Pneumonia	95 72	203 154	94 95	642 579	710 691	310 249	105 93	58 57	2,052 1,559	275 237	402 307
20	Laryngitis	1 1	— —	1 —	3 —	5 2	6 3	1 1	1 —	18 12	2 5	6 9
21	Bronchitis	17 21	33 32	14 22	157 144	147 165	117 114	28 33	2 6	585 566	118 135	68 67
22	Pleurisy	4 2	4 3	4 3	17 19	24 14	7 7	— —	1 2	55 40	10 4	9 4
23	Asthma	— 2	8 5	1 4	16 16	5 2	2 3	— —	1 2	25 25	13 14	25 18
24	Others of this class	17 19	15 14	8 11	53 47	41 36	33 39	15 12	15 5	116 65	26 25	83 25
25	5. Diseases of the digestive system	113	127	178	575	550	818	74	66	1,469	440	395
26	Males	37	65	94	282	256	180	44	33	803	214	189
27	Females	76	62	84	293	294	138	30	33	666	226	206
28	Dentition	— 1	— 1	13 11	11 8	8 5	6 7	— 1	1 2	11 4	2 5	2 —
29	Angina	— 1	3	5 3	4 2	2 —	4 —	— —	1 1	14 10	3 1	2 —
30	Gastritis	12 17	11 14	13 10	53 51	28 40	26 16	3 5	8 9	120 95	36 49	34 33
31	Diseases of the stomach	— 2	5 1	6 5	15 14	11 13	7 4	1 1	1 1	41 24	10 7	5 7
32	Obstruction of the bowels	3 2	4 2	6 1	15 25	23 30	19 17	7 5	2 —	76 73	13 25	6 10
33	Appendicitis	3 6	3 1	7 1	38 29	41 19	17 14	11 —	3 —	160 116	16 10	28 16
34	Hernia	— 1	— 4	1 1	14 16	13 15	8 5	— 1	4 —	30 32	4 10	5 5
35	Other diseases of the bowels	— 1	2 1	5 2	2 4	5 7	7 2	1 1	— 1	16 16	1 4	3 3
36	Jaundice	— 5	5 4	7 2	7 15	9 4	8 4	3 —	2 —	87 32	5 9	4 6
37	Inflammation and abscess of the liver	— 1	— 7	9 6	16 9	10 8	6 3	1 2	1 2	35 34	11 10	6 11

EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

Columbus, Ohio.	Dayton, Ohio.	Denver, Colo.	Detroit, Mich.	Fall River, Mass.	Grand Rapids, Mich.	Hartford, Conn.	Indianapolis, Ind.	Jersey City, N.J.	Kansas City, Mo.	Los Angeles, Cal.	Louisville, Ky.	Lowell, Mass.	Memphis, Tenn.	Milwaukee, Wis.	
16 8	11 5	17 13	24 15	9 6	10 4	5 7	22 17	26 15	24 14	8 4	28 33	19 4	13 14	17 10	{ 1
2	1 1	1 2	2 5	2	3 1	1 1	2 4	4 6	6 4	5 3	2 1	1 1	2 2	4 3	{ 2
1	3 2	2 2	2 2	1	2 1	2 1	2 1	5 1	4 1	3 1	3 1	1 1	1 1	1 1	{ 3
3 1	7 3	1 11	4 2	1 2	3 1	2 2	3 7	3 5	3 5	3 1	1 4	1 2	3 2	2 2	{ 4
152	153	171	363	153	108	109	191	352	243	143	263	188	111	324	5
81 71	75 78	95 76	185 178	64 89	71 54	55 84	107 185	142 101	94 49	131 100	88 100	60 51	180 144	6 7	
1	1 2	4 2	2 2	1	1 1	2 3	2 9	3 8	1 1	1 4	1 1	1 2	2 4	{ 8	
72 67	65 72	79 65	143 163	60 82	61 35	52 50	88 71	146 166	126 90	77 45	107 111	78 91	57 46	156 126	{ 9
4 3	4 5	4 6	22 1	2 1	1 1	1 1	6 4	10 7	3 5	7 2	12 12	1 1	1 1	11 6	{ 10
1 1	1 3	7 3	1 3	2 1	1 1	1 1	4 2	7 2	2 1	1 1	2 3	2 3	2 3	9 4	{ 11
1 1	3 2	2 2	2 1	2 1	2 1	2 1	2 1	4 1	5 1	4 1	2 1	2 1	2 1	1 1	{ 12
1	2 3	1 3	1 2	1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2	{ 13
3 1	3 2	3 1	6 1	1 1	3 2	2 2	5 2	2 1	3 2	2 1	4 2	5 1	1 1	2 1	{ 14
223	100	356	754	402	189	218	336	807	448	197	608	331	458	733	15
120 103	61 48	207 149	388 366	204 198	97 92	107 111	175 161	438 369	250 198	120 77	310 298	176 155	287 171	367 366	16 17
4 6	2 6	4 10	11 2	4 13	12 6	2 7	11 7	16 22	16 16	10 7	8 10	7 6	3 5	14 16	{ 18
89 70	33 33	152 105	260 205	111 108	64 46	71 86	126 108	308 254	183 133	80 48	205 183	105 96	242 131	219 213	{ 19
2	1 2	2 3	4 6	4 2	2 1	1 1	3 3	4 4	1 1	1 1	3 2	1 1	1 1	4 5	{ 20
9 9	12 10	16 18	82 109	61 61	14 17	20 13	16 28	75 63	29 31	13 9	52 60	45 36	15 13	85 97	{ 21
4 2	2 2	5 4	6 8	5 1	1 2	8 4	1 4	10 5	3 2	3 4	3 8	3 4	8 2	12 6	{ 22
2 8	7 1	12 3	15 13	4 2	1 3	1 1	5 3	1 3	6 2	2 1	19 17	2 2	3 5	18 8	{ 23
10 8	4 2	16 13	14 18	15 11	6 2	5 8	13 18	24 18	12 14	11 8	20 18	15 10	16 9	15 21	{ 24
154	81	172	331	90	88	74	178	217	160	102	219	88	150	267	25
73 81	37 44	74 98	181 150	45 45	42 46	39 35	77 101	96 121	77 83	47 55	105 114	42 41	87 72	146 121	26 27
1	1	7 3	1 2	1	1	1	1	1	1	2	2	1	4 4	3 2	{ 28
1	1	2	1	1	1	2	2	2	1	1	2	3	1	1 1	{ 29
7 10	1 1	9 11	25 19	9 7	6 5	1 5	8 12	17 25	12 12	6 11	9 15	7 2	6 6	33 19	{ 30
4 6	2 2	3 5	12 9	2 5	4 1	1 1	1 6	4 4	5 1	3 2	5 5	1 4	7 6	6 2	{ 31
8 2	3 10	12 14	18 8	2 4	3 5	4 5	10 8	7 11	5 7	2 1	8 12	3 5	4 8	7 5	{ 32
8 9	5 4	12 8	22 11	2 4	3 5	8 4	11 4	6 3	11 2	5 4	14 7	4 3	7 3	27 18	{ 33
8 2	5 1	2 1	3 3	2 1	1 1	4 2	4 2	4 1	8 1	7 2	4 4	4 5	4 5	1 9	{ 34
5 3	3 7	1 1	1 2	1 1	2	2	1 3	2 3	2 3	2 2	5	7	7	2	{ 35
5 2	2 1	4 4	9 6	4 2	1 1	3 4	6 4	6 5	8 5	7 2	7 4	1 1	4 1	6 2	{ 36
2	1	4 8	8 2	2 2	6 2	4	6 6	1 2	1 2	4 3	8 5	2 1	10 10	2 3	{ 37

TABLE 14.—DEATHS IN EACH PRINCIPAL REGISTRATION CITY, FROM

	CAUSE OF DEATH.	Albany, N. Y.	Alle- gheny, Pa.	Atlanta, Ga.	Balti- more, Md.	Boston, Mass.	Buffalo, N. Y.	Cam- bridge, Mass.	Camden, N. J.	Chicago, Ill.	Cincin- nati, Ohio.	Cleve- land, Ohio.
1	5. Diseases of the digestive system—Cont'd. Other diseases of the liver	6 (M) 11 (F)	10 10	3 4	48 26	48 30	38 9	6 2	5 4	152 73	56 28	18 18
2	Peritonitis	2 (M) 17 (F)	11 19	8 28	29 65	28 78	23 37	6 7	5 11	50 90	27 59	37 59
3	Ascites	1 (M) (F)	1 4	1 4	1 1	1 1	1 1	1 1	1 1	8 5	4 1	5 1
4	Others of this class	8 (M) 3 (F)	8 6	11 10	29 25	31 43	14 16	5 5	67 64	17 9	39 31	
5	6. Diseases of the urinary system and male organs of generation.	124 (M)	55	104	729	445	313	63	97	1,410	374	224
6	Males	56	34	67	418	251	174	37	58	806	228	135
7	Females	68	21	37	311	194	139	26	39	604	146	89
8	Bright's disease	34 (M) 58 (F)	23 13	45 30	854 272	181 167	123 104	27 19	46 27	625 489	156 106	87 52
9	Calculus, urinary	1 (M) (F)	1 1	4 1	2 1	1 1	1 1	1 1	9 8	1 1	2 2	
10	Diseases of the kidneys	5 (M) 2 (F)	4 4	5 1	18 15	20 12	7 9	2 2	4 2	51 58	7 4	7 6
11	Diseases of the bladder	4 (M) 2 (F)	2 2	1 1	14 2	18 1	9 1	5 1	35 5	26 5	9 5	
12	Others of this class	13 (M) 6 (F)	4 4	15 6	28 21	80 14	34 25	2 4	8 10	86 49	38 31	30 31
13	7. Diseases of the female organs of generation.	6 (M)	3	5	29	46	20	2	161	44	17	
14	Ovarian tumors	1 (M)	1		4	9	2	1		11	6	2
15	Ovarian diseases			1	1	1	1			11	1	1
16	Disease of the tubes	1 (M)			7	15	3			55	12	
17	Uterine tumors	2 (M)		3	8	8	8			34	15	6
18	Uterine diseases	1 (M)		1	1	3	3			10	2	
19	Others of this class	2 (M)	1	1	8	10	6	1		40	8	8
20	8. Affections connected with pregnancy	11 (M)	16	19	61	71	28	8	6	298	50	35
21	Abortion		4		11	4				46	2	2
22	Childbirth	2 (M)	4 4	10	18	20	4	2	1	50 152	8 14	10 15
23	Puerperal septicemia	4 (M)	5 1	6 3	12	24	17	3	5			
24	Extra-uterine pregnancy	2 (M)	1	3	2	7	1			36	10	7
25	Others of this class	3 (M)	2		18	16	6	3				
26	9. Diseases of the bones and joints	2 (M)	3	5	19	33	7	3	2	41	17	3
27	Males	2 (M)	2	3	11	21	3	2	1	25	4	2
28	Females	1 (M)	1	2	8	12	4	1	1	16	13	1
29	Diseases of the spine	2 (M) (F)	1	2	3	3	2	1		3 6	3 3	1 1
30	Abscess, lumbar and psoas	1 (M) (F)		1	2					1		1
31	Diseases of the bones	1 (M) (F)	1	1	4 3	16 8	3 1	1 1	1 1	13 8	2 7	
32	Diseases of the hip-joint	1 (M) (F)			8	1				4	1	1
33	Others of this class	1 (M) (F)			1	3	1			4 2	1 1	
34	10. Diseases of the skin	4 (M)	3	4	25	28	11	5	2	62	16	8
35	Males	4 (M)	3	2	10	19	6	1	1	35 27	6 10	3 5
36	Females		2		15	9	5	4	1			
37	Abscess	3 (M) (F)	3	2	3 11	13 6	3 3	1 2	1	20 15	1 6	1 2
38	Carbuncle	1 (M) (F)		1	3	2	1			2 2	5 3	1 1
39	Others of this class	1 (M) (F)		1	4	4	2	2		13 10	1 1	1 2

EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

Columbus, Ohio.	Dayton, Ohio.	Denver, Colo.	Detroit, Mich.	Fall River, Mass.	Grand Rapids, Mich.	Hartford, Conn.	Indianapolis, Ind.	Jersey City, N.J.	Kansas City, Mo.	Los Angeles, Cal.	Louisville, Ky.	Lowell, Mass.	Memphis, Tenn.	Milwaukee, Wis.
14	7	10	26	6	3	7	13	19	4	12	19	11	16	13
12	3	6	17	6	3	4	10	22	4	9	12	5	7	5
13	4	7	27	11	3	4	11	20	12	9	16	7	16	25
26	16	27	48	7	17	10	35	28	36	17	28	13	31	33
1	1	1	1	3	1	2	2	3	1	1	1	2	2	3
6	6	7	20	3	11	3	8	10	2	1	9	1	3	20
6	2	6	21	3	6	3	7	10	7	1	9	8	2	20
88	86	118	216	80	55	106	124	232	128	118	198	70	119	157
51	50	78	133	43	36	61	64	131	73	79	111	34	81	109
37	36	40	83	37	19	45	60	101	55	89	87	36	38	48
38	34	52	84	26	30	43	39	101	40	55	69	20	62	70
28	21	33	67	28	14	37	41	80	34	36	65	26	25	27
1	4	1	1	1	1	1	1	1	1	1	1	1	1	9
1	6	7	12	4	2	5	3	9	6	3	10	4	5	10
5	4	2	3	3	2	5	4	8	6	1	8	4	2	15
1	4	3	17	6	4	5	8	7	6	1	12	6	1	14
11	6	16	19	7	8	14	14	14	20	20	20	4	13	15
4	11	5	7	5	3	2	14	11	14	2	14	6	11	12
12	3	9	27	4	4	5	24	11	9	10	10	6	12	8
2	1	1	3	1	1	2	2	1	1	2	1	1	1	14
1	2	1	6	9	1	3	9	4	1	1	3	3	4	15
2	3	1	2	1	1	1	1	1	2	1	3	3	3	16
3	2	3	7	2	2	2	9	4	5	4	4	3	4	18
9	3	13	66	5	11	9	12	37	20	9	15	9	20	31
1	4	1	1	1	1	1	1	1	1	1	1	1	1	21
4	3	21	1	2	2	3	7	5	4	9	5	6	12	22
4	1	34	4	5	2	4	15	8	4	2	2	3	9	23
1	1	1	1	1	1	1	1	1	2	1	1	1	1	24
1	1	2	9	3	5	3	13	6	2	1	5	3	3	25
4	4	4	11	2	6	2	2	3	2	6	9	4	1	6
3	1	1	8	2	5	2	2	2	1	6	6	4	1	3
1	3	3	8	1	1	1	1	1	1	3	3	1	3	28
1	1	1	3	2	1	2	1	1	3	2	3	1	2	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	30
1	1	1	5	1	1	1	1	1	1	1	1	1	1	31
1	1	1	1	3	1	1	1	1	1	1	4	1	1	32
1	1	1	1	1	1	2	1	1	1	1	1	1	1	33
2	3	11	10	1	4	5	3	4	8	3	5	1	2	11
2	2	6	2	3	1	2	2	2	8	3	3	1	1	7
1	5	8	1	1	2	1	2	2	2	2	2	1	1	7
1	1	6	5	2	2	2	1	1	8	1	1	1	4	1
1	3	5	1	1	1	1	1	1	1	2	1	1	1	37
1	1	2	3	1	1	1	1	1	3	2	1	1	1	38
1	1	2	3	1	1	1	1	2	1	2	1	1	1	39

TABLE 14.—DEATHS IN EACH PRINCIPAL REGISTRATION CITY, FROM

	CAUSE OF DEATH.	Albany, N. Y.	Alle- gheny, Pa.	Atlanta, Ga.	Balti- more, Md.	Boston, Mass.	Buffalo, N. Y.	Cam- bridge, Mass.	Camden, N. J.	Chicago, Ill.	Cincin- nati, Ohio.	Cleve- land, Ohio.	
1	11. Diseases of the absorbent system	3		1	9	8	6	5		17	3		
2	Males	2			4	7	2	1		10	1		
3	Females	1		1	5	1	4	4		7	2		
4	Addison's disease	{M F}	1			1	3			2			
5	Diseases of the spleen	{M F}			1			1		1	3		
6	Others of this class	{M F}	2		1	4	1	1	1	7	1	2	
7	12. Accidents and injuries	77	149	112	487	514	266	62	68	1,761	392	424	
8	Males	55	113	90	354	392	218	42	49	1,415	255	323	
9	Females	22	36	22	133	122	48	20	19	346	77	101	
10	Burns and scalds	{M F}	2 4	8 12	5 48	20 25	11 13	2 5	3 6	59 77	8 12	18 21	
11	Drowning	{M F}	9 1	7 1	3 2	53 1	62 1	32 2	10 1	135 13	34 5	31 1	
12	Exposure and neglect	{M F}		1 1	1 3	2	1	2	2	2	1	4	
13	Gunshot wounds	{M F}	2 1	1 1	11 3	1 1	2	1	1	27 5	5	6	
14	Homicide	{M F}			1	5	8	2		79 25	12 6	6 2	
15	Infanticide	{M F}				1	4				2		
16	Injuries by machinery	{M F}		6 2	2	1		4		19 1			
17	Railroad accidents	{M F}	3 2	39 1	26 6	31 2	50 4	55 2	8	304 26	52 4	61 7	
18	Suffocation	{M F}	3 3		9 6	12 12	15 6	9 2	4 2	73 19	11 7	18 7	
19	Suicide by shooting	{M F}		5 1	1	15	25	6	2	105 6	16	7	
20	Suicide by drowning	{M F}			2 1	2 1	4			12 2	3	1	
21	Suicide by poison	{M F}		3 3	2 4	15 4	10 4	7 3		82 53	14 7	5 3	
22	Other suicides	{M F}	2 1	4 2	2 1	20 4	29 9	3 3		94 17	13 4	21 5	
23	Sunstroke	{M F}		3 1		14 5	1	3 1	2	29 8	7 3	1	
24	Surgical operations	{M F}	1 1	1 2		2 6	2 10	4 2		5 1	3 15	6	
25	Wounds	{M F}	1 1	2 4	2 4	19 1	12 1	3 1	2	27 3	2 3	16 2	
26	Others of this class	{M F}	32 14	31 9	31 4	116 38	150 56	75 14	21 9	18 7	363 71	74 21	128 44

EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

Columbus, Ohio.	Dayton, Ohio.	Denver, Colo.	Detroit, Mich.	Fall River, Mass.	Grand Rapids, Mich.	Hartford, Conn.	Indianapolis, Ind.	Jersey City, N. J.	Kansas City, Mo.	Los Angeles, Cal.	Louisville, Ky.	Lowell, Mass.	Memphis, Tenn.	Milwaukee, Wis.		
				6	2	3		3	2		3	2	1		2	1
				1	1	3		1	2		2	1	1		1	2
				5	1			2			1	1			1	3
					1			1	1		1	1				4
										1						1
					1								1			5
					1	1	3		2		1	1			1	6
125	89	176	259	58	66	79	149	239	214	147	235	67	135	335	7	
93	66	133	183	42	46	54	109	186	150	149	178	87	109	260	8	
32	23	38	76	16	20	25	40	53	64	38	62	30	26	75	9	
14	1	2	11	6	4	8		9	6	8	4	1	6	13		
10	9	2	14	7	2	5	6	16	4	3	19	9	6	12	10	
4	9	11	19	6	8	10	7	26	6	6	22	6	9	29		
	4	1	2		1	5	8	3	1	1	2		1		11	
		3			1			1	1		2		3	2	12	
1				1						1						
7	5	18	10		4	1	6		22	8	10		22	2		
2	1	6			1		1	2	2	3	3	1	3		13	
		1	2		1		5	2		6	21		15	5	14	
										1					15	
											1				16	
22	6	26	37		9	8	87	64	40	19	33	4	14	41		
4		1	6			2	3	4	6	2	4		3	1	17	
2	3	5	7	5	4	2	5	7	4	1	8	2	2	2		
	1	4	5	1	3	2	4	3	3		5	5	5	18	18	
3	1	1	5	1	4		5	11	1	8	5	1	1	11	2	
			1								3				19	
		1					1							5	20	
5	2	1	5	1	2		8	8	1	9	5	2	2	4		
		8			5		4	1	3	3	2	1		4	21	
4	2	6	14	2	2	1	4	6	5	7	6	5	8	23		
	1		3	1	1		2	2	2	4	1	1	1	10	22	
1		1	1	2			2	4	1		3			3	23	
											3					
4			7		2	1	1		8		3		1	3		
3	5	4	7			3		1	5	3	2			8		
		3													25	
28	34	65	64	22	12	25	21	47	50	34	45	16	32	101		
8	6	23	25	6	5	11	12	14	20	13	16	13	7	29	26	

TABLE 14.—DEATHS IN EACH PRINCIPAL REGISTRATION CITY, FROM

	CAUSE OF DEATH.	Minneapolis, Minn.	Nashville, Tenn.	Newark, N. J.	New Haven, Conn.	New Orleans, La.	New York, N. Y.	Omaha, Nebr.	Paterson, N. J.	Philadelphia, Pa.	Pittsburg, Pa.
1	All causes	2,183	2,042	4,866	1,862	8,287	70,229	1,382	2,000	27,456	6,436
2	Males	1,154	1,039	2,622	958	4,524	37,499	793	1,081	14,381	3,668
3	Females	1,029	1,003	2,244	909	8,768	32,730	589	919	13,075	2,768
4	Unknown cause	16	39	9		88	89	17	9	92	65
5	Males	7	19	8		16	55	11	3	61	31
6	Females	9	20	1		22	34	6	6	31	34
7	1. General diseases: General diseases—A	385	374	841	287	1,891	12,734	223	392	4,397	1,557
8	Males	196	193	442	140	1,014	6,608	99	203	2,256	859
9	Females	189	181	399	147	877	6,126	124	189	2,141	698
10	Measles	{M F 2	7	36	1	38	390	2	3	152	46
		{M F 1	3	26	3	41	411	1	3	138	41
11	Scarlet fever	{M F 4 6		35	8	2	306	3	8	101	23
		{M F 6		24	1	2	266	2	6	93	28
12	Diphtheria	{M F 34 29	7	52	8	10	955	9	51	521	59
		{M F 29	14	59	11	10	967	21	41	519	43
13	Whooping cough	{M F 9 6	12	21	2	4	308	2	5	86	25
		{M F 6	12	26	5	4	358	5	2	89	29
14	Malarial fever	{M F 1 1	20	6	7	116	71	3	1	10	4
		{M F 1	21	7	12	111	97			14	6
15	Influenza	{M F 5 9	20	27	23	20	227	8	3	112	38
		{M F 9	24	36	22	25	308	7	6	141	28
16	Typhoid fever	{M F 44 39	26	21	19	96	335	25	19	279	298
		{M F 39	16	5	14	95	259	16	12	210	181
17	Cholera morbus	{M F 2 3	6	4		16	45	2		58	10
		{M F 3	6	5		11	48	9		60	15
18	Colitis	{M F 1 1	11	8	3	3	88	2	2	28	6
		{M F 1	4	2	3	5	83	2	3	17	12
19	Diarrhea	{M F 3 2	8	14	9	79	317	3	4	60	48
		{M F 2	13	19	14	58	274	2	2	59	36
20	Dysentery	{M F 3 2	13	8	6	45	150	3	5	40	3
		{M F 2	16	14	8	37	154	8	4	40	6
21	Enteritis	{M F 29 27	23	89	23	157	1,902	8	43	364	178
		{M F 27	26	61	14	159	1,721	13	47	323	159
22	Cholera infantum	{M F 28 19	18	78	21	97	904	18	25	252	80
		{M F 19	6	70	28	103	749	18	36	234	82
23	Fever	{M F 1				3		2			2
		{M F 1									2
24	Cerebro-spinal fever	{M F 4 11	4	8	2	21	174	2	11	27	9
		{M F 11	1	11	2	23	115		11	17	8
25	Smallpox	{M F 2 5	1	2		238	6				
		{M F 5				149	7				
26	Erysipelas	{M F 3 5		13	6	9	157	1	8	49	9
		{M F 5		9	2	1	115	5		30	8
27	Septicemia	{M F 9 13	12	13	5	22	102	8	11	67	15
		{M F 13	16	13	2	14	59	6	9	101	8
28	Venereal diseases	{M F 10 6	4	2	12	81	3			13	4
		{M F 6	1	6	4	71	3			14	4
29	Others of this group	{M F 4 3	4	8	3	29	88		2	42	7
		{M F 3	2	6	4	22	64	3	6	42	2
30	General diseases—B	61	54	54	27	224	1,227	60	24	696	164
31	Males	39	38	39	18	124	810	37	13	381	110
32	Females	22	16	15	9	100	417	23	11	315	54
33	Alcoholism	{M F 15	7	14	1	23	353	9	7	84	39
		{M F 15		1	2	10	97	1	3	19	6
34	Parasitic diseases	{M F 1			1	3	1			1	
		{M F 1									
35	Lead poison	{M F 1	1	1	2	1	5	1		6	1
		{M F 1					8			5	
36	Other poisons	{M F 8	1	11	7	7	14	13		31	15
		{M F 1	1	7	8	5	129	5	5	35	4
37	Inanition	{M F 21	29	13	7	4	81	182	14	6	260
		{M F 20	15	7	4			17	3	255	44

EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

Portland, Oreg.	Prov-i-dence, R.I.	Reading, Pa.	Rich-mond, Va.	Rochester, N. Y.	St. Joseph, Mo.	St. Louis, Mo.	St. Paul, Minn.	San Fran-cisco, Cal.	Scranton, Pa.	Seattle, Wash.	Syracuse, N. Y.	Toledo, Ohio.	Wilming-ton, Del.	Worces-ter, Mass.
856	3,491	1,401	2,523	2,446	933	10,820	1,574	7,040	2,111	898	1,494	2,112	1,595	1,838
495 361	1,772 1,719	755 648	1,839 1,184	1,225 1,221	497 436	5,776 4,644	828 746	4,367 2,673	1,114 997	621 277	779 715	1,091 1,021	854 741	945 893
6	21	28	65	6	7	36	9	13	19	10	16	10	15	4
2 4	9 12	19 9	41 24	3 3	1 6	28 13	5 4	6 7	11 8	7 8	6 10	7 8	8 7	5 6
136	748	221	412	300	178	1,519	288	754	523	110	206	469	278	314
72 64	349 399	111 110	223 189	160 140	86 92	786 733	126 112	440 314	245 278	72 38	110 96	231 238	132 146	168 146
2	57 62	5 5	4 4	1 1	1 1	6 15	1 7	2 2	1 1	2 1	3 4	1 2	7 2	10 11
3 3	8 5	5 4	2 4	2 4	2 25	4 5	12 9	49 70	2 2	1 3	13 11	18 2	10 11	11 11
6 4	15 18	24 24	1 1	19 13	11 13	124 119	19 18	31 46	78 78	3 7	11 9	40 64	39 38	23 19
4 6	21 39	4 5	2 4	6 2	4 5	19 11	8 10	6 7	6 3	10 1	2 4	2 1	2 4	5 4
2 1	3 9	1 12	13 12	1 4	2 55	69 55	10 5	1 1	1 1	2 3	5 6	6 4	3 2	14 14
4	48 79	6 10	18 20	4 5	4 4	25 26	4 1	10 17	4 10	2 4	6 5	17 17	8 8	11 17
13 9	30 22	19 16	38 28	25 13	17 20	105 85	24 12	95 40	14 16	23 8	16 9	31 22	18 32	14 16
3 3	1 5	6 3	3 2	3 6	4 4	8 11	2 1	6 5	7 8	3 2	3 4	9 6	1 2	3 3
1 1	1 1	4 6	3 5	5 3	8 2	1 1	2 2	1 1	2 2	4 6	4 6	4 4	4 4	18 18
1 2	21 14	2 6	22 22	6 7	7 8	20 24	2 3	11 7	10 11	3 2	9 2	10 10	1 1	5 11
3 1	2 10	5 3	19 17	7 8	2 2	19 11	1 2	50 8	10 9	5 2	4 2	1 6	4 7	3 6
21 15	49 51	10 7	38 24	28 16	9 3	208 193	19 28	108 86	11 13	6 5	13 16	29 34	16 12	26 7
4 11	72 60	20 13	35 29	31 27	18 14	62 58	16 9	16 41	40 1	4 1	19 16	32 30	20 19	45 38
						2		10	2					23
2	5 5	1 1	6 3	1 2	2 4	14 22	13 7	17 10	3 1	2 1	2 7	7 4	4 3	4 1
					1			4					1	25
1 5	3 5	1 5	3 2	4 2	2 2	17 15	2 3	8 9	8 2	3 6	8 3	8 3	2 1	2 5
2 5	4 3	4 9	4 8	10 18	2 9	26 34	3 9	20 18	4 13	6 5	6 6	13 7	3 5	3 4
1	6 2	7 4	5 3	15 12	3	3	13 10			2 1	1 1	1 2	3 4	28
3 1	3 9	4 9	3 2	1 3	1 1	10 13	4 1	9 18	3 2	4 2	2 2	6 5	2 1	4 3
26	47	16	58	26	30	402	57	345	35	36	42	81	57	85
14 12	32 15	11 5	35 23	19 7	18 12	220 182	36 21	215 130	22 13	32 4	20 22	48 33	36 21	48 32
2 1	17 6	3 2	8 2	4 2	3 3	21 3	1	72 26		9 2	2 4	3 2	3 2	4 2
						1								34
						1								35
4 3	10 5	4 4	7 4	1 3	5 11	13 2	4 21	40 21	4	7 1	3 1	5 2	3 1	3 3
8 8	5 4	1 5	25 19	14 5	10 9	185 167	31 19	102 88	18 13	15 3	15 19	39 31	30 18	41 35

TABLE 14.—DEATHS IN EACH PRINCIPAL REGISTRATION CITY, FROM

	CAUSE OF DEATH.	Minne- apolis, Minn.	Nashville, Tenn.	Newark, N. J.	New Haven, Conn.	New Orleans, La.	New York, N. Y.	Omaha, Nebr.	Paterson, N. J.	Philadel- phia, Pa.	Pittsburg, Pa.
1	1. General diseases—Continued. General diseases—C	144	164	338	119	692	4,589	111	183	2,823	487
2	Males	65	75	196	61	328	2,370	60	98	1,332	222
3	Females	79	89	142	58	364	2,219	51	85	1,441	215
4	Old age	{M F 24 39	31 44	20 28	11 18	118 183	324 554	23 24	20 19	310 596	47 56
5	Premature birth	{M F 2 4	13 10	43 25	28 20	60 35	724 563	22 10	29 30	410 288	68 58
6	Malformation	{M F 2 2	1 5	11 3	5 8	128 90	2 1	1 1	43 26	7 7	
7	Debility and atrophy	{M F 36 34	30 33	108 75	14 24	143 138	1,105 947	12 14	46 29	605 521	83 85
8	Obesity	{M F									
9	Others of this group	{M F 1 1	1 1	14 9	5 1	2	89 65	1 2	2 6	14 10	17 9
10	General diseases—D	436	410	849	347	1,341	12,317	187	280	4,505	702
11	Males	205	171	452	185	707	6,827	110	153	2,297	352
12	Females	231	239	397	162	634	5,490	77	127	2,208	350
13	Anemia	{M F 8 6	2	1 10	4 1	4 8	32 62	2 2	2 2	32 30	1 7
14	Diabetes	{M F 4 7	1	11 17	11 9	8 5	185 168	2 3	5 3	62 67	8 7
15	Rheumatism	{M F 2 1	5 5	2 3	2 8	8 6	95 109	1 5	3 3	29 29	14 20
16	Serofula and tubercles	{M F 1 3	5 7	1 3	2	11 12	42 38	2 2	2 2	26 30	6 8
17	Leprosy	{M F				1	2	1			1
18	Hydrocephalus	{M F 11 12	8 5	22 21	7 8	9 7	420 344	6 1	4 6	81 51	14 7
19	Tuberculosis, general	{M F 7 6	1 1	3 3	1 1	21 5	83 50	7 —	1 15	— 18	— 2
20	Consumption	{M F 121 143	128 177	351 225	126 78	559 468	5,112 3,237	63 47	106 87	1,654 1,336	244 192
21	Cancer	{M F 43 47	8 28	52 101	27 51	62 104	724 1,336	21 13	19 27	280 526	41 76
22	Tumor	{M F 3 4	2	5 10	1 5	10 6	81 88	1 2	6 3	61 59	9 9
23	Dropsy	{M F 2 8	15 2	2 2	9 8	7 11	38 1	3 1	38 50	8 17	
24	Others of this group	{M F 3 2	1 3	2 2	4 1	5 4	44 46	2 2	2 2	19 12	6 5
25	2. Diseases of the nervous system	253	236	678	235	946	6,073	173	274	3,331	635
26	Males	134	138	338	115	504	8,268	104	157	1,765	353
27	Females	119	98	340	120	442	2,805	69	117	1,566	282
28	Inflammation of the brain	{M F 1 1	7 7	3 4	2	3 6	19 7	2 2	2 1	83 26	6 5
29	Meningitis	{M F 33 32	15 13	76 73	24 17	66 69	795 612	15 15	48 31	308 230	71 57
30	Apoplexy	{M F 31 32	23 12	112 131	34 41	86 108	1,282 1,180	26 16	41 29	443 471	64 46
31	Paralysis	{M F 5 6	11 16	13 26	9 14	53 39	268 201	18 12	14 13	181 206	43 31
32	Paralysis, general (of insane)	{M F 1 5	—	11 1	9 4	35 20	—	1 1	1 1	35 4	1
33	Tetanus and trismus nascentium.	{M F 4 4	5 2	9 1	3 3	126 71	73 32	8 5	5 2	37 13	13 2
34	Chorea	{M F 1	—	—	—	4 2	—	1	—	3	1
35	Epilepsy	{M F 4 1	2	6 2	1 3	8 9	51 59	1 2	2 1	29 20	8 2
36	Convulsions	{M F 26 32	36 22	77 57	24 15	41 41	378 292	19 14	32 25	428 358	98 77
37	Mental diseases	{M F 2	—	3 7	4 7	10 10	59 109	1 1	3 3	39 28	10 15

EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

Portland, Oreg.	Provi- dence, R.I.	Reading, Pa.	Rich- mond, Va.	Rochester, N. Y.	St. Joseph, Mo.	St. Louis, Mo.	St. Paul, Minn.	San Fran- cisco, Cal.	Scranton, Pa.	Seattle, Wash.	Syracuse, N. Y.	Toledo, Ohio.	Wilming- ton, Del.	Worces- ter, Mass.	
24	232	172	235	159	45	978	84	278	142	39	131	136	141	189	1
13 11	127 105	88 89	127 108	61 98	21 24	487 486	35 49	155 123	76 66	25 14	61 70	66 70	66 75	84 105	2 3
8 9	25 33	11 9	20 37	30 56	14 12	226 277	13 22	90 65	12 18	9 10	23 39	21 28	15 25	11 40	{ 4
2	88 38	41 86	23 18	3 8	65 58	2 5	20 17	21 7	6 1	23 17	28 21	19 21	54 32	{ 5	
9 4	2 1	4 1	1 1	7 4	3 1	14 14	2 4	2 2	2 3	5 3	1 1	2 5	1 1	{ 6	
8 2	51 27	27 43	80 52	29 37	4 6	189 146	16 21	30 27	41 37	10 1	11 9	8 10	30 32	16 20	{ 7
															{ 8
	4 3	2		1			1				2	4	1	1 8	{ 9
200	620	215	420	443	157	1,686	351	1,682	201	184	278	314	272	350	10
110 90	290 330	105 110	195 225	207 236	72 85	916 770	178 173	1,053 629	81 120	105 79	145 133	161 153	152 120	165 185	11 12
5 2	2 5	3 1	8 3	7 6	1 1	12 22	4 5	5 10	5 3	2 3	4 2	4 2	1 2	1 4	{ 13
7 5	5 4	4 4	1 2	9 12	2 3	9 16	8 2	15 23	6 4	8 1	6 5	1 3	3 1	11 8	{ 14
1 2	6 8	2 1	4 7	2 8	4 2	19 14	2 3	12 6	3 5	1 1	8 4	5 1	5 5	1 7	{ 15
4 1	3 1	8 3	4 7	2 3	3 3	6 8	1 1	5 7	1 1	1 1	2 3	4 2	1 1	1 1	{ 16
								2							{ 17
7 2	14 27	4 2	4 4	10 8	3 2	26 20	12 8	50 39	3 1	9 4	3 3	7 7	8 7	12 6	{ 18
2 2	12 12	1	2	1	1	1	4 5	22 11		1 2	1 3	3 4	1 2	1 2	{ 19
55 45	210 188	75 61	148 160	129 121	41 50	706 462	111 95	732 327	43 72	57 42	86 57	100 84	117 77	111 107	{ 20
20 28	87 77	12 29	18 32	36 72	7 15	110 194	80 45	189 170	13 27	23 21	29 52	26 43	17 25	23 48	{ 21
2 3	1 7	1 4	3 2	3 6	1 1	9 14	4 7	10 18	4 4	2 1	2 3	2 5	1 2	3 2	{ 22
6		5 5	10 6	1 6	8 8	13 12	1 1	3 9	4 2	1 3	2 2	7 3	5 6		{ 23
1		1	1	6	1	5 8	1 1	8 9	3 1	3 1	2 1	2 3		1	{ 24
108	288	234	353	351	110	1,089	221	638	294	88	208	333	287	210	25
61 47	144 144	129 105	191 162	183 168	67 43	614 475	132 89	887 251	164 130	58 30	101 107	175 155	126 111	106 101	26 27
3	1	2	2	3	5	26	3	6	3	1	1	4 8	1	5 1	{ 28
18 14	26 24	22 15	28 19	44 31	13 5	82 74	23 18	65 48	31 20	8 5	23 19	24 24	26 27	21 27	{ 29
21 9	65 74	43 43	43 44	58 73	17 7	135 90	36 20	174 112	28 30	18 8	27 46	37 33	22 30	32 45	{ 30
14 10	10 16	11 13	33 27	26 24	12 7	72 60	7 8	19 14	19 14	9 4	17 12	16 17	29 27	16 7	{ 31
2	1	2	1	1	1	13 2	1	1 3	3			19 4		1 2	{ 32
	1	5	10 3	1		37	5	5	2		4	4		2	{ 33
			1			1			1						{ 34
	4	1	4 2	4	2	11	3	16	2			6 5		1 3	{ 35
	16 8	30 19	32 32	28 24	3 9	114 90	36 31	26 18	61 60	7 3	10 12	28 30	35 15	15 6	{ 36
	1 5	2	4 3	6 7	2	14 17	1	1 4	1	1	1 2	3 2	16 18	5 1	{ 37

TABLE 14.—DEATHS IN EACH PRINCIPAL REGISTRATION CITY, FROM

	CAUSE OF DEATH.	Minne- apolis, Minn.	Nashville, Tenn.	Newark, N. J.	New Haven, Conn.	New Orleans, La.	New York, N. Y.	Omaha, Nebr.	Paterson, N. J.	Philadel- phia, Pa.	Pittsburg, Pa.
1	2. Diseases of the nervous system—Cont'd.										
1	Diseases of the brain—{M—	21	34	17	7	71	226	13	6	162	28
	{F—	7	20	17	7	63	187	4	11	166	33
2	Diseases of the spinal cord—{M—	3	1	5	2	11	43	2	2	26	4
	{F—	1	1	8	3	9	60			13	4
3	Locomotor ataxia—{M—	2		5	6	9	26	3	2	29	3
	{F—		1		1	1	16	1		8	3
4	Others of this class—{M—	3	4	1	1	11	29		2	15	4
	{F—		4	4	6	12	28	1	1	20	6
5	3. Diseases of the circulatory system	182	124	326	161	678	4,957	93	135	2,337	829
6	Males	103	69	160	81	367	2,489	53	59	1,224	212
7	Females	79	55	166	80	311	2,408	40	76	1,113	117
8	Pericarditis—{M—	5	1	4	2	10	43			21	6
	{F—	3		2	2	6	37	1	1	17	3
9	Diseases of the heart—{M—	88	58	139	66	307	2,127	43	48	993	187
	{F—	66	51	162	69	277	2,212	34	72	945	105
10	Angina pectoris—{M—	1	5	13	4	4	80	2	3	39	6
	{F—	3	1	8	1	8	61	1	2	42	5
11	Diseases of the arteries—{M—	4			4	24	54		1	49	4
	{F—	1	1	4	4	10	42	1		40	1
12	Aneurism—{M—	4	2	1	2	12	57	2	1	39	2
	{F—	2	1			5	13	1		8	
13	Embolism—{M—	1			1	1	19		1	5	2
	{F—						18	1		12	
14	Others of this class—{M—	1	3	8	2	10	109	6	5	78	5
	{F—	3	1		3	4	85	1	1	49	3
15	4. Diseases of the respiratory system	280	320	961	826	999	15,302	209	327	4,416	1,215
16	Males	157	156	525	169	569	8,086	121	179	2,352	682
17	Females	123	164	436	157	480	7,216	88	148	2,064	533
18	Croup—{M—	3	13	19	2	7	194		7	116	15
	{F—	1	6	14	2	3	162	3	4	99	8
19	Pneumonia—{M—	111	118	362	111	402	5,988	99	126	1,678	468
	{F—	84	117	265	101	291	5,141	63	107	1,465	365
20	Laryngitis—{M—	2	1	4	1	3	47		3	17	9
	{F—	2		3	2	40			2	6	4
21	Bronchitis—{M—	23	13	78	32	110	1,304	11	31	243	112
	{F—	15	18	100	39	107	1,296	14	25	238	96
22	Pleurisy—{M—	1	3	13	7	15	135	3	6	41	15
	{F—	4	6	10	5	5	124	1	1	38	13
23	Asthma—{M—	1	2	7	7	11	42	2		39	28
	{F—	3	3	4	4	13	50	3		34	21
24	Others of this class—{M—	17	7	47	9	21	376	6	6	218	35
	{F—	17	14	41	4	11	300	4	9	184	26
25	5. Diseases of the digestive system	121	116	210	110	378	3,299	105	105	1,384	420
26	Males	67	52	107	49	222	1,678	61	58	693	232
27	Females	54	61	103	61	156	1,621	44	47	691	188
28	Dentition—{M—	2			1	25	80	1		24	10
	{F—	2			4	12	77		1	19	14
29	Angina—{M—	1			1	1	15			6	5
	{F—	3	1		2		11	1		12	4
30	Gastritis—{M—	8	6	11	15	19	196	4	6	113	44
	{F—	6	11	15	16	18	265	3	8	123	51
31	Diseases of the stomach—{M—	4	3	11	2	7	84	1	2	36	7
	{F—	1	10	5	2	5	65	3		24	7
32	Obstruction of the bowels—{M—	5	7	13	4	18	113	7	4	45	13
	{F—	5	8	9	6	15	151	6	7	61	13
33	Appendicitis—{M—	15	4	5	6	14	260	15	11	90	19
	{F—	4	2	7	3	6	169	4	7	45	5
34	Hernia—{M—	1	1	6	3	9	85	1	3	20	6
	{F—	2	1	7	2	4	82	3	2	23	3
35	Other diseases of the bowels—{M—	2	1	4	2	3	28	1	1	13	7
	{F—	1	2	6	1	4	21	2		26	5
36	Jaundice—{M—	1	3	4	2	1	8	41	4	32	13
	{F—	2	3	2	1	3	43		3	32	7
37	Inflammation and abscess of the liver—{M—	3	2	3	1	1	33	66		17	17
	{F—	3	5	5	1	10	82			22	6

EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

Portland, Oreg.	Provi- dence, R.I.	Reading, Pa.	Rich- mond, Va.	Rochester, N. Y.	St. Joseph, Mo.	St. Louis, Mo.	St. Paul, Minn.	San Fran- cisco, Cal.	Scranton, Pa.	Seattle, Wash.	Syracuse, N. Y.	Toledo, Ohio.	Wilming- ton, Del.	Worcester, Mass.	
4 6	10 10	9 4	28 22	7 4	9 6	89 64	11 8	52 33	4 2	11 5	9 10	15 8	11 8	5 4	{ 1
1	2		1	2		11 10	3	5 3	2 2	3	3 1	4 3	2	1 3	{ 2
	2		3	1	1	6 1	3	8 3	2		2		2	1	{ 3
	4 1	2 1	3 1	1											{ 3
	2 1	2 8	2 6	1 3	3 1	4 5	1	9 6	5 3		2 2	2 8		2	{ 4
78	252	144	168	281	70	726	127	801	126	92	117	131	188	168	5
50 28	123 129	76 68	92 76	129 152	37 33	400 326	65 62	554 387	74 52	64 28	56 61	66 65	76 79	89 77	6 7
3	2 2	4		3	1	13	7 1	14 9	1	1	1 2	1		1 2	{ 8
45 24	104 114	63 56	84 69	107 136	30 32	335 289	56 61	459 296	62 48	58 25	45 56	53 56	64 56	78 68	{ 9
4	8 4	4 1	8 3	3 4	3 1	6 9	4 1	24 8	9 1	1	6 1	8 1	3 4	1 4	{ 10
	4 2	1 2		11 4	1 1	12 7	3	30 18	2			2		6 2	{ 11
	4 2			3	2	12 5	1	19 2	4 1	2		1		1 1	{ 12
			1	1				4				2		3 2	{ 13
	1	1		2			2	3	1		1	2	2	2 2	{ 13
1 1	1 4	8 6	2 1	2 2		24 21	4 1		1	1	2 1	1	7		{ 14
72	618	173	394	371	142	1,716	194	997	376	139	197	271	218	261	15
38 34	324 294	86 87	209 185	194 177	80 62	988 728	100 94	637 360	206 170	98 41	107 90	142 129	123 95	137 124	16 17
3	10 8	18 15	3 1	3 6	7 10	31 29	8 6	9 5	22 24	3 1	2 1	28 21	9 8	1 2	{ 18
25 17	235 209	53 53	128 111	117 100	43 30	666 440	65 68	413 220	132 98	85 32	78 58	73 75	86 64	108 83	{ 19
1	2 4	1		4		1	8 7	1 1	3 2	2 1	2 2	1		1	{ 20
8 5	65 59	6 6	28 33	35 49	18 12	164 160	14 14	120 82	34 34	2 4	16 23	25 17	13 9	18 32	{ 21
	4 2	4 2	1 3	4 5	2	17 16	2	18 9	6 7	2 1	2 4	3 1	2 1	1 2	{ 22
1 2	1 4	2 7	9 1	3 1	3 1	35 31		9 5	2 1	2 1	4 4	4 4	2 3	3 3	{ 23
3 7	7 10	5 8	39 30	28 16	7 8	67 45	10 5	65 32	8 10	2 1	7 2	8 10	11 10	6 4	{ 24
70	181	46	165	182	83	635	104	462	107	56	89	127	65	79	25
32 33	98 83	31 15	71 94	85 97	48 35	345 290	48 56	264 198	43 64	37 19	41 48	61 66	29 36	39 40	26 27
	1 5	1 2	11 13		1 1	23 10		3 1		1		3			{ 28
	2		1		1	6 5		6 2	1 2			2	1		{ 29
2 6	4 5	5 5	8 11	8 9	2 6	44 52	4 6	25 30	3 11	4 2	5 8	7 8	7 10	6 8	{ 30
1 3	7 3	3 1	4 3	2 1	2 1	17 7	6 1	15 6	3 6	2 2	4 2	2 5	1 1	2 2	{ 31
4 3	7 8	1 5	5 10	10 4	4 4	21 21	2 4	15 19	5 8	7 2	1 9	4 4	4 3	3 3	{ 32
10 8	12 7	2 8	5 7	9 2	9 2	43 25	8 4	28 18	3 1	7 2	5 3	8 3	2 5	10 1	{ 33
1 3	4 3	3 1	5 3	1 1	2	15 12	2	6 3	1 2	1 1	2 1	1 1	1 1	2 1	{ 34
3	3 1	2 1	4 2	1 2	6 2	7 7	1 2	5 4		1	1 3	2 2	2 2		{ 35
1	4 3	4 3	1 1	1 2	1	14 8	1 3	4 2	1 1	1 1	1 1	1 2	3 1	1 2	{ 36
1 1	8 2	1 2	8 4	4 4	3	25 17	2 1	20 12	2 2	2 1	2 1	5 2	2 1	1 1	{ 37

TABLE 14.—DEATHS IN EACH PRINCIPAL REGISTRATION CITY, FROM

	CAUSE OF DEATH.	Minne- apolis, Minn.	Nashville, Tenn.	Newark, N. J.	New Haven, Conn.	New Orleans, La.	New York, N. Y.	Omaha, Nebr.	Paterson, N. J.	Philadel- phia, Pa.	Pittsburg, Pa.
1	5. Diseases of the digestive system—Cont'd. Other diseases of the liver	{M 7 F 5	5 6	27 12	6 7	51 24	436 254	6 2	11 5	144 84	36 14
2	Peritonitis	{M 16 F 16	8 11	20 21	4 7	21 33	139 237	16 18	18 18	109 167	23 36
3	Ascites	{M 1 F	1 2	1 —	— —	5 4	1 —	— —	— —	6 9	1
4	Others of this class	{M 4 F 6	8 5	2 14	4 7	8 9	140 163	5 2	5 1	38 44	32 22
5	6. Diseases of the urinary system and male organs of generation.	131	66	321	122	551	5,486	58	121	1,917	206
6	Males	80	44	182	56	313	2,927	41	60	1,056	112
7	Females	51	22	139	66	238	2,559	17	61	861	94
8	Bright's disease	{M 49 F 40	24 8	150 117	46 60	260 218	2,531 2,316	33 12	50 49	628 591	75 68
9	Calculus, urinary	{M 1 F	— 1	— —	1 —	2 1	9 5	1 —	— —	2 1	—
10	Diseases of the kidneys	{M 6 F 7	3 2	11 7	5 4	11 7	166 115	4 —	4 —	62 41	7 9
11	Diseases of the bladder	{M 15 F 1	1 2	8 2	3 1	7 —	82 10	4 —	1 2	40 10	10 3
12	Others of this class	{M 10 F 3	16 9	12 13	2 1	33 12	139 113	3 1	5 6	824 218	20 14
13	7. Diseases of the female organs of generation.	14	9	9	9	30	270	9	5	55	36
14	Ovarian tumors	1	1	2	1	4	44	1	—	12	10
15	Ovarian diseases	1	—	—	—	—	24	1	—	8	—
16	Diseases of the tubes	1	1	1	1	6	70	2	—	8	6
17	Uterine tumors	5	2	4	3	10	66	3	1	11	8
18	Uterine diseases	1	2	1	—	3	18	—	—	1	4
19	Others of this class	6	3	1	4	7	48	2	4	15	8
20	S. Affections connected with pregnancy	19	9	29	13	64	631	8	14	167	56
21	Abortion	2	1	—	3	2	41	—	—	3	7
22	Childbirth	2	5	4	3	9	130	3	1	48	28
23	Puerperal septicemia	13	1	14	4	36	323	2	13	72	13
24	Extra-uterine pregnancy	1	1	1	1	2	26	2	—	13	2
25	Others of this class	2	1	10	2	15	111	1	—	31	6
26	9. Diseases of the bones and joints	5	3	7	4	14	165	1	5	63	9
27	Males	3	—	6	3	10	88	1	5	31	2
28	Females	2	3	1	1	4	77	—	—	32	7
29	Diseases of the spine	{M 3 F 1	— 1	1	—	2	22	—	—	7	1
30	Abscess, lumbar and psoas	{M F —	— 1	— —	— —	2	8	—	—	1	—
31	Diseases of the bones	{M F —	— 1	3	3	3	42	1	2	9	3
32	Diseases of the hip-joint	{M F —	— 1	— —	— —	2	6	—	—	4	2
33	Others of this class	{M F —	— —	— —	1	1	15	—	1	5	1
34	10. Diseases of the skin	7	6	6	4	16	116	3	8	36	17
35	Males	6	4	5	4	12	66	1	2	19	12
36	Females	1	2	1	—	4	50	2	1	17	5
37	Abscess	{M 3 F 1	2	2	2	1	40	1	1	18	5
38	Carbuncle	{M F —	1	1	2	6	7	—	—	3	1
39	Others of this class	{M F —	2	1	1	2	5	19	1	5	6

EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

Portland, Oreg.	Prov-i- dence, R.I.	Reading, Pa.	Rich- mond, Va.	Rochester, N. Y.	St. Joseph, Mo.	St. Louis, Mo.	St. Paul, Minn.	San Fran- cisco, Cal.	Scranton, Pa.	Seattle, Wash.	Syracuse, N. Y.	Toledo, Ohio.	Wilming- ton, Del.	Worcester, Mass	
1 2	14 11	4	9 10	15 10	9 1	80 33	11 2	99 57	9 4	7 1	3 5	17 11	5 3	7 2	{ 1
7 10	5 8	4 3	8 22	26 41	4 11	34 72	6 30	28 34	12 25	6 8	9 11	6 16	4 6	6 15	{ 2
		1	1	1	1	5					1	1	1	1	{ 3
1 2	29 31	2 1	6 9	6 8	3 4	11 16	7 1	10 10	4 2	1 2	7 5	7 7	7 2	3 6	{ 4
42	251	59	110	174	34	705	110	416	100	27	102	69	68	94	5
32 10	146 105	34 25	66 44	103 71	18 16	445 260	60 50	274 142	52 48	20 7	64 38	43 26	40 28	49 45	6 7
17 7	113 96	21 19	47 34	78 53	10 8	307 193	43 40	218 118	37 31	14 6	43 27	24 19	32 26	34 37	{ 8
	3					1	2	1				1	1	1	{ 9
4	9 1	2	1 2	6 3	1 2	18 6	4 4	21 11	3 8		3 4	3 2	4 2	2 1	{ 10
3	9 8	4 1	6 1	6 1	1 2	20 1	3 1	14 8	1 1	2	5 1	8 1	2 1	6 6	{ 11
8 3	12 5	7 5	12 7	13 14	6 4	99 58	10 6	19 9	11 9	4 1	13 6	7 3	2 2	6 7	{ 12
4	25	1	2	6	12	51	7	40	3	2	18	11	3	2	13
1	4 1 4 1 7 2 2			1		11		5		1	5 1	2	1	14 15 16 1 17 1 18 19	
2	35	6	16	13	2	63	10	42	12	2	6	30	9	6	20
1	2 4 16 3 10 5					1	13 37 1 11	15 4 15 3 6	4 5 1 3 8	1 1 1 1 1	6 4 16 1 4	4 3 1 1 1	1 2 3 1 25	21 22 23 24 25	
5	13	2	4	1	3	14	3	9	3	4	5 4	2 2	2	2	26
2 3	7 6	1 1	3 1	1 1	2 1	11 3	2 1	6 3	3 1	3 1	5 4	5 4	2 2	1	{ 27 28
1	8				2	8	1	1			1		2	1	{ 29
						3	1				1				{ 30
1 1	2 1	1 1	1 1	1		3 1		2 2	1 1	2 1	2 2		2		{ 31
1	3					1		2 1	1 1		1		2		{ 32
				2		1		1	1					1	{ 33
1 2	2 9	4 4	4	5	1	22	1	8	4		3	11	6	2	34
1 1	6 3	2 2	4	3 2	1	13 9	1	1 7	2 2		2 1	5 6	2 4	1 1	{ 35 36
1	4 1	1 1	2	2		8 4		1 3	1 2		1 1	3 3	1 4		{ 37
		1		1		3		1				2			{ 38
1	2 2	1 1	2		1	2 4	1	3			1	3 3	1 1	1 1	{ 39

TABLE 14.—DEATHS IN EACH PRINCIPAL REGISTRATION CITY, FROM

	CAUSE OF DEATH.	Minneapolis, Minn.	Nashville, Tenn.	Newark, N. J.	New Haven, Conn.	New Orleans, La.	New York, N. Y.	Omaha, Nebr.	Paterson, N. J.	Philadelphia, Pa.	Pittsburg, Pa.
1	11. Diseases of the absorbent system	1	1	4	3	2	34	8	1	II	II
2	Males	1		3	2	2	15	8	1	6	6
3	Females		1	1	1		19			5	5
4	Addison's disease	{M F	1		2	1	5	1		3	2
5	Diseases of the spleen	{M F					1	2		1	1
6	Others of this class	{M F		1	1	2	10 11		1	2 4	3 1
7	12. Accidents and injuries	128	111	224	95	423	2,940	122	122	1,226	577
8	Males	91	80	159	70	336	2,212	91	90	858	483
9	Females	37	31	65	25	87	728	31	32	368	94
10	Burns and scalds	{M F	6 8	3 14	19 16	1 2	12 26	147 195	6 9	7 11	53 89
11	Drowning	{M F	15 1	6 1	18 1	5 1	62 7	347 26	5 1	4	107 9
12	Exposure and neglect	{M F		2			4	6 7	1 1		5
13	Gunshot wounds	{M F	4 1	19 2	5 2		67 7	88 13	7	5	17
14	Homicide	{M F	2	4	5 1	1	5 10	53 19	1	2	9 4
15	Infanticide	{M F			1			1			1
16	Injuries by machinery	{M F					2	2	1		1
17	Railroad accidents	{M F	13 1	6	21 6	15 1	42 10	113 11	23 1	19 5	50 5
18	Suffocation	{M F	3 4	2 1	11 8	2 1	7 2	69 42	2 1	12 4	22 17
19	Suicide by shooting	{M F	5	1	8	1	17	92 7	5 1	1	19 2
20	Suicide by drowning	{M F			1		8 1	2 2		2	5
21	Suicide by poison	{M F	1 5	1	11 9	9 4	11 2	116 75	4 3	2	10 9
22	Other suicides	{M F	9	3	4 1	5 2	7 1	129 30	3	3	89 24
23	Sunstroke	{M F		1	4 3	1	15 6	57 31		1	21 33
24	Surgical operations	{M F	1 1	1 8		1	2 3	13 8	7 8	1 3	3 4
25	Wounds	{M F	1	2	3 2	1	10 2	44 10	2		5 1
26	Others of this class	{M F	31 16	29 7	48 16	29 12	70 16	933 252	24 5	32 7	445 163

EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX: 1900—Continued.

Portland, Oreg.	Provi- dence, R.I.	Reading, Pa.	Rich- mond, Va.	Rochester, N. Y.	St. Joseph, Mo.	St. Louis, Mo.	St. Paul, Minn.	San Fran- cisco, Cal.	Scranton, Pa.	Seattle, Wash.	Syracuse, N. Y.	Toledo, Ohio	Wilming- ton, Del.	Worces- ter, Mass.	
2	3		1	1		9	3	3	1		2	2		1	1
1	3		1	1		6	1	3	1		1	1		1	2
1						3	2				2	1		1	3
						1		2				1			1
						2	1	1					1	1	1
													1		1
1	3		1	1		3	2		1		1				1
1						2									1
79	148	80	116	127	59	674	55	462	165	109	74	113	86	71	7
67	114	67	82	77	46	522	39	372	134	100	61	85	64	54	8
12	34	13	34	50	13	152	16	90	31	9	13	28	22	17	9
2	9	4	2		1	12	3	7	13	2	4	8	2	2	6
1	5	4	10	2	3	15	4	6	11	3	1	7	9	6	10
16	8	6	13	8	2	53	3	50	3	25	12	16	9	5	11
1	1	1		3		2		1		2	1	4	1		
	2	2				2		1					1	1	12
3	1	1	4	6	4	27	1	2	5	6	2	3	3	1	13
1	2		10		1	66	2	33	1	1		1			14
1	1		4	1		4		7							15
	2			1											16
	2		1		2				2	2		1		1	16
9	14	31	14	19	10	8	8	22	19	12	10	22	17	9	17
2				1		1	1	4	1	1	1	6	1		
1	8	2	2		1	6	3	10	5	3	2	1	3		18
2	7	1	7	5	1	2	3	5	4			1	1	2	
5	2	1		7	2	4	2	41	1	2		3		6	19
				1				4						1	20
				1		2		3		1		1		2	20
1	1	1	1	5		8	2	32		4		1			21
2	1	1	1	1	1	2		26			1	3		1	
5	11	2		11	5	67	2	51	4	3	1	1	8	4	1
4			7		1	14	2		1			1	1		1
			1		5		1								23
			1		2		8		12	1					24
1		1	2	6	1	21		6	1		1				
2	2	1	4	2	1	1				1	9		2	1	25
22	50	16	24	16	16	244	11	106	78	32	30	28	19	21	6
4	12	4	8	22	5	68	6	17	13	8	6	6	6	6	26